TRISTATE
KITCHEN EQUIPMENT

A Well-Equipped Kitchen

The Heart of Your Foodservice Facility

Tri State-Kitchen Equipment LLC (TKE) or its affiliates do not manufacture equipment, small wares, and chemicals. The products pictured on this website are for advertisement purposes only and does not imply that Tri State-Kitchen Equipment LLC is a manufacturer of trademark items that it sells.

All rights in the intellectual property contained on this Site including copyright, trademarks, trade secrets and patent rights are reserved. Access to this Site does not constitute a right to copy or use any of the intellectual property of TKE or others contained in this Site.

TRISTATE
KITCHEN EQUIPMENT

Equipping the Kitchen for a Dynamic Market

Dining habits, restaurant trends, and customer preferences change so quickly, it's nearly impossible to keep up. We can help by providing the products you need to stay on top of current trends and deliver a consistently satisfying dining experience. Check out these great new products:

Signature Range Cookware by Le Creuset of America
Page 8

Microplane® Graters by Matfer Bourgeat
Page 34

8 Qt Commercial Stand Mixer by KitchenAid
Page 51

Combitherm® CT Express™ Mini Combi by Alto Shaam
Back Cover



Look for Important Food Safety Tips

Watch for this yellow box throughout this Advisor for important food safety tips that will help you maintain healthy food handling techniques.

Contents

Baking Supplies 24, 25
Bar Coolers 85, 86
Blenders 50, 52
Bowls 27
Broilers 55, 57-60
Brushes 32, 58
Bun Pans 25, 77
Can Openers 42
Carts 16, 71
Cookers 68
Cookware 3-8
Convection Ovens 61, 65-69, 88
Countertop Equipment 53, 54, 57, 65, 70
Cutting Boards 20-22
Dishers 20, 35
Dish Washing 82, 83, 85
Dispensers 22, 85
Film/Foil Dispensers 44
Food Pans 9, 12, 36
Food Choppers/Processors 45, 46, 48, 50
Food Storage Boxes 10
Food Warmers 73
Fryers 61-64
Gas Connectors 75
Griddles 57, 59
Hand Protection 23, 30
Holding Cabinets 71-73
Hoods, Accessories 81
Ice Machines 84, 87
Ingredient Bins 10, 13
Insect Control Curtains 16
Kitchen Basics 25-27
Knives & Accessories 26, 28-31, 34
Lettuce Prep 48
Manual Food Prep 45-47
Microwave Ovens 74
Mixers 51
Oven Mitts 23
Ovens 53, 55, 56, 66-70, 88
Pans 3-8
Pots 4, 5, 8
Pressure Washers 16
Racks 42, 71, 77
Ranges 56, 61
Refrigeration 75, 78-85, 86
Sandwich Stations 78, 79
Scales 16, 40, 41, 43
Shelving & Racks 14, 15
Sinks 82
Slicers 47, 49
Steamers 65
Steam Table Pans & Insets 37-39
Stock Pots 4, 5
Storage Containers 11, 12
Strainers 26
Thermometers 17-19
Thermocouples 17
Timers 18
Toasters 54
Tongs 20, 26, 27, 35
Utensils 20, 26, 27, 32-35

Offers the Best Selection of Professional Fry Pans

Aluminum Fry Pans

» 3004 Series hard aluminum alloy construction for superior strength and even heat distribution
» Insulated, heat-resistant KTE Cool ™ handles are ergonomically designed for greater comfort
» Lifetime warranty on handle rivets

(A) Uncoated		
TKE #	**Size**	**Qty**
K1329	7"	1 ea
K1330	8"	1 ea
K1331	10"	1 ea
K1332	12"	1 ea
K2333	14"	1 ea
(B) Teflon Select®		
K1670	7"	1 ea
K1672	8"	1 ea
K1673	10"	1 ea
K1674	12"	1 ea
K1678	14"	1 ea

(C) Excalibur®		
TKE #	**Size**	**Qty**
K1370	7"	1 ea
K1372	8"	1 ea
K1373	10"	1 ea
K1374	12"	1 ea
K1375	14"	1 ea

A

» Professional quality fry pan provides even heat for fantastic results
» Riveted handles for strength and reliability

Teflon Select®

B

» Gourmet quality fry pan with durable DuPont® non-stick coating for extra smooth easy release
» Improved coating features 75% greater longevity and 75% more resistance to abrasion than regular Teflon®, made without PFOA

AnoDon™ Fry Pans

» Hard 3004 anodized aluminum alloy is 20% thicker than regular fry pans, and 50% harder than stainless steel; for rapid and even heat distribution with no hot spots
» Extra heavy duty, brite-plated and triple-riveted handles for trouble-free service
» Removable insulated heat-resistant sleeves are comfortable and durable

KTE #	Size	Qty
K1333	8"	1 ea
K1334	10"	1 ea
K1335	12"	1 ea

Excalibur®

C

» Superior quality non-stick fry pan with revolutionary DuPont® non-stick coating, made without PFOA
» Resists scratching from metal utensils better than any other coating

Choice Cookware

» Made from hard, dent-resistant 3003 aluminum for quick and even heating
» Handles heavy to medium duty commercial kitchen applications
» Extra thick rims and bases for superior strength and shape retention
» Rounded corners make stirring and cleaning easy
» Covers sold separately

Choice Stock Pots and Covers

» Handles heavy to medium duty commercial kitchen use

KTE #	Cap'y	Diam	Thick	Qty	Cover KTE #	Qty
1025320	10 qt	9"	3.8 mm	1 ea	**1029502**	1 ea
1025321	12 qt	13"	3.8 mm	1 ea	**1029502**	1 ea
1025322	20 qt	10½"	4 mm	1 ea	**1029503**	1 ea
1025323	24 qt	12½"	4 mm	1 ea	**1029504**	1 ea
1025324	40 qt	14"	4 mm	1 ea	**1029506**	1 ea
1025325	60 qt	16"	4 mm	1 ea	**1029507**	1 ea

Choice Sauce Pots and Covers

» Wider pots with lower side walls for smaller preparations

KTE #	Cap'y	Diam	Depth	Thick	Qty	Cover KTE #	Qty
1031544	14 qt	11¾"	8¼"	4 mm	1/cs	**1029503**	1/cs
1031545	20 qt	13"	9½"	4 mm	1/cs	**1029504**	1/cs
1031629	40 qt	17⅓"	10½"	4 mm	1/cs	**1029507**	1/cs

Choice Braziers and Covers

» Brazier's wide surface is perfect for browning meats and simmering stews
» Heavy plated loop handles for easy transport
» Optional covers maintain moist heat for slow cooking

KTE #	Cap'y	Diam	Depth	Thick	Qty	Cover KTE #	Qty
1025316	15 qt	14"	5½"	5 mm	1 ea	**1029505**	1 ea
1025317	20 qt	16"	5⅜"	5 mm	1 ea	**1029499**	1 ea
1025318	25 qt	18"	5½"	5 mm	1 ea	**1029500**	1 ea
1025319	30 qt	20"	5½"	5 mm	1 ea	**1029501**	1 ea

Choice Sauté Pans and Covers

» Low sided sauté pans are designed for high heat browning or quick cooking
» Extra thick base for superior strength

KTE #	Cap'y	Diam	Depth	Thick	Qty	Cover KTE #	Qty
1025329	5 qt	12"	2⅝"	4 mm	1 ea	**1029514**	1 ea
1025330	7½ qt	14"	2¾"	4 mm	1 ea	**1029516**	1 ea

Choice Tapered Sauce Pans and Covers

» Tapered shape reduces contact with direct heat source and encourages diffusing heat from side walls
» Sides are gently sloped and corners are rounded for easy stirring, and nest for storing
» Extra wide lip adds durability and precise pouring
» Covers are sold separately

KTE #	Cap'y	Diam	Depth	Thick	Qty	Cover KTE #	Qty
1027563	2½ qt	7¾"	4"	3 mm	1 ea	**1029519**	1 ea
1027564	4½ qt	8¾"	5"	3 mm	1 ea	**1029520**	1 ea
1027565	6½ qt	10¾"	5¾"	3 mm	1 ea	**1029513**	1 ea
1027566	10 qt	11½"	5½"	3 mm	1 ea	**1029512**	1 ea

Choice Straight Sided Sauce Pans and Covers

» Rounded corners for easy stirring, helps prevent thick sauces from burning
» Heavy duty straight sides with a thick base provides quick and even heating
» Covers are sold separately

KTE #	Cap'y	Diam	Depth	Thick	Qty	Cover KTE #	Qty
1025326	2½ qt	7¾"	4¼"	4 mm	1 ea	**1029508**	1 ea
1025327	5 qt	8"	5½"	4 mm	1 ea	**1029510**	1 ea
1025328	8½ qt	9⅞"	6⅜"	4 mm	1 ea	**1029511**	1 ea

Standard Cookware

» Standard gauge, commercial weight aluminum construction for quick and even heating
» Extra thick rims and base for superior strength and shape retention
» Cover included

Standard Weight Stock Pots with Covers

» Perfect for preparing soups, pastas, or long-simmering stocks and sauces

KTE #	Cap'y	Diam	Depth	Thickness	Qty
1031548	8 qt	9⅞"	6"	4 mm	1/cs
1031631	12 qt	9¾"	9½"	3.5 mm	1/cs
1031550	20 qt	11¾"	11"	3.5 mm	1/cs
1031552	24 qt	11⅞"	12½"	3.5 mm	1/cs
1031553	40 qt	13¾"	13¼"	3.8 mm	1/cs
1031554	60 qt	15¾"	17½"	3.8 mm	1/cs
1031555	80 qt	18"	19"	4 mm	1/cs

Standard Weight Sauce Pots with Covers

» Wider pots with lower side walls for smaller preparations

KTE #	Cap'y	Diam	Depth	Thickness	Qty
1031630	14 qt	11⅞"	8"	4 mm	1/cs
1031546	20 qt	13"	9½"	4 mm	1/cs
1031547	40 qt	18"	9¼"	4 mm	1/cs

Premiere Cookware for all Cooking Styles

2500 Series Tri-Ply™

Paderno World Cuisine

» Stainless steel with exterior and interior mirror polished finish
» Laminated stainless steel/aluminum/stainless even layers throughout the whole pan
» Lipped non-dripping edges
» Ergonomic stay-cool hollow handles, solidly affixed with forged rivets
» Compatible with all heat sources, including induction

INDUCTION READY

Sauté Pans				
KTE #	**Cap'y**	**Top Dia**	**Ht**	**Qty**
1005824	1⅝ qt	7³⁄₂₅"	2½"	1 ea
1005825	2⅛ qt	7⅞"	2¾"	1 ea
1005815	2⅛ qt	9½"	2"	1 ea
1005826	4 qt	9½"	3⅜"	1 ea
Sauce Pans				
1029102	⅖ qt	4"	2"	1 ea
1029103	¾ qt	4³⁄₇"	2⅜"	1 ea
1029104	1 qt	5½"	2¾"	1 ea
1005819	1½ qt	6¼"	3"	1 ea
1005820	2⅛ qt	7³⁄₂₅"	3⅛"	1 ea
1005821	2⅝ qt	7⅞"	3½"	1 ea
1005822	5 qt	9¼"	4⅛"	1 ea
1005818	7 qt	11"	4⅜"	1 ea

Stainless Steel Fry Pans			
KTE #	**Size**	**Ht**	**Qty**
1029211	7⅞"	1¼"	1 ea
1005827	9½"	2⅛"	1 ea
1005828	10¼"	2⅛"	1 ea
1005829	11"	2⅛"	1 ea
1005830	12½"	1⅝"	1 ea
1005831	14"	1⅝"	1 ea
Non-Stick Fry Pans			
1029220	9½"	2⅛"	1 ea
1029217	10¼"	2⅛"	1 ea
1029213	11"	2⅛"	1 ea
1029224	12½"	1⅝"	1 ea
1029226	14⅛"	1⅝"	1 ea

Lids		
KTE #	**Size**	**Qty**
1005837	6¼"	1 ea
1005838	7⅛"	1 ea
1005839	7⅞"	1 ea
1005840	9½"	1 ea
1005841	10¼"	1 ea
1005842	11"	1 ea

NOTE: Shipped FOB from CA (90022)

Forged Hard-Anodized Fry Pans

Le Creuset of America

» From perfectly prepared omelets, to seared fish, with healthy non-stick performance
» Seamless reinforced coating will never peel or flake during use
» Hot forging process prevents warping and facilitates consistent heat distribution

INDUCTION READY

Crepe Pan		
KTE #	**Size**	**Qty**
1048570	11"	1 ea
Stir Fry Pan		
KTE #	**Size**	**Qty**
1048571	12"	1 ea

Pans		
KTE #	**Size**	**Qty**
1011220	8"	1 ea
1011221	9½"	1 ea
1011222	11"	1 ea
1029252	12"	1 ea
Lids		
KTE #	**Size**	**Qty**
1029251	9"	1 ea
1011223	11"	1 ea
1029250	12"	1 ea

NOTE: Shipped FOB from SC (29916)

Wear-Ever® Aluminum Fry Pans

Vollrath

» Heavy duty, impact-resistant 3004 aluminum is 25% more wear-resistant; made without PFOA
» EverTite™ Riveting System offers a lifetime warranty against loose rivets
» Silicone TriVent™ handle with vented ergonomic shape reduces stress and keep hands cool

KTE #	Top Diam	Qty
A. Natural - Silicone Trivent Handle		
K8085	7"	1 ea
K8086	8"	1 ea
K8096	10"	1 ea
K8097	12"	1 ea
K8098	14"	1 ea
B. PowerCoat 2™ - Silicone Trivent Handle		
K8091	7"	1 ea
K8092	8"	1 ea
K8093	10"	1 ea
K8094	12"	1 ea
K8095	14"	1 ea
C. SteelCoat x3™ - Silicone Trivent Handle		
K8089	7"	1 ea
K8100	8"	1 ea
K8099	10"	1 ea
K8087	12"	1 ea
K8088	14"	1 ea

Natural

» Natural, smooth polished finish for uniform cooking

PowerCoat 2™

» Durable nonstick coating provides great release with great wear and abrasion resistance
» Great durability and performance

SteelCoat x3™

» Advanced nonstick coating provides long release life with excellent wear and abrasion resistance
» Excellent durability and release

Scan to see a video about PFOA-Free Fry Pans

Carbon Steel Ceramic Coated Pans

Paderno World Cuisine

» Energy-efficient ceramic pans retain heat better, reducing amount of heat and energy to cook
» Non-stick ceramic coating provides healthier cooking because less fat is required
» PFOA free ceramic coating won't wear off even when pan is heated to 800° F
» Non-toxic non-reactive ceramic will not release chemicals, toxins, and gases into the food or atmosphere

KTE #	Top Diam	Depth	Qty
1041483	7⅞"	1½"	1 ea
1041484	9½"	1⅞"	1 ea
1041485	11"	1⅞"	1 ea
1041486	12⅝"	2"	1 ea

NOTE: Shipped FOB from CA (90022)

Aluminum Ceramic Coated Fry Pans

Paderno World Cuisine

» Ceramic coated pans require less oil and are PFOA-free
» Ceramic coating is non-toxic, non-stick for easy cleaning, and will never wear off under standard usage for pan longevity
» Ceramic coated pans can reach up to 800° F, significantly more than the 500° F of non-stick coated pans
» Compatible with all heat sources including induction
» Aluminum frame with thermo-radiant stainless steel bottom and stay cool riveted handle
» Dishwasher safe

KTE #	Top Diam	Qty
1036784	8"	1 ea
1036785	10"	1 ea
1036786	11"	1 ea
1036787	12½"	1 ea

NOTE: Shipped FOB from CA (90022)

Expertly Designed for a Wide Array of Cooking Techniques

Round French Ovens

Oval French Ovens

Braziers

Oval Skillets

Roasters

Signature Range Cookware

Le Creuset of America

- Artisan-crafted kitchen essentials are ideal for one-pot preparation, cooking, and serving
- Enameled cast iron has even heat distribution and superior heat retention
- Colorful exterior enamel that resists chipping and cracking
- Durable non-reactive sand-colored interior
- Recessed-edge lid that locks in heat and moisture
- All knobs are heat resistant to 500°F
- Handles are now 45% larger

INDUCTION READY

Flame	Marseille	Cherry	Cap'y	Qty
Round French Ovens				
1038040	1038041	1038042	1 qt	1 ea
1038043	1038045	1038046	2 qt	1 ea
1038048	1038050	1038051	3½ qt	1 ea
1038056	1038058	1038059	4½ qt	1 ea
1038063	1038065	1038066	5½ qt	1 ea
1038071	1038073	1038074	7¼ qt	1 ea
1038079	1038080	1038081	9 qt	1 ea
Oval French Ovens				
1037929	1037930	1037931	3½ qt	1 ea
1037933	1037935	1037936	5 qt	1 ea
Braziers				
1037941	1037943	1037944	3½ qt	1 ea
1037949	1037950	1037951	5 qt	1 ea
Oval Skillets				
1029633	1039659	—	15¾"	1 ea
Roasters				
1011050	1039657	1011053	2½ qt	1 ea
1011057	1039658	1008145	5¼ qt	1 ea

NOTE: Ask your **KTE** Sales Representative about additional colors and sizes. Shipped FOB from SC (29916)

Additional colors and sizes available

Flame



Marseille

Caribbean

Cherry

Fennel

Dune

Soleil

Cassis

Camwear® Food Pans

Cambro

» Nest without wedging or sticking
» Wide temperature range from -40° F 210° F
» Store, transport, and serve all in one pan

Full Size Pans			
KTE #	**Depth**	**Cap'y**	**Qty**
K9001	2½"	9 qt	1 ea
K9002	4"	13½ qt	1 ea
K9003	6"	20½ qt	1 ea
1/2 Size Pans			
K9011	2½"	4 qt	1 ea
K9012	4"	6⁵⁄₁₆ qt	1 ea
K9013	6"	9½ qt	1 ea
1/3 Size Pans			
K9021	2½"	2½ qt	1 ea
K9022	4"	3¾ qt	1 ea
K9023	6"	5⅔ qt	1 ea
1/4 Size Pans			
K9035	2½"	1¾ qt	1 ea
K9032	4"	2¾ qt	1 ea
K9036	6"	4 qt	1 ea

1/6 Size Pans			
KTE #	**Depth**	**Cap'y**	**Qty**
K9041	2½"	1 qt	1 ea
K9042	4"	1⅔ qt	1 ea
K9043	6"	2½ qt	1 ea
1/9 Size Pans			
K9046	2½"	½ qt	1 ea
K9052	4"	1 qt	1 ea
Drain Shelves			
KTE#	**Fits**		**Qty**
K9005	Full Size		1 ea
K9016	Half Size		1 ea
Flat Lids			
K9014	Half Size		1 ea
K9044	1/6 Size		1 ea

H-Pan™ Food Pans

Cambro

» Withstands temperature extremes from -40° to 375° F
» Stain-resistant, won't warp, chip, or dent
» Reduces handling and saves expenses

Full Size Pans				
Amber	**Black**			
KTE #	**KTE #**	**Depth**	**Cap'y**	**Qty**
K9006	**K9206**	2½"	9 qt	1 ea
K9007	**K9207**	4"	13¾ qt	1 ea
K9008	**K9216**	6"	20⅔ qt	1 ea
1/2 Size Pans				
—	**K9215**	2½"	4 qt	1 ea
K9059	**K9230**	2½"	3¼ qt	1 ea
K9017	**K9217**	4"	6⁵⁄₁₆ qt	1 ea
K9018	**K9218**	6"	9½ qt	1 ea
—	**K9231**	4"	5⁵⁄₁₆ qt	1 ea

1/3 Size Pans				
Amber	**Black**			
KTE #	**KTE #**	**Depth**	**Cap'y**	**Qty**
K9058	**K9226**	2½"	2½ qt	1 ea
K9027	**K9227**	4"	3¾ qt	1 ea
K9028	**K9228**	6"	5⅔ qt	1 ea
1/4 Size Pans				
—	**K9229**	2½"	2¾ qt	1 ea
—	**K9223**	4"	2¾ qt	1 ea
1/6 Size Pans				
K9047	**K9247**	4"	1⅔ qt	1 ea
K9048	**K9248**	6"	2½ qt	1 ea
1/9 Size Pans				
K9072	**—**	2½"	½ qt	1 ea
K9073	**—**	4"	1 qt	1 ea

Size Up the Right Lid for Your Pans

Extend product freshness and keep your food safe
Clear - Camwear lids, range from -40° F up to 210° F
Amber - H-Pan series, range from -40° F up to 375° F

Flat Cover
Basic cover available in all pan sizes



GripLid®
Lid "Grips" the side of the pan, reducing spills and points of cross contamination

Cover with Handle
Deep molded handle provides secure grip

Notched Cover with Handle
Allows utensils to remain in pan and off of potentially contaminated counters

FlipLid®
Keep contents covered yet flips up easily for service. Acts as an instant sneeze guard

Cover with Handle			
KTE #	**Color**	**Size**	**Qty**
K9053	Clear	Full Size	1 ea
K9014	Clear	1/2 Size	1 ea
K9034	Clear	1/4 Size	1 ea
Flat Covers			
K9038	Clear	Full Size	1 ea
K9091	Amber	1/2 Size	1 ea
K9024	Clear	1/3 Size	1 ea
K9054	Clear	1/9 Size	1 ea
Notched Cover with Handle			
K9004	Clear	Full Size	1 ea
K9015	Amber	Full Size	1 ea
K9019	Amber	1/2 Size	1 ea
K9029	Amber	1/3 Size	1 ea

FlipLids®			
KTE #	**Color**	**Size**	**Qty**
K9085	Clear	1/3 Size	1 ea
K9089 *	Amber	1/3 Size	1 ea
K9064	Clear	1/2 Size Notched	1 ea
K9065	Clear	1/3 Size Notched	1 ea
K9066	Clear	1/6 Size Notched	1 ea
K9061	Amber	1/2 Size Notched	1 ea
K9062	Amber	1/3 Size Notched	1 ea
K9063 *	Amber	1/6 Size Notched	1 ea
GripLids®			
K9067	Clear	Full Size	1 ea
K9068	Clear	1/2 Size	1 ea
K9069	Clear	1/3 Size	1 ea

*NOTE: Shipped FOB from CA (92647)

Proper Storage Increases Food Life

Poly Food Storage Boxes

Cambro

» Use to store bulk produce and ingredients—reduce the risk of cross contamination by transferring product out of cardboard boxes upon receiving
» Made of impact, stain, and chemical resistant solid white plastic
» Withstands temperatures from -40° F to 160° F (-40° C to 70° C)
» Polyethylene, Snug-fitting lids

Storage Boxes			
KTE #	**Cap'y**	**W x L x D**	**Qty**
K9458	1¾ gal	18" x 12" x 3½"	1 ea
K9453	3 gal	18" x 12" x 6"	1 ea
K9456	4¾ gal	18" x 12" x 9"	1 ea
K9457	5 gal	18" x 26" x 3½"	1 ea
K9452	8¾ gal	18" x 26" x 6"	1 ea
K9451	13 gal	18" x 26" x 9"	1 ea
K9454	22 gal	18" x 26" x 15"	1 ea
Lids			
KTE #	**Size**	**W x L**	**Qty**
K9460	Half Size	18" x 12"	1 ea
K9459	Full Size	18" x 26"	1 ea

Ingredient Bins

Cambro

» Transparent, polycarbonate slide-back lid
» Durable polyethylene bin, FDA accepted material
» Heavy duty 3" casters bolted into molded-in steel plates
» Perfect height to store under your table

KTE #	Desc	Size	Cap'y	Qty
E329	Angled slide lid	29" x 13" x 29"	20 gal	1 ea
E2965	Flat side lid	29½" x 12½" x 29"	27 gal	1 ea
E330	Angled slide lid	16½" x 29½" x 28"	27 gal	1 ea
E2966	Flat side lid	24" x 22" x 23"	32 gal	1 ea
E2967	Flat side lid	29½" x 15¼" x 29"	34 gal	1 ea
E2968	Flat side lid	29½" x 18½" x 29"	42½ gal	1 ea

Camwear® Food Storage Boxes

Cambro

» Withstand temperatures from -40° to 210° F, and flash freezing
» Durable clear polycarbonate resists stains, acids, and odors
» Sliding lid minimizes handling, reduces cross-contamination
» Clear date control panels let you record information with a grease pencil

12" x 18" Clear Boxes			
KTE#	**Cap'y**	**Depth**	**Qty**
K9476	1¾ gal	3½"	1 ea
K9471	3 gal	6"	1 ea
K9477	4¾ gal	9"	1 ea
18" x 26" Clear Boxes			
K9478	5 gal	3½"	**Qty**
K9473	8¾ gal	6"	1 ea
K9474	13 gal	9"	1 ea
1001540	17 gal	12"	1 ea
K9479	22 gal	15"	1 ea

Food Box Lids			
KTE #	**Desc**	**Size**	**Qty**
K9472	Flat	18" x 12"	1 ea
K9475	Flat	18" x 26"	1 ea
K9491	Sliding	18" x 12"	1 ea
K9490	Sliding	18" x 26"	1 ea
18" x 26" Colanders			
K9470	Colander	8¾ gal	1 ea
K9484	Drain Shelf	Full Size	1 ea

The Complete Storage Solution

Save time, save money, and reduce waste. Cambro storage products ensure safe food storage and improve yield.

Camcripser's convenient drain makes washing easy

Camcrisper®

Cambro

» A self-contained system for storing, washing, and transporting bulk produce
» Roll into cooler for safe storage or into kitchen for washing and prep
» Includes Camwear® clear polycarbonate cover for quick content identification
» 3" casters provide stability and excellent weight bearing capability

KTE #	Cap'y	W x H	Qty
E2969	32 gal	24" x 23¼"	1 ea

NOTE: Shipped FOB from CA (91789)

Camwear® Round Storage Containers

Cambro

» Molded-in handles offer convenience in lifting
» Withstands temperatures of -40° F to 210° F
» Made of durable clear polycarbonate
» Red graduated markings
» Dishwasher safe

Storage Containers			
KTE #	**Size**	**Cap'y**	**Qty**
K5600	6⅛" Dia x 5"D	1 qt	1 ea
K5601	8³⁄₁₆" Dia x 4³⁄₁₆"D	2 qt	1 ea
K5602	8³⁄₁₆" Dia x 8⁹⁄₁₆"D	4 qt	1 ea
K5603	9¹⁵⁄₁₆" Dia x 7¹⁵⁄₁₆"D	6 qt	1 ea
K5604	9¹⁵⁄₁₆" Dia x 10⅞"D	8 qt	1 ea
K5605	14⅞" Dia x 8⅜"D	12 qt	1 ea
K5606	14⅞" Dia x 12"D	18 qt	1 ea
K5609	14⅞" Dia x 15"D	22 qt	1 ea
Clear Lids			
K5622	Fits K5600	1 qt	1 ea
K5607	Fits K5601, K5602	2-4 qt	1 ea
K5608	Fits K5603, K5604	6 - 8 qt	1 ea
K5610	Fits K5605, K5606, K5609	Fits 12, 18, 22 qt containers	1 ea

Camsquare® Camwear® Food Containers

Cambro

» Crystal clear, virtually unbreakable Camwear® polycarbonate
» Takes up to 33% less space than round containers, wide handles are ideal for lifting apart
» Withstands temperature from -40° to 210° F (-40° C to 99° C)
» Tight fitting Seal Cover is spill resistant, extends product freshness
» Dishwasher safe

Containers			
KTE #	**W x H x D**	**Cap'y**	**Qty**
K4641	7¼" x 3⅞" x 3⅞"	2 qt	1 ea
K4642	7¼" x 7⅜" x 7⅜"	4 qt	1 ea
K4643	8⅜" x 7¼" x 7¼"	6 qt	1 ea
K4644	8⅜" x 9⅛" x 9⅛"	8 qt	1 ea
K4648	11¼" x 8¼" x 8¼"	12 qt	1 ea
K4649	11¾" x 12⅝" x 12⅝"	18 qt	1 ea
K4650	11¾" x 15¾" x 15¾"	22 qt	1 ea
Standard Lids			
KTE #	**Size**	**Color**	**Qty**
K4645	Fits 2-4 qt	Green	1 ea
K4646	Fits 6-8 qt	Red	1 ea
K4647	Fits 12-22 qt	Blue	1 ea
Camwear® Clear Seal Covers			
KTE #	**Size**		**Qty**
1001664	Fits 2 and 4 qt		1 ea
1001663	Fits 6 to 8 qt		1 ea
1001665	Fits 12, 18 and 22 qt		1 ea

CamSquares® Poly

Cambro

» Stackable containers save storage space, makes them 33% more efficient than average containers
» Translucent polypropylene construction, makes it easy to see level of contents
» Color-coded lids have graduation marks for convenience
» Dishwasher safe

Containers				
KTE #	**W x H**	**Cap'y**	**Color**	**Qty**
K5674	7¼" x 3⅞"	2 qt	White	1 ea
K5673	7¼" x 7⅜"	4 qt	White	1 ea
K5776	8⅜" x 7¼"	6 qt	White	1 ea
K4659	8⅜" x 8⅜"	8 qt	White	1 ea
K4657	12¼" x 8¾"	12 qt	White	1 ea
K9026	12¼" x 12⅝"	18 qt	White	1 ea
K5777	12¼" x 15¾"	22 qt	White	1 ea
Standard Lids				
KTE #	**Size**		**Color**	**Qty**
K4645	Fits 2-4 qt		Green	1 ea
K4646	Fits 6-8 qt		Red	1 ea
K4647	Fits 12-22 qt		Blue	1 ea

BPA FREE

Easy-grip handles

A. Food/Tote Boxes

Rubbermaid Commercial

» Durable storage solution for food as it flows throughout your facility
» Crystal clear material is stain and odor resistant and allows for visibility of food contents and quality
» Mark-It Fresh™ date panels on boxes and lids for easier inventory control
» Texturing on corners and base reduces scratching
» Tight-fitting snap on lids keep food fresh and provide secure transport
» Use lid as a tray when displayed upside down

Clear Food/Tote Boxes			
KTE #	**W x H x L**	**Cap'y**	**Qty**
K9776	12" x 6" x 18"	3½ gal	1 ea
K9777	12" x 9" x 18"	5 gal	1 ea
K9772	18" x 6" x 26"	8½ gal	1 ea
K9773	18" x 9" x 26"	12½ gal	1 ea
K9468	18" x 12" x 26"	16⅝ gal	1 ea
K9770	18" x 15" x 26"	21½ gal	1 ea
Clear Lids			
KTE #	**W x L**	**Size**	**Qty**
K9778	12" x 18"	Half Size	1 ea
K9775	18" x 26"	Full Size	1 ea

BPA FREE

Dishwasher safe

B

B. Cold Food Pans

Rubbermaid Commercial

» Streamline operations for storage, preparation, cooking, and serving
» Crystal clear material is break resistant, stain resistant and odor resistant
» Non-stick surfaces for easy food release during cleaning
» Temperature Rated: -40° F/-40° C to 212° F/100° C
» Not for use in steam table wells or microwave ovens

Cold Food Pans			
KTE #	**Size**	**Cap'y**	**Depth**	**Qty**
K9793	1/9 Size	7/8 qt	4"	1 ea
K9790	1/6 Size	2½ qt	6"	1 ea
K9789	1/4 Size	1⅔ qt	4"	1 ea
K9787	1/3 Size	5⅜ qt	6"	1 ea
K9782	Half Size	9⁵⁄₁₆ qt	6"	1 ea
K9783	Half Size	11⅜ qt	8"	1 ea
K9779	Full Size	20⅝ qt	6"	1 ea
K9780	Full Size	27⅛ qt	8"	1 ea

Clear Lids		
KTE #	**Size**	**Qty**
K9791	1/6 Size	1 ea
K9788	1/3 Size	1 ea
K9784	Half Size	1 ea
K9781	Full Size	1 ea

Clear Drain Trays			
KTE #	**Size**	**W x L**	**Qty**
K9763	1/3 Size	6⅞" x 12¹³⁄₁₆"	1 ea
K9785	Half Size	10⅜" x 12¹³⁄₁₆"	1 ea

BPA FREE

C

Dishwasher safe

C. Space Saving Square Storage Containers

Rubbermaid Commercial

» Square containers store a minimum of 25% more on a shelf than round containers
» Crystal clear material is break resistant, odor resistant, and stain resistant
» Easy-to-read measurement graduations - red for quarts and blue for liters
» Durable handles for easy transport and drain holes for proper washing and drying
» Temperature Rated: -40° F/-40° C to 212° F/100° C
» Snap-tight lid fit reduces leakage, helps prevent spoilage and limits cross contamination

Space Saving Square Storage Containers			
KTE #	**W x H x L**	**Cap'y**	**Qty**
K4630	8⁵⁄₁₆" x 2¾" x 8 ¾"	2 qt	1 ea
K4638	8⁵⁄₁₆" x 4¾" x 8 ¾"	4 qt	1 ea
K4631	8⁵⁄₁₆" x 6⁹⁄₁₀" x 8 ¾"	6 qt	1 ea
K4639	8⁵⁄₁₆" x 8¾" x 8 ¾"	8 qt	1 ea
K4654	10½" x 7¾" x 11 ⁵⁄₁₆"	12 qt	1 ea
K4628	10½" x 14⅜" x 11 ⁵⁄₁₆"	22 qt	1 ea
Lids			
KTE #	**Fits**		**Qty**
K4640	2, 4, 6, 8 qt containers		1 ea
K4629	12-22 qt containers		1 ea

BPA FREE

Dishwasher safe

Bouncer® Measuring Cups

NSF

Rubbermaid Commercial

» Accurately measure liquid or dry ingredients to help save on food costs and maintain recipe integrity
» Crystal clear material is break resistant, odor resistant and stain resistant
» Temperature Rated: -40° F/-40° C to 212° F/100° C
» Graduations marked in blue (metric) and red (cup) for easy-to-read measurements

KTE #	Cap'y	Qty
1008192	1 cup	1 ea
K1926	1 pt	1 ea
K7689	1 qt	1 ea
K1925	2 qt	1 ea
K1924	4 qt	1 ea

Right Tools to Maximize Your Efficiency for Ingredient Storage

Increase storeroom efficiency with one-handed access while stacked

Lids can lift or slide open

Scoop included with all ingredient bins

Ensure proper food rotation with FIFO barrier

The Go-To Alternative for BPA-Free

Rubbermaid – Eastman Tritan™ Copolyester

» Comparable impact strength and clarity
» Significantly greater dishwasher durability
» Freedom from concerns related to bisphenol-A (BPA)
» Glass like clarity with less weight
» Temperature rated -40˚ F/-40˚ C to 212˚ F/100˚ C

KTE offers a line of BPA-Free smallwares including food boxes, insert pans, storage containers, pitchers, scoops, and measuring cups from Rubbermaid Commercial Products.

Bouncer® Utility Scoops

BPA FREE

Rubbermaid Commercial

» Made from durable, break-resistant Tritan™
» Designed to hang flush against wall to save space
» USDA Meat & Poultry Equipment listed
» Complies with HACCP guidelines

KTE #	Cap'y	Qty
K421	6 oz	1 ea
K422	32 oz	1 ea
K423	64 oz	1 ea

ProSave® Ingredient Bins

BPA FREE NSF

Rubbermaid Commercial

» An easy and convenient way to store dry ingredients
» Bin features a snap tight feature on the back of lid for easy one-handed opening, and it snaps in front to ensure ingredient freshness
» Dedicated internal scoop storage keeps scoop out of the ingredient
» FIFO barrier ensures proper food rotation
» Full size bins include four 3" casters for easy mobility

KTE #	Color	L x W x H	Cap'y	Qty
Full Size Bins				
E2520	White	29¼" x 13⅛" x 28"	21 gal	1 ea
E2522	White	29½" x 15½" x 28"	26 gal	1 ea
E2523	White	29¾" x 18" x 28"	31 gal	1 ea
Lids				
E2524	Clear	30¾" x 12¾" x 9¼"	Fits 21 gal	1 ea
E2525	Clear	30¾" x 15" x 9¼"	Fits 26 gal	1 ea
E2526	Clear	30¾" x 17¾" x 9¼"	Fits 31 gal	1 ea
Mini Ingredient Bins				
1006001 *	White	15" x 11¾" x 8½"	3 gal	1 ea
E2527 *	White	23½" x 11½" x 17"	5⅓ gal	1 ea
E2528 *	White	23½" x 11½" x 17"	10⅞₀ gal	1 ea

*NOTE: Shipped FOB from VA (22601); Ask your **KTE** Sales Representative for stocking locations

See page 77 for assorted rack covers and additional racks

Heavy Duty Bun Pan Racks

Alexander

- 1½ square inch aluminum uprights and crossmember
- All welded construction
- 5" swivel non-marking casters
- E4818 holds 22" x 26" oval trays

KTE #	Cap'y	W x D x H	Qty
E4817	20 Pan	21" x 26" x 72"	1 ea
E4818 *	Holds 10 22" x 29" Oval Trays	26" x 26" x 71"	1 ea

*NOTE: Shipped FOB from FL (33010)

Polymer Bow Tie™ Dunnage Racks

- Durable, versatile racks hold up to 3,000 lbs per unit
- Bow Tie™ feature joins racks together easily without using tools
- Rust- and corrosion-proof polyethylene construction

KTE #	Cap'y	W x L x H	Qty
F9238	1,500 lbs	22" x 36" x 12"	1 ea
F9244	3,000 lbs	22" x 48" x 12"	1 ea

Lifetime warranty against corrosion and rust

Camguard® antimicrobial protection

Easy to remove shelf plates for dishwasher cleaning

Strong as steel; 600 lb capacity per shelf

Camshelving® Elements Series

Cambro

- Advanced composite material and innovative design, up to 60% lighter; use in hot, cold, wet, or dry environments
- Long 78" traverse supports loads up to 600 lbs. per shelf
- Rust-free and impervious to moisture, salt, and chemicals; won't peel, dent, or warp

Stationary Units

KTE #	W x D x H	Qty
1025501	48" x 18" x 72"	1 ea
1025502	60" x 18" x 72"	1 ea
1025503	48" x 24" x 72"	1 ea
1025504	60" x 24" x 72"	1 ea

Stationary Add-on Units

KTE #	W x D x H	Qty
1027767	48" x 24" x 72"	1 ea
1027769	60" x 24" x 72"	1 ea

NOTE: Shipped FOB from CA (92647)

NEW Gard2™ Shelving—Durable. Easy to Clean. Flexible. Robust.

Gard2™ is the only shelving system you'll need for your walk-in coolers and dry storage.

Stainless steel food pans, polycarbonate food boxes, and heavy cardboard boxes all contribute to the wear and tear of your shelving eventually wearing off the protective coating which leads to rust and corrosion.

Gard2™ can add years to the life of your shelving—the lift-off polymer shelf mats are embedded with antimicrobial protection and can take the wear and tear of rigorous daily use.

Gard2™ Shelving

Intermetro

» 12-year warranty against rust and corrosion on shelf frames and posts
» Casters add greater flexibility and easy mobility
» A full line of accessories available, ask your **KTE** Sales Representative

Vented design minimizes dust accumulation, allows a free circulation of air, and greater visibility of stored items

Prolonged durability—polymer shelf mats stand up to daily abuse from polycarbonate boxes, stainless steel pans, cans, and heavy cardboard boxes

Easy to clean polymer shelf mats easily lift off for cleaning by hand or dish machine

Smooth surface quickly wipes clean reducing the risk of cross-contamination



Embedded ANTIMICROBIAL PROTECTION on polymer shelf mats—stays cleaner between cleanings

Robust design provides strength and rigidity—holds up to 800 lbs per shelf (up to 600 lbs over 48")

Stationary Posts		
KTE #	**Height**	**Qty**
1040216	63"	1 ea
1040217	74"	1 ea
1040220	86"	1 ea
Mobile Posts		
1040218	63"	1 ea
1040219	74"	1 ea
1040221	86"	1 ea

Shelves		
KTE #	**L x W**	**Qty**
1040208	36" x 18"	1 ea
1040209	42" x 18"	1 ea
1040210	48" x 18"	1 ea
1040211	60" x 18"	1 ea
1040212	36" x 24"	1 ea
1040213	42" x 24"	1 ea
1040214	48" x 24"	1 ea
1040215	60" x 24"	1 ea

Easy to Install

Insect Control Curtains

Aleco

- Mesh strips made from 12 oz. PVC coated polyester let fresh air in and keep bugs out
- Great for use on back doors in high-traffic operations
- Sturdy wide strips provide hands free accessibility
- Install easily using exclusive MaxBullet® HTP mounting hardware

KTE #	Desc	Color	W x H	Qty
1033287	8 Strips	Black	4" x 7'	1/cs
1033290	8 Strips	Yellow	4" x 7'	1/cs
1033288	8 Strips	Black	4" x 8'	1/cs
1033291	8 Strips	Yellow	4" x 8'	1/cs
1033289	12 Strips	Black	6" x 8'	1/cs
1033292	12 Strips	Yellow	6" x 8'	1/cs

Includes two intermediate shelves

Mobile Security Carts

- Keeps unauthorized personnel away from valuable or hazardous stock
- Heavy gauge wire keeps contents secure while leaving them visible for inventory purposes
- Chrome shelving, posts, caps, and 5" polyurethane casters

KTE #	L x W x H	Wt	Qty
F9341	40¾" x 27¼" x 68½"	142 lbs	1 ea
F9342	52¾" x 27¼" x 68½"	165 lbs	1 ea
F9340	65" x 27¼" x 68½"	188 lbs	1 ea

Battery Powered Portable Pressure Washers

Maxi Vac

- The most versatile and portable 200 PSI battery powered washer—no need to look for a power and water supply
- Powerful, rugged steel construction and rechargeable battery with safety circuit gives all day operation on a full charge
- .5 gpm with a 6 gallon water container and 1 qt of concentrate

KTE #	W x L x H	Qty
1037145	5" x 13" x 12"	1 ea

NOTE: Shipped FOB from IL (60101)

Now in Stock

Two-Wheel Hand Truck

Magline

- Straight back frame with U loop handle
- 14 x 7½" die cast aluminum nose plate
- 8" mold-on rubber wheels

KTE #	Cap'y	Qty
1046673	500 lbs	1 ea



Up to 400 lbs capacity in **.2** increments

Portable Heavy Duty Scale

Franklin Machine Products

- The perfect scale for bulky items
- Rugged, water-resistant construction withstands cold environments and moisture
- Includes wall brackets for display

KTE #	Cap'y	Size	Qty
1007201	400 lbs	12" x 15"	1 ea

NOTE: Shipped FOB from NJ (08048)

TempRite® Refrigerator/Freezer Thermometer

Taylor Precision Products

- Propylene glycol filled tube simulates food temperature for more accurate and stable reading
- Not affected by ambient air changes including door opening and closings or poor air circulation

Easy to read

Ideal for HACCP programs

Temperature ranges -20° F to 60° F

KTE #	Temp Range	Size	Qty
1047454	-20°F to 60°F	6"	1 ea

FoodPro Plus Infrared Thermometer

Fluke Electronics

- Combines an infrared non-contact thermometer for surface scans with a folding probe thermometer for internal temperature readings
- Integrated countdown timer with alarm monitors line check as well as cooking and cooling intervals
- Infrared temperature range -30° to 525° F, probe temperature range -40° to 392° F, °F/°C switchable
- HACCP check indication light instantly warns of potentially unsafe temperatures
- Hand washable

KTE #	Temp Range	Qty
K7535	-35°F to 525°F	1 ea

Digital Pocket Test with Temperature Alarm

- Waterproof with less than a 6 second response time, +2°F accuracy, and only 1/8" food penetration for accurate reading
- Features a temperature alarm and can also be used to measure final rinse temperatures for the dishwasher

KTE #	Desc	Temp Range	Qty
K5480	Digital, Pocket Test Thermometer	-40° to 450°F	1 ea

HACCP Manager™

Cooper-Atkins

- Color-coded temperature limit indicators; viewable temperature measurement stabilization icon
- Accepts all Type K thermocouple probes; temperature range: -100° F to 500° F
- Stores up to 3000 temperatures and 300 menu items; stores 1500 checklist-custom records
- 5 year instrument warranty

Handheld kit includes all components shown

Soft Carrying Pouch

MicroNeedle Probe

Battery Charger

USB Cable

KTE #	Desc	Temp Range	Qty
1046317	Handheld	-99.9° to 999.9° F	1 ea
1046318	Handheld Kit	500° F	1 ea

High volume audible alarm

Min/Max alarm settings

Hi/Lo temperature recall

Jumbo LCD

Temp range -25° F to 180° F

Dual-Cool™ Panel Thermometer

Cooper-Atkins

- Dual temperature panel thermometer featuring interchangeable probes
- Simultaneously measure temperatures within two separate storage environments or two locations

KTE #	Desc	Qty
1043676	Digital Dual W/air & Simulator	1 ea
1043677	Digital Dual W/ 2 Air Probes	1 ea
1043678	Digital Dual W/ 2 Simulator Probes	1 ea

Digital Pocket Test Thermometer

Cooper-Atkins

- Extra large, easy-to-read LCD
- Dishwasher safe; check final rinse cycle temperatures
- Sensor provides the most accurate reading available in a digital pocket test thermometer
- Quick response time of less than 6 seconds
- Lifetime warranty

KTE #	Temp Range	Qty
1041453	-40° to 450° F	1 ea

Thermometer Illustration

Cooper-Atkins

- 1038709 is the most accurate, easy to read, and the only NSF digital thermometer for the refrigerator and freezer
- K5462, K5480, and K5460 are waterproof with a 4-6 second response time, ±°F accuracy, and only 1/8" food penetration for accurate reading
- K5460 includes BioCote anti-microbial protection and is field calibratable
- K5480 features a temperature alarm and can also be used to measure final rinse temperatures for the dishwasher
- K5370 is a four-station timer that is color coded and features a large LCD and loud beeper alerts

	KTE #	Desc	Temp Range	Qty
A.	**K5489**	Deep fry thermometer with clip	50˚ to 550˚ F	1 ea
B.	**P1469**	Thermometer probe wipe		1 ea
C.	**K5430**	Timer/stopwatch		1 ea
D.	**K5370**	Digital multi station timer		1 ea
E.	**K5476**	Digital countdown 24 hour timer		1 ea
F.	**K5431**	Digital thermo-timer	32˚ to 392˚ F	1 ea
G.	**K6452**	Pocket test thermometer with re-calibration sheath	0˚ to 220˚ F	2/pk
H.	**K5470**	1" Dial pocket test thermometer	0˚ to 220˚ F	1 ea
J.	**K5482**	Pocket test thermometer with re-calibration sheath	50˚ to 550˚ F	1 ea
K.	**K5461**	Grill thermometer	100˚ to 600˚ F	1 ea

Helps You Stay Out of the Danger Zone = 41˚ - 135˚

Choose from our complete line of temperature and time monitoring devices for receiving, cooking, storing, and holding

Proper Internal Temp Readings

Food	Prepared Temp
Turkey and chicken	165° F
Ground meat	160° F
Egg dishes	160° F
Seafood	145° F
Leftovers and casseroles	165° F
Holding for cooked foods	140° F

Check the temperature of your refrigerator and freezer with an appliance thermometer. The refrigerator should be at 40 °F or below and the freezer at 0 °F or below.

	KTE #	Desc	Temp Range	Qty
L.	**K5460**	Digital, fast reading pocket test thermometer	58˚ to 300˚ F	1 ea
M.	**K5462**	Digital, waterproof pocket test thermometer	40˚ to 392˚ F	1 ea
N.	**1041453**	Digitial, waterproof pocket test thermometer	40˚ To 450˚ F	1 ea
O.	**K5480**	Digital, waterproof pocket test thermometer	-40˚ to 450˚ F	1 ea
P.	**K6471**	Refrigerator/freezer thermometer	-40˚ to 80˚ F	2/pk
Q.	**K6463**	Refrigerator/freezer thermometer	-20˚ to 80˚ F	2/pk
R.	**1043676**	Digital Dual w/air & Simulator		1 ea
S.	**K5745**	Refrigerator/freezer thermometer	-40˚ to 120˚ F	1 ea
T.	**1038709**	Refrigerator/freezer thermometer	22° to 122°F -30° to 50°C	1 ea
U.	**K5781**	Meat thermometer	130˚ to 190˚ F	1 ea
V.	**K5472**	Oven thermometer	100˚ to 600˚ F	1 ea

	KTE #	Desc	Temp Range	Qty
W.	**K5407**	Econotemp thermocouple thermometer	-40˚ to 500˚ F	1 ea
X.	**K5466**	Deep fry/candy paddle style thermometer	100˚ to 400˚ F	1 ea
Y.	**K5473**	Deep fry candy thermometer with jelly clip on	200˚ to 400˚ F	1 ea
Z.	**1008511**	60 Minute mechanical ring timer		1 ea
AA.	**K5487**	Digital pocket test thermometer	-40˚ to 300˚ F	1 ea
BB.	**K5450**	Cooling validator thermometer	4˚ to 302˚ F	1 ea
CC.	**1046317**	Thermometer	500˚ F	1 ea
DD.	**K5405**	Infrared dualtemp thermometer with probe	IR-27˚ to 428˚ F Probe -67˚ to 626˚ F	1 ea
EE.	**K5399**	Gun style infrared thermometer	-76˚ to 932˚ F	1 ea
FF.	**K5406**	Mini infrared thermometer	27˚ to 428˚ F	1 ea

Color Code the Kitchen

When you color code food preparation and serving jobs, you'll reduce the chances of cross contaminating foods.

Ask your KTE Sales Professional for a copy of our food safety brochure.



Tips for Food Safety

1. Wash hands. If hands go unwashed, bacteria they carry may land on cutting surfaces, prep equipment, and even the food itself.
2. Use separate color-coded cutting boards for fresh produce, raw meat, cooked meat, poultry, and seafood.
3. Also use color-coded knives for fresh produce, raw meat, cooked meat, poultry, and seafood.
4. Keep raw meat, poultry, and seafood separate from produce and other foods in your refrigerator.



Food Dishers

NSF

» 18/8 stainless steel
» Precisely sized bowls for exact portion control

KTE #	Size	Cap'y	Color	Qty
K968	#40	¾ oz	Orchid	1 ea
K967	#30	1 oz	Black	1 ea
K966	#24	1 5/16 oz	Red	1 ea
K965	#20	1½ oz	Yellow	1 ea
K964	#16	2 oz	Blue	1 ea
K963	#12	2⅔ oz	Green	1 ea
K962	#10	3½ oz	Ivory	1 ea
K961	#8	4 oz	Grey	1 ea
K960	#6	4⅔ oz	White	1 ea

Food Portioners

NSF

» 18/8 stainless steel
» Flat bowls provide accurate portion control
» Insulated, color-coded plastic handles

Perforated			
KTE #	**Cap'y**	**Color**	**Qty**
K7901	2 oz	Red	1 ea
K7902	3 oz	Beige	1 ea
K7903	4 oz	Green	1 ea
K7904	6 oz	Black	1 ea
K7905	8 oz	Blue	1 ea
Solid			
KTE #	**Cap'y**	**Color**	**Qty**
K7906	2 oz	Red	1 ea
K7907	3 oz	Beige	1 ea
K7908	4 oz	Green	1 ea
K7909	6 oz	Black	1 ea
K7910	8 oz	Blue	1 ea

SpectraTong™ Springless Tongs

» HACCP-essential tool
» Colored plastic handles designed for comfort and for color-coding prep and serving tasks
» Rivetless tongs are easy-to-clean

KTE #	Handle Color	Length	Qty
3K111	Red	9½"	1 ea
3K112	Blue	9½"	1 ea
3K113	Yellow	9½"	1 ea
3K116	Red	12"	1 ea
3K117	Blue	12"	1 ea
3K118	Yellow	12"	1 ea

SpectraBoard™

NSF

» HACCP-essential tool
» Color-coded cutting boards designed to color coordinate cutting tasks to reduce the risk of cross-contamination
» Non-porous, non-absorbent surface; dishwasher safe

KTE #	Color	Size	Qty
K4760	Blue	15" x 20"	1 ea
K4761	Red	15" x 20"	1 ea
K4762	Green	15" x 20"	1 ea
K4763	Yellow	15" x 20"	1 ea
K4765	Blue	18" x 24"	1 ea
K4766	Red	18" x 24"	1 ea
K4767	Green	18" x 24"	1 ea
K4768	Yellow	18" x 24"	1 ea

White Polyethylene Cutting Boards

NSF

» Tough polyethylene plastic
» Completely sanitary and dishwasher safe
» All boards are ½" thick and will not peel, chip, crack, or warp

KTE #	Size	Qty
K4813	12"W x 18"H	1 ea
K4814	15"W x 20"H	1 ea
K4815	18"W x 24"H	1 ea
K4816	18"W x 30"H	1 ea

White Saf-T-Grip™ Cutting Boards

San Jamar

- The prevention of cross-contamination now in a white cutting board with HACCP-colored grips
- Uniquely durable co-polymer material withstands repeated high-temperature washing and will not warp
- Food safety hook for sanitary transport and storage

KTE #	Color	L x W	Qty
1049080	Blue	15" x 20"	1 ea
1049081	Green	15" x 20"	1 ea
1049084	Red	15" x 20"	1 ea
1049085	Yellow	15" x 20"	1 ea

KTE #	Color	L x W	Qty
1049086	Blue	9" x 12"	1 ea
1049087	Green	9" x 12"	1 ea
1049089	Red	9" x 12"	1 ea
1049090	Yellow	9" x 12"	1 ea
4 pc Set			
1049088		9" x 12"	1 ea

Allergen Saf-T-Zone™ Cutting Board and Kit

San Jamar

- Purple color and embossed warnings alert employees to keep separate from allergens and wash after each use; dishwasher safe
- Integrated ruler for easy portioning and cost control
- Allergen Saf-T-Zone™ kit includes: 12" x 18" cutting board, 10" chef's knife, 12" stainless steel tongs, 13" stainless steel turner, and a thermometer holder all conveniently stored in a purple case

Cutting Boards		
KTE #	**L x W**	**Qty**
1035418	6" x 9"	1 ea
1027897	12" x 9"	1 ea
1015319	12" x 18"	1 ea
Allergen Cutting Board Kit		
KTE #		**Qty**
1033719		1 ea

NOTE: Shipped FOB from WI (53121)

Saf-T-Grip™ Cutting Boards

San Jamar

- Uniquely durable co-polymer material withstands repeated high-temperature washing and will not warp
- Resists cut-grooving without dulling knives
- Integrated anti-slip grips hold the board in place on both sides
- Food safety hook for sanitary transport and storage
- Integrated ruler feature for easy portioning and cost control

Saf-T-Grip™ Cutting Boards				
White KTE #	**Green KTE#**	**Blue KTE #**	**Size**	**Qty**
K6771	**K6772**	**K6773**	12" x 18"	1 ea
K6788	**K6789**	**K6790**	15" x 20"	1 ea
K6778 *	**K6779 ***	**K6780**	18" x 24"	1 ea
Red KTE#	**Brown KTE #**	**Yellow KTE #**	**Size**	**Qty**
K6774	**1033539**	**K6776**	12" x 18"	1 ea
K6791	**1033540**	**K6793 ***	15" x 20"	1 ea
K6781 *	**1032747**	**K6783 ***	18" x 24"	1 ea
Sets				
KTE #	**Size**	**Color**		**Qty**
K6770	12" x 18"	Red, Ylw, Grn, Blu, Brn, Wht		1/cs
K6784	15" x 20"	Red, Ylw, Grn, Blu, Brn, Wht		1/cs
K6777	18" x 24"	Red, Ylw, Grn, Blu, Brn, Wht		1/cs
X-Pediter™ Cutting Boards				
KTE #	**L x W**	**Color**		**Qty**
1027898	12" x 9"	Red		1 ea
1027901	12" x 9"	White		1 ea
1027897	12" x 9"	Purple		1 ea
1027895	12" x 9"	Brown		1 ea
1027899	12" x 9"	Yellow		1 ea
1027896	12" x 9"	Green		1 ea
Cutting Board Storage Stand				
KTE #	**Size**	**Color**		**Qty**
K4812 *	Holds 6 boards	Silver		1 ea
Allergen Saf-T-Zone™ Cutting Board				
KTE #	**Color**		**Size**	**Qty**
1015319 *	Purple		12" x 18"	1 ea

NOTE: Shipped FOB from WI (53121). *Stocked in some DCs.

NEW

Flexible Cutting Mats

TableCraft

» Lightweight, flexible mats are 1.4mm thick polypropylene
» Great for all events; easy to clean and reusable
» Color-coded system reduces the risk of cross-contamination; set includes one each of blue, yellow, green, white, brown, red
» Dishwasher safe

KTE	Desc	Size	Color	Qty
1047353	Mat	18"L x 12"W	White	6/pk
1047754	Mat	20"L x 15"W	White	6/pk
1043645	Cutting Mat Set	24"L x 18"W	Assorted	6/pk

NOTE: Shipped FOB from IL (60031)

NEW

Cheese Shaker Tops

TableCraft

» Slotted top is great for tabletop condiments like grated cheeses or various spices
» Can be used in high humidity—no rust or corrosion
» Dishwasher safe

KTE #	Style	Color	Qty
1043571	Slotted	Black	12/pk
1048637	Slotted	Chrome	12/pk
1048638	Perforated	Black	12/pk
1048639	Perforated	Chrome	12/pk
1043722	Jar, 6 oz	Clear	12/cs

First-in, first-out will ensure that the oldest product is used first

NEW

InvertaTop™ ValveTop™ Dispenser

TableCraft

» Easy dispensing with a unique design to assure sanitation
» Fill and store "inverted" for quick and easy use
» Dual openings—easy to clean and fill
» Food grade polyethylene material is soft for easy flexibility and fast prep

KTE #	Cap'y	Size	Qty
1038698	16 oz	53 Mil Opening	12/cs

NOTE: Shipped FOB from IL (60031)

SaferFood Solutions™ WideMouth™ Squeeze Dispensers

Tablecraft

» WideMouth™ dispenser with a TipTop™ for quick easy squeeze dispensing
» Use for safe food prep and storage
» Easy to clean and sanitize; dishwasher safe

KTE #	Cap'y	Qty
1028490	20 oz	12/cs
1028489	24 oz	12/cs

NOTE: Shipped FOB from IL (60031)

SaferFood Solutions™ PourMaster® Series

Tablecraft

» Convenient food prep, storage, and safety for the back of the bar and in the kitchen
» PerfectFlex™ for quick and easy dispensing
» Color-coded for easy storage and identification
» Easy to clean; dishwasher safe

PourMaster® with Low Profile TipTop™				
	KTE #	Desc	Cap'y	Qty
A	**1032472**	2 of each color	1 qt	12/cs
StoreMaster® Container and Cap				
B.	**1038700**	Assorted Caps	1 qt	12/cs

NOTE: Shipped FOB from IL (60031)

Cool-Touch Flame™ Protective Mitts

San Jamar

Provides intermittent flame protection up to 900° F (482° C)

Protects from temperatures up to 535°F (280° C) for 30 seconds

Machine washable

Cool-Touch Flame™			
TKE #	**Style**	**Length**	**Qty**
1008238	Conventional Oven Mitt	15"	1 ea
J822	Conventional Oven Mitt	17"	1 ea
J824	Puppet Oven Mitt	15"	1 ea
1043668	Puppet Oven Mitt	17"	1 ea
J826	Puppet Oven Mitt	24"	1 ea

NEW

Ultigrips® Hot Pads

San Jamar

- Made of non-slip, textured material with Kevlar® stitching for extra durability
- Heat, cold, and steam protection
- Dishwasher safe

TKE #	L x W	Color	Qty
1049092	7" x 7"	Black	1 ea
1049091	10" x 10"	Black	1 ea

Cool-Touch™ Protective Mitts

San Jamar



Protects from temperatures up to 500° F (260° C) for 15 seconds

Magnet and loop for convenient storage

Heavy duty durable construction

Cool-Touch™			
TKE #	**Desc**	**Length**	**Qty**
1048865	Conventional Oven Mitt	15"	1 ea
1048866	Conventional Oven Mitt	17"	1 ea
1048870	Puppet Oven Mitt	15"	1 ea
1048872	Puppet Oven Mitt	17"	1 ea

Hot Pad Panhandler

- Inner liner stops grease, prevents burns, insulates pad against heat
- Protects up to 400° F for 15 seconds
- Machine washable

TKE #	Temp Range	Size	Qty
J721	Up to 400° F	9½" x 11"	2/pk

Bestguard® Oven Mitts

Non-stick flame retardant surface

Wipes clean with a damp cloth

Temperature protection up to 450°F for 30 seconds

Webguard™ for extra protection and comfort

Angled cuff

Extra-wide palm for comfortable fit on either hand

KTE #	Desc	Length	Qty
J728	Conventional Oven Mitt	15"	2/pk
J734	Conventional Oven Mitt	17"	2/pk
1000980	Conventional Oven Mitt	24"	2/pk

Mini Egg Cake Pan

Chicago Metallic Bakeware

» Create and decorate mini egg or mini football cakes
» 22 gauge aluminized steel with wire in rim
» Two piece set includes top and bottom pans
» Makes 25-2½" x 1⅝" egg shaped cakes

TKE #	L x W	Qty
1047016	17⅞" x 12⅞"	1 ea

Exoglass® Pie and Tartlet Molds

Matfer Bourgeat

» Made of composite material suitable for both savory and sweet creations
» Innovative and long lasting
» Super heat resistant
» Non-deformable
» Non-stick

TKE #	Desc	Dia	Qty
1048533	Fluted Tarlet Mold	3½"	12/pk
1048535	Fluted Tarlet Mold	4"	12/pk
1048540	Fluted Tarlet Mold	4⅓"	12/pk
1048531	Plain Pie Mold	4"	12/pk
1048528	Fluted Pie Mold	4"	12/pk

Cream Profi Whip Plus

ISI North America

» Serve your own freshly whipped cream
» More economical than RTU aerosols
» Easy to use: simply add cream and insert charger
» Sanitary one-piece stainless steel container

TKE #	Cap'y	Qty
1K341	1 pt	1 ea
1K340	1 qt	1 ea

N2O Chargers

ISI North America

» Made of 100% recyclable steel, silver lacquered, not refillable
» Charger contains 8 g pure N2O for whipping and foaming

TKE #	Qty
1K346	10/pk
1K345	24/pk

Pastry Bags

» Flexible bags are easy to handle and clean
» Heavy duty, plastic-coated cotton bags (K3730-K3735) each have a reinforced tip, seam, and hanger
» Ultra Flex polyester bags (K3750-K3756) offer extra flexibility in a synthetic bag

Heavy Duty Plastic/Cotton Bags		
TKE #	**Size**	**Qty**
K3730	12"	1 ea
K3731	14"	1 ea
K3732	16"	1 ea
K3733	18"	1 ea
K3734	21"	1 ea
K3735	24"	1 ea

Ultra Flex Polyester Bags		
TKE #	**W x L**	**Qty**
K3750	7" x 10"	1 ea
K3751	8" x 12"	1 ea
K3752	9" x 14"	1 ea
K3753	9" x 16"	1 ea
K3754	10" x 18"	1 ea
K3807	11" x 20"	100/pk
K3755	10" x 24"	1 ea
K3756	10" x 24"	1 ea

Pastry Tips

Thermohauser

» A variety of hole and star piping tips
» Stainless steel construction is dishwasher-proof and won't rust

Star Piping Tips – Open		
TKE #	**Top Dia**	**Qty**
K3770	¼"	6/pk
K3773	7/16"	6/pk
K3774	½"	6/pk
K3776	⅝"	6/pk
Star Piping Tips – Closed		
K3782	¼"	6/pk
K3784	⅜"	6/pk
Piping Tip Set		
TKE #	**Desc**	**Qty**
K3740	Set of 26	1 ea
1015378	Star, 2"	12/pk

Best of the Basics - Baking

Fits 18" x 26" and 13" x 18" pans

Non-Stick Baking Mats

Paderno World Cuisine

TKE #	L x W	Qty
K4007	24½" x 16⅜"	1 ea
K1836	16⅜" x 11⅝"	1 ea

Aluminum Pie Pan

Carlisle

TKE #	Size	Thickness	Qty
K1556	9"	18 gauge	1 ea

Tin Pie Pan

Chicago Metallic Bakeware

TKE #	W x D	Qty
K838	9" x 1"	1 ea

Cake Pans

Chicago Metallic Bakeware

» Aluminized steel with a brushed finish

» Made for layer cakes, ice box cakes, and various other baked goods

TKE #	W x D	Thickness	Qty
K3554	9" x 2"	26 gauge	1 ea
K3557	10" x 2"	26 gauge	1 ea

Spring Form Cake Pans

Johnson Rose

» Removable bottom and spring ensure effortless removal of cake for a smooth, appetizing surface

TKE #	W x D	Qty
K3526	8" x 2½"	1 ea
K3530	10" x 2½"	1 ea
K3527	10¼" x 2½"	1 ea
K3528	11" x 2½"	1 ea

Wearever® Household Pie Pans

Vollrath

» Aluminum construction ensures quick heating and even heat distribution

TKE #	W x D	Thickness	Qty
K6684	9¾" x 1¼"	22 gauge	1 ea
K6686	10" x 1¼"	20 gauge	1 ea

Souffle Pan

Chicago Metallic Bakeware

» Aluminized steel with silicone glaze

TKE #	Cap'y	W x D	Thickness	Qty
K3696	6 cups	13" x 2"	26 gauge	1 ea

Aluminum Sheet/Bun Pans

Bun Pans			
TKE #	**L x W**	**Thickness**	**Qty**
K2574	13" x 9½"	16 gauge	1 ea
K2569	17¾" x 12⅞"	18 gauge	1 ea
K2669	17¾" x 12⅞"	18 gauge	1 ea
K2581	25¾" x 17¾"	16 gauge	1 ea
K2582	25¾" x 17¾"	18 gauge	1 ea
K2578 *	25¾" x 17¾"	18 gauge	1 ea
Pan Liners			
1026181	16⅜" x 24⅜"		2m/cs
1026250	16⅜" x 24⅜"		1m/cs

*NOTE: Perforated

Best of the Basics - Kitchen

Precise Slice Knife

Victorinox Swiss Army

» Precise slicing control made specifically for right-handed users

» 8¼" heavy duty stainless steel blade

TKE #	Desc	Size	Qty
3K321	Adjustable Slicing Knife	12"	1 ea
3K323	Knife Guide	—	1 ea

Folding Baker's Knife

Victorinox Swiss Army

» 2½" folding blade with wavy edge

» Red alox handle

TKE #	Length	Qty
3K309	4½	1 ea



Wire Whips

Flexible Piano Whips		
TKE #	**Length**	**Qty**
K7720	10"	1 ea
K7721	12"	1 ea
K7722	14"	1 ea
K7723	16"	1 ea
K7724	18"	1 ea
Rigid French Whips		
K7711	10"	1 ea
K7712	12"	1 ea
K7713	14"	1 ea
K7714	16"	1 ea
K7715	18"	1 ea
K7716	20"	1 ea
K7718	24"	1 ea

Square Skimmer

American Metalcraft

» Small, square blade gets into corners

» Perfect size and shape for deep fat fryers

» Keeps fryer oil cleaner for better-tasting foods

TKE #	Size	Length	Qty
K4174	7" x 7"	14"	1 ea

Wearever® Transfer Ladle Dipper

Vollrath

» Transfer ladle with handle welded at a 57° angle

» 3004 aluminum

TKE #	Cap'y	Qty
K2067	30 oz	1 ea
K1496	64 oz	1 ea



Pom Tongs

TKE #	Length	Qty
3K461	6"	1 ea
3K462	9"	1 ea

Stainless Steel Food Mills

Paderno World Cuisine

» Used to strain or puree fruits and vegetables

» Includes three cutting plates to allow for a variety of textures; 1/16", 3/32", 5/32" perforations

» Mill output is approximately 3 lbs per minute

» Fits on any 7" or larger receptacle

TKE #	Cap'y	L x W x H	Qty
K5692	5 qt	12¼" x 12¼" x 9¾"	1 ea

Stirring Paddles

Johnson Rose

» Constructed especially for mixing or stirring large pots

» No cracks, no crevices, no seams

» Resists rust, corrosion, and formation of oxides

TKE#	Length	Qty
K7282	30"	1 ea
K7283	36"	1 ea
K7284	42"	1 ea
K7285	48"	1 ea

TKE Value Line Products offer a more Economical Alternative to our Popular IMCO Standard Line of Smallwares

Basting Spoons

Basting Spoons			
TKE #	**Desc**	**Length**	**Qty**
K7364	Slotted	13"	1 ea
K7362	Solid	13"	1 ea
K7365	Perforated	13"	1 ea

Value Line Basting Spoons			
TKE #	**Desc**	**Length**	**Qty**
1018268	Slotted	13"	1 ea
1018269	Solid	13"	1 ea
1018270	Perforated	13"	1 ea

Kitchen Spoons

Kitchen Spoons			
TKE #	**Desc**	**Length**	**Qty**
1040188	Solid **NEW**	9"	1 ea
K7199	Solid	13"	1 ea
K7304	Slotted	13"	1 ea
K7258	Perforated	13"	1 ea
K7200	Solid	15"	1 ea
K7317	Slotted	15"	1 ea
K7316	Perforated	15"	1 ea

Value Line Kitchen Spoons			
TKE #	**Desc**	**Length**	**Qty**
1018271	Slotted	13"	1 ea
1018272	Solid	13"	1 ea
1018273	Perforated	13"	1 ea
1018264	Slotted	15"	1 ea
1018265	Solid	15"	1 ea
1018267	Perforated	15"	1 ea

Stainless Steel Mixing Bowls

Mixing Bowls - NSF Listed			
TKE #	**Cap'y**	**Diam**	**Qty**
K6901	¾ qt	6¼"	1 ea
K6902	1½ qt	7⅛"	1 ea
K6903	3 qt	9⅛"	1 ea
K6904	5 qt	11¼"	1 ea
K6905	8 qt	13⅜"	1 ea
K6906	13 qt	16"	1 ea

Value Line Mixing Bowls			
TKE #	**Cap'y**	**Diam**	**Qty**
1018256	3/4 qt	6¼"	1 ea
1018258	1½ qt	7⅛"	1 ea
1018260	3 qt	9⅛"	1 ea
1018262	5 qt	11¼"	1 ea
1018263	8 qt	13⅜"	1 ea
1018259	13 qt	16"	1 ea

Measuring Cups

TKE #	Cap'y	Qty
1035169	1/4 Cup	1 ea
1035168	1/3 Cup	1 ea
1035167	1/2 Cup	1 ea
1035170	1 Cup	1 ea

Utility Tongs

Standard Weight		
TKE #	**Length**	**Qty**
3K101	9"	1 ea
3K102	12"	1 ea
3K103	16"	1 ea
Heavyweight		
3K466	9"	1 ea
3K465	12"	1 ea
3K464	16"	1 ea

Measuring Spoon Set

» 18/8 stainless steel

» Contains four spoons on ring: 1/4 tsp, 1/2 tsp, 1 tsp, and 1 T sizes

TKE #	Qty
K6363	1 ea



1-Piece Ladles

TKE #	Cap'y	Length	Qty
K7187	1/2 oz	11½"	1 ea
K7101	1 oz	12"	1 ea
K7102	2 oz	12¼"	1 ea
K7195	3 oz	13"	1 ea
K7103	4 oz	11½"	1 ea
K7104	6 oz	14¾"	1 ea
K7105	8 oz	15"	1 ea
K7106	12 oz	18"	1 ea

NEW

Holds up to 12 Knives and 2 Cleavers

UV Knife Sanitizer Cabinet

Edlund

» Quickly and safely sterilize knives in as little as 3 minutes with 99% efficacy
» Stainless steel construction with UV filtered plexiglass door with lockable keyed handle
» Holds up to 12 knives plus steel; two larger slots to accommodate cleavers
» LED lights indicate when door is closed and sterilization is in process; 15 minute belled timer
» Knives must be properly washed before they are placed in the sanitizer

TKE #	L x H x D	Qty
1047753	18" x 24" x 6"	1 ea

Build an In-House Knife System!

Why rent when you can buy for less?

» Quality knives hold an edge longer
» Sharpener is easy to use and clean
» Sanitizing system prevents cross contamination
» Savings of up to $1000 per location per year*

*savings may vary per customer

NEW

Saf-T-Knife™ Station

San Jamar

» Safe, sanitary, and secure storage for knives—closed container protects knives from contaminants and damage
» Break-resistant plastic construction
» Holds variety of knife configurations, including a cleaver and a knife sharpener
» Easy to assemble and disassemble for thorough cleaning; dishwasher safe

TKE #	L x W x H	Qty
1044876	15" x 4¼" x 15"	1 ea

Knife Storage

» Made of durable ABS plastic
» Mounts to wall or counter table (screws included)
» Holds up to 12 knives, one cleaver, and one steel

TKE #	W x D x H	Qty
K5833	15" x 3" x 16"	1 ea

Electric Knife Sharpener

Edlund

» Precision guidance system to help maintain a perfect edge
» ABS knife guide pops out for easy cleaning and maintenance
» Easy to replace grinding wheel assembly
» Pressure sensitive motor prevents burn or excess wear
» 3-year warranty

TKE #	Size	Qty
2K18	12" x 5½" x 9"	1 ea

SofGrip™ Cutlery

» Professional quality, high carbon stainless steel blade
» Ergonomic, non-slip handle that is soft-to-the-touch
» Long lasting ultimate sharp blade is easy to resharpen

A

Boning Knife
The curved feature gives added flexibility for separating skin and bones from fish or raw meat.

B

Cook's Knife
The most popular, multi-purpose knife in the kitchen. Use for coarse or fine chopping, dicing, and mincing of any kind of food. The deep handle grip is designed to protect the knuckles.

NSF

	TKE #	Desc	Blade Length	Qty
	1002685	Serrated Bread Knife	10"	1 ea
	1002686	Scalloped Utility Knife	6"	1 ea
A	**1002678**	Wide Boning Knife	6"	1 ea
	1002681	Duo-Edge Santoku Knife	7"	1 ea
	1002684	Cook's Knife	8"	1 ea
B.	**1002682**	Cook's Knife	10"	1 ea

Choosing the Right Knife

Knives are the most important and most used tools in a busy kitchen. Specialized knives used for the right application make food preparation safe and easy.

C



Duo-Edge Roast Slicer
Hollow-edge blade reduces the drag on the knife, resulting in a paper-thin and incredibly smooth cut. The tiny grooves reduce friction allowing food to slide off the knife without sticking.

D



Offset Sandwich Knife
Offset handle prevents knuckles from hitting cutting surface

	TKE #	Desc	Blade Length	Qty
	1002683	Cook's Knife	12"	1 ea
C.	**1002680**	Duo-Edge Roast Slicer	12"	1 ea
	1002679	Scalloped Roast Slicer	12"	1 ea
	1002676	Paring Knife	3¼"	1 ea
	1002677	Scalloped Paring Knife	3¼"	1 ea
	1002688	Fork	13"	1 ea
D.	**1002687**	Scalloped Offset Sandwich Knife	9"	1 ea

SofGrip™ Cutlery Kits

» Professional quality, high carbon stainless steel blades
» Ergonomic, non-slip handles that are soft-to-the-touch
» Long lasting ultimate sharp blades are easy to resharpen

E. 3 Piece Set in Roll

1037910 kit includes one of each: 6" boning knife, 10" cook's knife, 3¼" paring knife, and a soft roll case

NSF

	TKE #	Desc	Qty
E.	**1037910**	3 pc Set in Roll	1 ea
F.	**1037909**	7 pc Set in Roll	1 ea

F. 7 Piece Set in Roll

1037909 set includes one of each: 9" offset sandwich knife, 6" utility knife, 6" boning knife, 8" cook's knife, 3¼" paring knife, 12" duo-edge roast slicer, 12" sharpening steel, and a soft roll case

Classic Cutlery

Wüsthof-Trident of America

» Fine-quality German cutlery
» Forged pieces made from a single piece of high carbon, rust-free steel
» Unsurpassed balance with custom-fit handles

	TKE #	Desc	Blade Length	Qty
A.	**3K3810**	Zester	6"	1 ea
B.	**3K4816**	Paring Knife	4"	1 ea
C.	**3K4817**	Boning Knife	5"	1 ea
	3K4819	Cook's Knife	8"	1 ea
D.	**3K4820**	Cook's Knife	10"	1 ea
E.	**3K4826**	Bread Slicer	9"	1 ea

	TKE #	Desc	Blade Length	Qty
	3K4810	Carving Knife	10"	1 ea
F.	**3K4813**	Carving Knife	12"	1 ea
G.	**3K4835**	Sharpening Steel	10"	1 ea
H.	**3K4834**	Cook's Fork	6"	1 ea
J.	**3K4857**	Knife Case - Roll	21" x 9½"	1 ea
	3K4801	Knife Case - Hardside	10" x 7"	1 ea

NOTE: Ask your **TKE** Sales Representative for stocking locations

Affordable, quality German-made cutlery

Pro Line Cutlery®

Wüstohf-Trident of America

» High-carbon, rust-resistant steel
» Ergonomic, soft poly, slip-resistant handle
» Designed and built for the tough day-to-day demands of the commercial kitchen
» Lifetime warranty against manufacturers defects

TKE #	Desc	Blade Length	Qty
1027861	Peeling	2½"	1 ea
1027862 *	Paring	3½"	1 ea
1027877	Boning - Semi-Stiff Curved	6"	1 ea
1027867	Fillet	8"	1 ea
1027863	Utility - Serrated	6"	1 ea
1027872	Cook's	7"	1 ea
1027873 *	Cook's	8"	1 ea
1027874 *	Cook's	10"	1 ea

*NOTE: Ask your **TKE** Sales Representative for stocking locations

TKE #	Desc	Blade Length	Qty
1027875	Cook's	12"	1 ea
1027866 *	Bread/Utility	9"	1 ea
1027871 *	Santoko - Hollow Grind	7"	1 ea
1027864	Bread	9"	1 ea
1027865	Bread - Wide	10"	1 ea
1027869 *	Cimeter	10"	1 ea
1027868 *	Slicer - Serrated	11"	1 ea
1027870	Roast Beef - Hollow Edge	11"	1 ea

Sani-Safe® Cut-Resistant Gloves

Dexter-Russell

» Blend of stainless steel wire, Spectra® fiber, and specially engineered yarns provide the highest cut resistance
» MicroGard™ antimicrobial treatment inhibits bacteria growth
» Colored elastic wristband indicates size and provides comfortable fit
» Washable with bleach solution, fit right or left hand

TKE #	Size	Qty
1008099	Small	1 ea
1008098	Medium	1 ea
1008097	Large	1 ea

Comfort Sharp™ Cutlery

» Super-soft slip-resistant handle provides more control
» Rust-resistant, high carbon steel blades from Sheffield, England
» Sanitary, unitized construction
» Black non-slip Ergo handle
» Dishwasher safe

TKE #	Desc	Blade	Qty
3K1812	Cook's Fork	10"	1 ea
3K1816	Paring Knife	4"	1 ea
3K1817	Straight Boning Knife	6"	1 ea
3K1819	Cook's Knife	8½"	1 ea
3K1820	Cook's Knife	10"	1 ea

TKE #	Desc	Blade	Qty
3K1821	Cook's Knife	12"	1 ea
3K1823	Straight Slicing Knife	12"	1 ea
3K1825	Kullenschliff Slicing Knife	14"	1 ea
3K1813	Serrated Edge Slicing Knife	12"	1 ea
3K1842	Offset Slicing Knife	8"	1 ea

TKE #	Desc	Blade	Qty
3K1826	Curved Bread Slicer	10"	1 ea
3K1829	Utility Knife	5"	1 ea
3K1847	Sharpening Steel	12"	1 ea
3K1827	Utility Knife	8"	1 ea
3K1815	Santoku Knife	7"	1 ea

Sabre-Sharp® Cutlery

» Bubinga wood handles meet exacting industry standards and provide exceptional durability and comfort
» All blades and tines are stainless steel to resist corrosion
» Tangs extend deep into the shaped handles, full tang is utilized where required
» Each handle is firmly secured by three oversized stainless steel compression rivets to prevent separation

TKE #	Desc	Blade	Qty
3K2812	Cleaver	8"	1 ea
3K2834	Full Tang Cook's Fork	5"	1 ea
3K2815	Paring Knife	3½"	1 ea
3K2830	Paring Knife	3"	1 ea
3K2816	Paring Knife	4"	1 ea

TKE #	Desc	Blade	Qty
3K2817	Straight Boning Knife	6"	1 ea
3K2827	Utility Knife	8"	1 ea
3K2819	Cook's Knife	8"	1 ea
3K2820	Cook's Knife	10"	1 ea
3K2821	Cook's Knife	12"	1 ea

TKE #	Desc	Blade	Qty
3K2813	Kullenschiff Slicing Knife	12"	1 ea
3K2835	Sharpening Steel	12"	1 ea
3K2826	Curved Bread Slicer	10"	1 ea

Sani Sharp™ Cutlery

» Handles are permanently injection molded to the tang of blades
» High-quality stainless steel blades
» Secure, comfortable grip
» White handle
» Dishwasher safe

TKE #	Desc	Blade	Qty
3K567	Serrated Edge Slicing Knife	10"	1 ea
3K568	Straight Edge Slicing Knife	12"	1 ea
3K572	Slicing Knife	8"	1 ea
3K580	Oyster Knife	2¾"	1 ea
3K585	Oyster Knife	3"	1 ea
3K583	Clam Knife	3¼"	1 ea

TKE #	Desc	Blade	Qty
3K500	Hollow Ground Paring Knife	3½"	1 ea
3K505	Paring Knife	4"	1 ea
3K510	Serrated Edge Utility Knife	5"	1 ea
3K566	Serrated Edge Utility Knife	8"	1 ea
3K515	Straight Boning Knife	5"	1 ea
3K578	Curved Boning Knife	6"	1 ea

TKE #	Desc	Blade	Qty
3K520	Cook's Knife	8"	1 ea
3K525	Cook's Knife	10"	1 ea
3K584	Cook's Knife	12"	1 ea
3K530	Curved Bread Slicer	10"	1 ea
3K535	Serrated Edge Slicing Knife	12"	1 ea

Sabre Sharp® Utensils

- Bubinga handles meet exacting industry standards and provide exceptional durability and comfort
- All blades and tines are stainless steel to resist corrosion
- Tangs extend deep into the shaped handles
- Each handle is firmly secured by three oversized stainless steel compression rivets to prevent separation

	TKE #	Desc	Size	Qty
A.	**3K2850**	Pie Knife/Server	5" x 2"	1 ea
B.	**3K2851**	Pie Knife/Server	5" x 3"	1 ea
	3K2857	Spatula Turner	4" x 1½"	1 ea
C.	**3K2858**	Blunt Blade Turner	6" x 3"	1 ea
D.	**3K2859**	Trowel Blade Turner	8" x 3"	1 ea
E.	**3K2861**	Perforated Turner	8" x 3"	1 ea
	3K2855	Heavy Duty Turner	5" x 3"	1 ea

	TKE #	Desc	Size	Qty
F.	**3K2856**	Heavy Duty Turner	6" x 4"	1 ea
	3K2839	Spatula	8" x 1¼"	1 ea
G.	**3K2840**	Frosting Spatula	10"	1 ea
H.	**3K2848**	Pan/Griddle Scraper	4"	1 ea
J.	**3K2846**	Melon Baller	4½"	1 ea
	3K2845	Cook's Fork	5"	1 ea
K.	**3K2843**	Grill Fork	22"	1 ea

Galaxy Pastry Brushes

- Frost, spread, baste, coat, and batter the most sanitary way
- Dupont Tynex® nylon bristles rinse out easily to stay sanitary
- Bristles firmly embedded in non-absorbent plastic ferrule
- Smooth molded handle with large hang-up hole

TKE #	L x W	Qty
K5242	7" x 1½"	1 ea
K5243	7½" x 2"	1 ea
K5244	8¾" x 3"	1 ea
K5245	8½" x 4"	1 ea

High Heat Scrapers

NSF

Rubbermaid Commercial

- Resists heat up to 500° F/260° C
- Cool-touch handle is designed with employee safety in mind
- Stain-resistant and dishwasher safe
- Innovative blade notch makes scraping down sides of bowls easy

TKE #	Length	Qty
K1086	9½"	1 ea
K1087	13½"	1 ea
K1088	16½"	1 ea

Meteor Pastry/Basting Brushes

Carlisle

- Stops bristle burn and distortion; molded-in hook lets you hang brush on lip, free from hot food pan or bain marie bottoms
- Bristles molded directly into plastic handle eliminating air pockets where bacteria form
- Nylon bristles for use up to 225° F; sterilized boar bristle for use up to 500° F

TKE #	Desc	L x W	Qty
K5238	Nylon	9¾" x 2"	1 ea
K5240	Nylon	9¾" x 3"	1 ea
K5285	Boar	9¾" x 2"	1 ea
K5291	Boar	9¾" x 3"	1 ea

Comfort Sharp™ Utensils

» Super-soft slip-resistant handle provides more control
» Rust-resistant, stainless steel blades

	TKE #	Desc	Size	Qty
A.	**3K1811**	Sandwich Spreader	3½" x 1¼"	1 ea
B.	**3K1831**	Pizza Cutter	4"	1 ea
C.	**3K1814**	Cutter/Scraper	6" x 3"	1 ea
D.	**3K1835**	Spatula/Turner	3" x 2½"	1 ea
E.	**3K1844**	Spatula	8" x 1¼"	1 ea
F.	**3K1845**	Turner	6"	1 ea

Comfort Sharp™ High Heat

» High heat resistant handles up to 429° F
» FDA approved heat resistant with stainless steel blades
» Non-slip ergonomic handle made of new age polymer
» Dishwasher safe

	TKE #	Desc	L x W	Qty
G.	**3K1840**	Perforated Turner	8" x 3"	1 ea
H.	**3K1839**	Turner	8" x 3"	1 ea
J.	**3K1843**	Heavy Duty Turner	4" x 4"	1 ea
K.	**3K1837**	Pie Knife	5" x 3"	1 ea
L.	**3K1836**	Pie Knife	5" x 2"	1 ea

One-Piece Construction for Easy Cleaning

Sani Sharp™ Utensils

» High-quality stainless steel blades
» One-piece construction eliminates unsanitary, hard-to-clean gaps and seams
» White polypropylene handles are dishwasher safe
» Secure, comfortable grip

	TKE #	Desc	Blade Size	Qty
M.	**3K560**	Pan/Griddle Scraper	4" x 4"	1 ea
N.	**3K571**	Turner	6" x 3"	1 ea
O.	**3K555**	Trowel Blade Turner	8" x 3"	1 ea
P.	**3K569**	Perforated Turner	8" x 3"	1 ea
Q.	**3K570**	Frosting Spatula	8" x 1¼"	1 ea
R.	**3K575**	SteelKnife Sharpener	10"	1 ea
S.	**3K545**	Pizza Cutter Wheel	4"	1 ea
T.	**3K565**	SandwichSpreader	3½" x 1¼"	1 ea
U.	**3K581**	Serrated-Edge Spreader	3½" x 1¼"	1 ea
V	**3K573**	Dough Cutter	3" x 6"	1 ea
W	**3K576**	Turner	2½" x 2¼"	1 ea
	3K582	Pie Knife	5" x 2"	1 ea
X.	**3K586**	Pie Knife	5" x 3"	1 ea
Y.	**3K540**	Cook's Fork	5"	1 ea

NEW

Microplane® Graters

Matfer Bourgeat

» Stainless steel blades provide the surface and sharpness needed to get the job done
» The perfect tools for grading hard spices, chocolate, hard cheeses, and zesting in coarse or fine cuts
» Dishwasher safe

TKE #	Desc	Qty
1048546	Fine	1 ea
1048545	Course	1 ea
1048543	Spice Grater	1 ea

Millenia™ & Genesis® Cutlery

Mercer Cutlery

» Millennia™ cutlery features a high carbon, stain-free steel with Santoprene® and polypropylene handle
» Genesis® cutlery features a one-piece, fully forged superior high carbon, stain-free German steel with razor sharp, long lasting taper ground edges and non-slip, comfortable Santoprene® handles

A. Millennia™ Cutlery

B. Genesis® Cutlery

A. Millennia™ Cutlery

TKE #	Desc	Size	Qty
1040319	Boning Knife	6"	1 ea
1033723	Cooks Fork	8"	1 ea
3K456	Chef's Knife	8"	1 ea
3K455	Chef's Knife	10"	1 ea
K2482	Slicer	11"	1 ea

B. Genesis® Cutlery

TKE #	Desc	Size	Qty
1040316	Boning Knife	6"	1 ea
1040317	Chef Knife	8"	1 ea
1040318	Chef Knife	10"	1 ea

NEW

Mercer Rules Mini™

Mercer Cutlery

» Two-sided reference tool for the kitchen with essential information for measurements, conversions, cooking and storage guidelines
» Durable stainless steel

TKE #	L x W	Qty
1047844	5¼" x 3¼"	1 ea

NEW

Sharpening Stones

Mercer Cutlery

» High-grade corundum construction keep cutlery performing at peak levels with professional results
» Starter stone has coarser grit levels to repair damaged edges or for blunt knives; Finishing stone is made with finer grit levels for eliminating burrs on the knife blade edge

TKE #	Desc	Qty
1047840	Starter Stone	1 ea
1047841	Finishing Stone	1 ea

FirmGrip™ Garnish Kit

TableCraft

» Nine essential stainless steel garnishing tools, all in one handy nylon carrying case
» Set includes: zester/lemon peeler, straight peeler, melon baller, fluted melon baller, apple corer, tomato stem corer, garnishing knife, double pastry cutter, and butter curler

TKE #	Cap'y	Qty
3K4847	9 Pc Set	1/pk

Spice Dispensers

Rosseto

» Snug fit lids keep contents fresh for extended periods of time
» Each dispenser comes with a choice of three portion wheels that are available in one teaspoon, one tablespoon and one ounce sizes
» Easy to refill, clear dispensing body makes it easy to see when refills are needed
» Includes wall mounting bracket

TKE #	Desc	Size	Qty
1048857	3 Cone - 83 oz	17⅔"W	1 ea
1048860	Tray Catch f/ 3 Cone	18"W	1 ea
1048858	5 Cone - 83 oz	29"W	1 ea
1048859	Tray Catch f/ 5 Cone	30"W	1 ea

Spice Measuring Spoons

Vollrath

» Seamless construction for greater durability and easy cleaning
» Heavy gauge stainless steel
» Capacities clearly stamped for easy identification

TKE #	Cap'y	Size	Qty
1024892	1/4 tsp	14"	1 ea
1048462	1/2 tsp	14"	1 ea
1048463	1 tsp	14"	1 ea
1013243	1 tbsp	14"	1 ea
1048468	2 tbsp	14"	1 ea
5 Piece Set			
1009623		14"	1 ea

Color-Coded Kool-Touch® Mini Tongs

Vollrath

» Scalloped 6" tongs are good for tight spaces or delicate food applications
» Color-coded handles prevent cross contamination; made with Agion®—nature's antimicrobial
» 20 gauge stainless steel with one-piece springless design
» Handles are heat resistant up to 180° F

TKE #	Color	Qty
1048474	Black	1 ea
1048473	Silver	1 ea

Color-Coded Squeeze Dishers

Vollrath

» Color-coded EZ Handle is longer, lighter, and stronger
» No-spring driver puts less pressure on hands and wrists
» Strong stainless steel neck
» Fast return blade

TKE #	Color	Size	Top Dia	Qty
S1774	White	#6	3"	1 ea
S1775	Grey	#8	2¾"	1 ea
S1776	Ivory	#10	2⅝"	1 ea
S1777	Green	#12	2½"	1 ea
S1778	Red	#24	2"	1 ea
S1781	Orchid	#40	1⁹⁄₁₆"	1 ea
S1783	Black	#16	1⅞"	1 ea

Measure Misers®

Carlisle Foodservice

BPA FREE

» Portion control, color-coded solid serving spoons
» Made of break-resistant polycarbonate
» Recommended for temperatures up to 212° F; withstands dry heat up to 270° F
» Dishwasher safe

TKE #	Color	Cap'y	L	Qty
1042902	Yellow	1 oz	6¾"	1 ea
1046252	Brown	1½ oz	7"	1 ea
1040584	Red	2 oz	7"	1 ea
1046253	Orange	2½ oz	7¹⁄₁₀"	1 ea
1040585	White	3 oz	8"	1 ea
1040586	Green	4 oz	8⁹⁄₆₄"	1 ea

NEW

Insulated Food Transport Boxes

Thermohauser

- Lightweight, insulated boxes keep food at the proper temperature from -40° F to 248° F
- Chemical and water resistant
- High strength EPP material is multiple impact resistant
- Recyclable
- Dishwasher safe

TKE #	L x W x H	Qty
1048863	26⅓" x 15¾" x 8⅘"	1 ea

NOTE: Shipped FOB from MA (01571)



Ultra Pan Carrier® H-Series

Cambro

- Extends hot food holding time and ensures food safety—an economical alternative to large warming cabinets
- Gentle, 150° to 165° F non-radiant heat will not cook food and maintains food moisture
- One hour preheat time from room temperature, three minute recovery time
- Tough, polyethylene exterior stays cool to touch
- CamDolly® reduces lifting and carrying making transport easy—made of extremely durable plastic that will not dent, crack, rust, or corrode

TKE #	Cap'y	Color	W x D x H	Qty
1-Compartment				
K494	Holds 6, 2½"D H-Pans	Grey	18½" x 26⅜" x 24⅞"	1 ea
K8481	Holds 6, 2½"D H-Pans	Black	18⅛" x 26⅜" x 24⅞"	1 ea
2-Compartment				
1005666	Holds 12, 2½"D H-Pans	Gray	20½" x 27⅛" x 54"	1 ea
1008345	Holds 12, 2½"D H-Pans	Brown	20½" x 27⅛" x 54"	1 ea
Dolly				
K4932	300 lbs		20¾" x 27⅝" x 9"	1 ea

NOTE: Shipped FOB from CA (92647)

Ultra Pan Carrier® S-Series

Cambro

- Innovative gasket system with built-in seal holds multiple pans of hot or cold food for hours
- Durable polypropylene shell and thick, polyurethane foam insulation
- CamDolly® reduces lifting and carrying—made of extremely durable plastic that will not dent, crack, rust, or corrode

TKE #	Cap'y	Color	W x D x H	Qty
Carriers				
K4930	Holds 6, 2½"D H-Pans	Grey	18" x 26¼" x 25"	1 ea
K4935	Holds 6, 2½"D H-Pans	Brown	18" x 26¼" x 25"	1 ea
Accessories				
TKE #	**Desc**			**Qty**
K4932	Dolly		20¾" x 27⅝" x 9"	1 ea

NOTE: Shipped FOB from CA (92647)

Super Pan V® Food Pans

Vollrath

- 22-gauge 18/8 stainless steel with newly designed pour corners are up to 300% stronger—resists dents and dings in the toughest kitchen environments
- Easy-to-pour corners and traditional body size is compatible with all Super Pan II® pans, covers, and accessories
- Smooth, wide curves are easy to clean
- Stackable for convenient storage

TKE #	Cap'y	Depth	Qty
Full Size Pans			
K7130	8¼ qt	1¼"	1 ea
K8101	8⁵⁄₁₆ qt	2½"	1 ea
K8102	14 qt	4"	1 ea
K8103	21 qt	6"	1 ea
1/2 Size Pans			
K7126	2 qt	1¼"	1 ea
K8104	4⁵⁄₁₆ qt	2½"	1 ea
K8105	6¾ qt	4"	1 ea
K8106	10 qt	6"	1 ea
1/2 Long Pans			
1023077	2 qt	1¼"	1 ea
K7131	3¾ qt	2½"	1 ea
K7132	5¾ qt	4"	1 ea
K7133	8¼ qt	6"	1 ea
2/3 Size Pans			
K7127	5.6 qt	2½"	1 ea
K7128	9.3 qt	4"	1 ea
K8121	14 qt	6"	1 ea
1004868	3 qt	1¼"	1 ea

TKE #	Cap'y	Depth	Qty
1/3 Size Pans			
K7124	1⅓ qt	1¼"	1 ea
K8107	2⅔ qt	2½"	1 ea
K8108	4 qt	4"	1 ea
K8109	6 qt	6"	1 ea
1/4 Size Pans			
K8110	1¾ qt	2½"	1 ea
K8111	3 qt	4"	1 ea
K8112	4½ qt	6"	1 ea
1/6 Size Pans			
K8113	1¼ qt	2½"	1 ea
K8114	1¾ qt	4"	1 ea
K8115	2¾ qt	6"	1 ea
1/9 Size Pans			
K8123	⅔ qt	2½"	1 ea
K8120	1 qt	4"	1 ea

Handle makes stirring easy, which chills food quickly
Wide mouth is large enough to drop in ice
Gasket and threads in cap engineered to create tight seal

Rapi-Kool® Plus

San Jamar

- Innovative handle and hook are durable for secure hanging and easy stirring; avoid cross-contamination in storage and lower the risk of burns during cooling
- Fill-Rite™ design removes need for fill line; simply fill with water, secure cap, and freeze
- Uses 50% more surface area for faster chilling; wide mouth is large enough to drop in ice to speed the chilling process
- Constructed of durable polycarbonite for long life
- Dishwasher safe

TKE #	Cap'y	Qty
1002835	64 oz	1 ea
1002836	128 oz	1 ea

Rapi-Kool®

San Jamar

- Rapidly cools hot foods to reduce bacteria growth during cooling
- Reduces cooling load and the energy cost of refrigeration
- Fill with water and freeze, submerge in hot foods for inside-out rapid cooling
- Dishwasher safe

TKE #	Cap'y	Size	Qty
K110	64 oz	5" Dia, 13½"H	1 ea
K111	128 oz	5" Dia, 20¾"H	1 ea
K113	256 oz	10½" Dia, 8"H	1 ea

Full Size Pan

1/2 Size Pan

Choosing the Right Pan

» 18/8 stainless steel pans will not jam during storage
» Double reinforced corners hold shape even under the toughest conditions
» Go from freezer, to oven, to serving line in a snap
» Available in industry standard 22 gauge (0.8 mm) or value priced 25 gauge (0.5 mm) thickness

1/3 Size Pan

1/9 Size Pan

1/6 Size Pan

22-Gauge Anti-Jam Steam Table Pans

» 18/8 stainless steel pans with anti-jam feature
» Ideal for heavy duty kitchen use

TKE #	Length	Width	Depth	Qty
Full Size Pans				
K9881	20"	12½"	2½"	1 ea
K9882	20"	12½"	4"	1 ea
K9883	20"	12½"	6"	1 ea
1/2 Size Pans				
K9884	12"	10"	2½"	1 ea
K9885	12"	10"	4"	1 ea
K9886	12"	10"	6"	1 ea
1/2 Long Pans				
K9818	20¾"	6⁷⁄₁₆"	2½"	1 ea
K9819	20¾"	6⁷⁄₁₆"	4"	1 ea
K9821	20¾"	6⁷⁄₁₆"	6"	1 ea
2/3 Size Pans				
K9816	13⅞"	12⅝"	2½"	1 ea
1/3 Size Pans				
K9807	12"	6"	2½"	1 ea
K9808	12"	6"	4"	1 ea
K9809	12"	6"	6"	1 ea
1/4 Size Pans				
K9810	10"	6"	2½"	1 ea
K9811	10"	6"	4"	1 ea
K9812	10"	6"	6"	1 ea
1/6 Size Pans				
K9813	7"	6"	2½"	1 ea
K9814	7"	6"	4"	1 ea
K9815	7"	6"	6"	1 ea
1/9 Size Pans				
K9823	7"	4"	2½"	1 ea
K9820	7"	4"	4"	1 ea

Flat Covers		
TKE #	**Size**	**Qty**
K9161	Full Size	1 ea
K9165	1/2 Size	1 ea
K9166	1/3 Size	1 ea
K9167	1/4 Size	1 ea
K9168	1/6 Size	1 ea
K9169	1/9 Size	1 ea

Notched Covers		
TKE #	**Size**	**Qty**
K9190	Full Size	1 ea
K9186	1/2 Size	1 ea
K9187	1/3 Size	1 ea
K9189	1/6 Size	1 ea

25-Gauge Anti-Jam Steam Table Pans

» 18/8 stainless steel pan with anti-jam feature
» Ideal for lighter kitchen use

TKE #	Length	Width	Depth	Qty
Full Size Pans				
9K9881	20"	12½"	2½"	1 ea
9K9882	20"	12½"	4"	1 ea
9K9883	20"	12½"	6"	1 ea
1/2 Size Pans				
9K9884	12"	10"	2½"	1 ea
9K9885	12"	10"	4"	1 ea
9K9886	12"	10"	6"	1 ea
1/3 Size Pans				
9K9808	12"	6"	4"	1 ea
9K9809	12"	6"	6"	1 ea
1/6 Size Pans				
9K9814	7"	6"	4"	1 ea
9K9815	7"	6"	6"	1 ea
1/9 Size Pans				
9K9820	7"	4"	4"	1 ea

Bain Maries, Steam Table Insets, and Lids

» Durable 18/8, 24-gauge stainless steel

Bain Maries				
TKE #	**Cap'y**	**Depth**	**Fits**	**Qty**
K8136	1¼ qt	5¾"	6"	1 ea
K8137	2 qt	6½"	7"	1 ea
K8138	3½ qt	7¼"	7"	1 ea
K8139	4¼ qt	7⅝"	7½"	1 ea
K8140	6 qt	8½"	8½"	1 ea
K8141	8¼ qt	9¾"	9½"	1 ea
K7962	12 qt	10⅞"	9¼"	1 ea
Steam Pan Inserts				
K8131	2½ qt	6"	5"	1 ea
K8132	4⅛ qt	6⅛"	6½"	1 ea
K8133	7¼ qt	6"	8½"	1 ea
K8134	11 qt	6"	10½"	1 ea
Lids				
K8151	Fits K8131		5"	1 ea
K8153	Fits K8133		8½"	1 ea
K8154	Fits K8134		10½"	1 ea

Bain Maries

Steam Table Insets

Full Size

Dripless Water Pan

» Made of durable 18/8 stainless steel

» Fits most full size chafing dishes

TKE #	L x W x H	Qty
K8119	22⅛" x 14⅛" x 3½"	1 ea

Icing Grates

» Nickel-chrome plated steel

» Fits most popular steam table pans

» Grates raised 3/4"

1/2 Size Grate				
TKE #	**L x W**	**Fits 22-Gauge Pans**	**Fits 25-Gauge Pans**	**Qty**
K4569	9⅞" x 8"	**K9884, K9885, K9886**	**9K9884, 9K9885, 9K9886**	1 ea
Full Size Grate				
K4571	18" x 9⅞"	**K9881, K9882, K9883**	**9K9881, 9K9882, 9K9883**	1 ea

Stainless Steel Adapter Bars

» Use to adapt steam table pans to standard 20" x 12" openings on steam tables

TKE #	L x W	Qty
K8125	12½" x 1"	1 ea
K8124	20½" x 1"	1 ea

Dome Covers

» Made of heavy duty 20-gauge, 18/8 stainless steel for longer wear, greater durability

» Holds food temperature longer

» Fits all standard 12" x 20" pans

» Both lids are 2¼"H

	TKE #	Desc	Size	Qty
A.	**K7143**	Hinged	Full Size	1 ea
B.	**K8162**	Lift Off	Full Size	1 ea

Perforated Pans

» 24-gauge, 18/8 stainless steel

» Ideal for rolls, meats, hot dogs, and steamed vegetables

» Perforations along sides and bottom keep steam circulating

» Set a perforated pan into a deeper solid pan for an individual steam

Half Size		
TKE #	**L x W x D**	**Qty**
K7998	13" x 10" x 4"	1 ea
Full Size		
K7157	21" x 13" x 2½"	1 ea
K7158	21" x 13" x 4"	1 ea
K7159	21" x 13" x 6"	1 ea

Dishwasher Safe

Deluxe Mechanical Scale

» Deluxe, standard duty stainless steel portion scale with air dashpot for instant reads and rotating dial
» Dishwasher safe—no disassembly required
» Stainless steel springs and mechanism
» Field calibratable

TKE#	Cap'y	Platform Size	Qty
1M3006	32 oz x ¼ oz	7" x 8¾"	1 ea

Rechargeable



Heavy Duty Digital Portion Scale

» All stainless steel body for durability and easy cleaning
» Dual-housing technology provides moisture resistance to prevent corrosion
» Scale within a scale design helps protect internal components against damage from accidental shock
» Six different weighing modes makes it a fit for any application; 10 lbs/5000g weighing capacity

TKE #	Platform Size	Qty
1M2415	6" x 6¾"	1 ea

Don't Forget TKE Gloves

Submersible

Poseidon Submersible Digital Portioning Scale

Edlund

» Self-calibrating scale that is submersible for easy, thorough cleaning
» Heavy duty digital portioning with all stainless body for durability and cleaning
» Dual-housing design protects internal components from moisture and grease
» Six different weighing modes makes it a fit for any application; 10 lbs/5000g weighing capacity

TKE #	Platform Size	Qty
1001333	6" x 6¾"	1 ea

Dishwasher Safe

Premiere Series Mechanical Portion Scales

» Dishwasher safe—no disassembly required
» Standard duty stainless steel portion scale with rotating dial
» Stainless steel springs and mechanism
» Field calibratable

TKE #	Cap'y	Platform Size	Qty
1M3000	32 oz x ¼ oz	6" x 6¾"	1 ea
1M3001	5 lbs x 1 oz	6" x 6¾"	1 ea
1M3002	25 lbs x 4 oz	6" x 6¾"	1 ea

Save Money with Perfect Portion Control

Heavy Duty Dial Portion Scales

Edlund

» Provide accurate and dependable measurements for weights from 2 lbs to 200 lbs
» Stainless steel construction with large stainless steel platform
» Easy to read large dial with red pointer

TKE #	Cap'y	Platform Size	Qty
1032827	5 lbs x ½ oz	8½"L x 8½"W	1 ea
1M354	10 lbs x ½	8½"L x 8½"W	1 ea
1M3004	25 lbs x 1 oz	8½" L x 8½"W	1 ea
1M2433	50 lbs	10¼" L x 9½"W	1 ea
1M2417	100 lbs	12"L x 12"W	1 ea
1M2423	200 lbs	15"L x 15"W	1 ea

NOTE: Shipped FOB from VT (05401)



Heavy Duty Rotating Dial Scales

Edlund

» Heavy duty stainless steel with a large 30° angle rotating dial face and red pointer assure accurate readings every time
» 1/2 oz, 1/4 oz, and 1/8 oz over/under function on rotating dial
» Air dashpots for instant readings
» Temperature compensated mechanism
» Choose from stainless steel platform or stainless steel bowl

	TKE #	Desc	Platform Size	Cap'y	Qty
A.	**1047752**	SS Bowl	11¾" dia	32 oz by 1/8 oz	1 ea
B.	**1047751**	SS Platform	8½" x 8½"	32 oz by 1/8 oz	1 ea

NOTE: Shipped FOB from VT (05401)

Digital Portion Control Scale

Taylor

» Removable 5-2/5" x 5-2/5" stainless steel platform
» 0.9" LCD readout
» Tare, hold and auto off features (auto off can be disabled)
» Low battery and overload indicators
» Operates on AC adapter (included) or 2 AAA batteries (not included)
» 1-year warranty

TKE #	Cap'y	Platform Size	Qty
1049113	2 lb x 0.01 oz/1 kg x 0.5 g	5.4" x 5.4"	1 ea

Heavy Duty Mechanical Portion Scale

Edlund

» Heavy duty scale has extra stainless steel internal housing and platform supports to help stand up to the highest volume kitchens
» Stainless steel springs and mechanism
» Dishwasher safe—no disassembly required
» Oversized 7" x 8¾" stainless steel platform
» Field calibratable

TKE #	Cap'y	Platform Size	Qty
1M3010	32 oz x ⅛ oz	7" x 8¾"	1 ea

Upgrade to an NSF Certified Can Opener

NSF can openers are easy to disassemble and clean to meet safe and sanitary HAACP standards.

If you currently own a K5810, upgrade to an NSF model K5617



If you currently own a K5612, upgrade to an NSF model K5618 or K5809

Table Mount Can Openers

Edlund

- Removable blade assembly for easy cleaning or replacing
- Mounts easily to surfaces for stability
- Leaves edge of cans smooth and turned inward
- Made in the USA

Cast Iron Can Openers			
	TKE #	**Desc**	**Qty**
A.	**K5810**	Heavy Duty	1 ea
B.	**K5612**	Medium Duty	1 ea
NSF Certified - Easy Pull-Pin Design			
C.	**K5809**	Heavy Duty	1 ea
D.	**K5617**	Heavy Duty	1 ea
E.	**K5618 ***	Medium Duty	1 ea

*NOTE: Shipped FOB from VT (05401)

TKE #	Stainless Shaft, Knife and Gear	Warranty
K5810	N	1 year
K5612	N	1 year
K5809	Y	5 year
K5617	Y	1 year
K5618	Y	1 year

Easy Crank Can Openers

Focus Products Group - AMCO Housewares

- Longer handle and large turning crank eliminates stress on hand
- Quality, heavy duty all-steel construction
- Hardened, sharpened high-carbon steel cutter

TKE #	Size	Qty
K5930	10½" x 4"	1 ea

First In First Out Can Rack

Alexander

- Sturdy all welded aluminum construction
- Holds 132-#10 cans
- Eight-shelf rack saves storage space
- Inclined shelves dispense one can at a time

TKE #	Cap'y	W x L x H	Qty
E2801	132-10 lb cans	28½" x 36" x 76"	1 ea

NOTE: Shipped FOB fully assembled from FL (33010)

Electric Can Opener

Edlund

- Self-lubricating bronze roller bearing and gear design
- Neoprene footrest helps ensure quiet operation
- Automatically punctures and opens cans with ease
- Handles all sizes—up to #10 cans

TKE #	Desc	Qty
2K13	Can Opener	1 ea
2K20	Replacement Gear	1 ea
2K19	Replacement Knife/Blade	1 ea

NOTE: Shipped FOB from VT (05401)

Key features of all digital scale models:

Display features
- » Digital display ensures accuracy
- » Selectable in pound/ounce and gram units
- » Decimal or fractional display capacity
- » 1 second readouts

Power features
- » 5 minute auto-shutoff
- » Low battery indicator
- » AC adapter
- » Battery operation
  - *Premium rechargeable/Full size: AA (Batteries included)*
  - *Compact: AAA (Batteries not included)*

Load cell features
- » Temperature compensated for accuracy in refrigerated prep room
- » 200% overload protection

Additional features
- » Quick-push tare button
- » Count feature for portion tracking
- » Non-skid rubber feet

Premium Full Size Scales

- » Large display with better viewing angle
- » 6 customizable display options
- » 50 hour rechargeable battery
- » Removable shell

B

A

High Performance Scales

- » Available 2, 12, and 24 lb capacities
- » Full size 6.4" x 5.8" stainless steel platform
- » 6 customizable display options

C

Digital Scales

Rubbermaid Commercial Products

	TKE #	Cap'y	Size	Qty
Premium Full Size Scales - Dishwasher Safe				
A.	**1041661**	6 lb	10³⁄₁₀" x 5⅛" x 13⅛"	1 ea
	1041662	12 lb	10³⁄₁₀" x 5⅛" x 13⅛"	1 ea
B.	**1041663**	12 lb	10³⁄₁₀" x 5⅛" x 13⅛"	1 ea
High Performance Scales				
	1047210	2 lb	4" x 11⅘" x 8⅜"	1 ea
C.	**1046618**	12 lb	9½" x 2½" x 8½"	1 ea
	1047211	24 lb	4" x 11⅘" x 8⅜"	1 ea
Compact Scales				
	1041901	2 lb	3⅜" x 11⅛"	1 ea
D.	**1047209**	10 lb	3⅜" x 11⅛"	1 ea

NOTE: Shipped FOB from VA (22601)

Compact Scales

- » Available 2 and 10 lb capacities
- » Compact 5.1" x 5.1" stainless steel platform
- » 5 customizable display options
- » Intuitive hand grips

D



Film and Foil Dispenser

- Sanitary, heavy duty stainless steel dispenser is a great alternative to cardboard or plastic dispensers
- **Interchangeable and replaceable foil and film cutting blade included**
- Suction cup feet hold it securely in position
- Welded handles make it easy to carry when loaded with a full roll
- Holds 12" or 18" rolls

TKE #	L x W x H	Qty
1030707	24" x 9" x 9"	1 ea

NOTE: Shipped FOB from VT (05401)

KenKut® 3
Film and Foil Dispenser

Tablecraft

- A sanitary and safer way to cut film and foil; eliminates cross contamination from unsanitary cardboard cutter boxes
- Slide cutting feature for 12" or 18" rolls of film or foil up to 3000 feet long
- **Interchangeable and replaceable foil and film cutting blades included**
- Body is made of high-impact plastic; lid is made of polycarbonate
- Integrated handles for easy transport
- Non-slip feet

TKE #	L x W x H	Qty
1006936	22½" x 8¼" x 7¾"	1 ea

NOTE: Ask your **TKE** Sales Representative for stocking locations

Mounts easily on shelves or with included wall brackets; four suction cups hold unit in place while dispensing

Saf-T-Wrap® Station

San Jamar

- A complete storage solution: combine safe dispensing of film, foil, or paper with fast, convenient labeling
- Interchangeable and replaceable cutting blade provides a safe, clean cut and reduces waste
- Integrated writing surface and storage compartment for pens and cutters; dispenses dating labels of varying sizes and styles
- Station includes: main unit, safety cutting blades, roll width adapters, label roll dividers and roll support rod

Dispensers			
TKE #	**Style**	**Size**	**Qty**
M1525	Foil w/Label Dispenser	Holds 12" to 18" Roll	1 ea
1030699	Film w/Label Dispenser	Holds 12" to 18" Roll	1 ea

Labels			
TKE #	**Style**	**Desc**	**Qty**
M5401	7 Days	Label Box	7/pk

Food Film		
TKE #	**Size**	**Qty**
5P1049	12" x 2000'	1 ea
5P1050	18" x 2000'	1 ea

Foil - Standard Weight		
TKE #	**Size**	**Qty**
5P1040	1000'L x 12"W	1 ea
5P1052	1000'L x 18"W	1 ea

NOTE: Shipped FOB from WI (53121)

Dissolve-A-Way™
Food Rotation System

- Bi-Lingual labels in English and Spanish

Box		
TKE #	**Desc**	**Qty**
M5401	Label Box	500/rl, 7 Rls/Box

Refills			
TKE #	**Pattern**	**Color**	**Qty**
M540	Monday Label	Blue	2/pk
M541	Tuesday Label	Yellow	2/pk
M542	Wednesday Label	Red	2/pk
M543	Thursday Label	Brown	2/pk
M544	Friday Label	Green	2/pk
M545	Saturday Label	Orange	2/pk
M546	Sunday Label	Black	2/pk

NOTE: Ask your **TKE** Sales Representative for pricing

Save Time and Money!

Model



Increase Your Production Speed: Processor vs Cutting by Hand

3 x Faster

Lemons/Limes

Oranges

Tomatoes

3 x Faster

Onions

Celery

Peppers

Tomatoes

Potatoes

4 x Faster

Apples

Pears

Redco® Wedgemaster®

Vollrath

Wedge Cutter			
	TKE #	**Size**	**Qty**
A.	**1K5724**	6-Cut	1 ea
B.	**1K5706**	8-Cut	1 ea
Blade Assembly			
	1K5705	6-Section	1 ea
	1K5707	8-Section	1 ea

InstaCut™ 5.0 Manual Vegetable Dicer/Slicer

Vollrath

C. Vegetable Dicer		
TKE#	**Size**	**Qty**
1010101	¼" Dice	1 ea
1010102	⅜" Dice	1 ea
1010103	½" Dice	1 ea
D. Vegetable Slicer		
1010104	¼" Slice	1 ea
1010105	⅜" Slice	1 ea
1010106	½" Slice	1 ea

Blade Holder Assembly		
TKE #	**Size**	**Qty**
1010107	¼" Dice	1 ea
1010108	⅜" Dice	1 ea
1010109	½" Dice	1 ea
1010110	¼" Slice	1 ea
1010111	⅜" Slice	1 ea
1010112	½" Slice	1 ea

French Fry Cutter

Vollrath

- Heavy duty construction with stainless steel blade and nickel-plated cast iron frame for superior resistance to corrosion
- Mounts on any flat surface
- Controls portions, increases profits

TKE #	Desc	Size	Qty
1K7044	French fry cutter	⅜" Cut	1 ea
1K5506	Potato cutter	7⁄16" Cut	1 ea
1002202	Potato cutter	9⁄32" Cut	1 ea
1K7047	Mounting plate	9" x 11"	1 ea

NOTE: Shipped FOB from WI (53081)

Control Costs With Food Prep Equipment

Consistent food quality, exact portion control, and less wasted food TKE offers a wide variety of durable, easy to use food prep equipment.

A. Easy Chopper™ II

- The solution for fast, easy, and efficient chopping in a larger 4¼" square cutting area for larger vegetables
- Features sharp stainless steel interchangeable cutting grids for performing six operations with one machine, including four-, six- and eight-section wedging
- Weighted handle helps chop in one stroke
- Pre-tensioned slicing blades remain properly aligned and tightened without adjustment
- Two-year parts and labor warranty

Choppers		
TKE #	**Size**	**Qty**
K5882	¼" Square cut	1 ea
K5870 *	⅜" Square cut	1 ea
K5872 *	¼" Slice	1 ea
1035712	⅜" Slice	1 ea
Blade Holder Assembly		
1035709	⅜" Square cut	1 ea
K5873	¼" Square cut	1 ea
K1907 *	¼" Slice	1 ea
K5871	⅜" Slice	1 ea
1035710	½" Slice	1 ea

NOTE: Shipped FOB from OH (43526) *Ask your **TKE** Sales Representative for stocking locations

B. Easy Pineapple Corer/Peeler

Nemco

- Core and peel fresh pineapple quickly and easily in one smooth cutting stroke
- Durable stainless steel and cast-aluminum construction—easy to disassemble for cleaning
- Top-down drive and ergonomic handle take the work out of cutting
- Sturdy legs stabilize unit and suction cups prevent slipping
- Two-year parts and labor warranty

TKE #	Desc	Qty
1047747	Corer	1 ea

NOTE: Shipped FOB from OH (43526)

C. Easy Lettuce Kutter

- Cut whole head of lettuce with one chop
- Made of durable cast aluminum with razor sharp stainless steel blades
- Both pusher block and blade assembly remove for easy cleaning without tools
- Two-year parts and labor warranty

Lettuce Kutters		
TKE #	**Size**	**Qty**
E2308	½" Slice cut	1 ea
1K5713	1" Square cut	1 ea
1035702	1" x 2" Romaine cut	1 ea
Blade Holder Assembly		
1035697	½" Slice cut	1 ea
K5826	1" Square cut	1 ea
1035693	1" x 2" Romaine cut	1 ea

NOTE: Shipped FOB from OH (43526)

Staggered blade allows easy slicing of even very ripe tomatoes

Tomato Laser™ Slicer

Edlund

» Staggered blade slicing system ensures a perfectly sliced tomato every time
» Heavy duty suction cup feet keep unit in place
» All stainless steel construction
» Dishwasher safe; entire unit fits in a standard dish rack
» Stainless steel wash guard protects operator from contact with sharp blades

TKE #	Cut Size	Qty
1047748	¼"	1 ea
1047749	3⁄16"	1 ea
1047750	⅜"	1 ea

NOTE: Shipped FOB from VT (05401)

Easy Slicer Vegetable Slicer™

» Adjustable thickness feature
» Slices uniform cuts in seconds
» Easy to operate with durable stainless steel blades
» Mounting base attaches easily to flat surfaces

Slicers			
TKE #		**Size**	**Qty**
K5783		⅛" Cut	1 ea
K5794		3⁄16" Cut	1 ea
1012758		¼" Cut	1 ea
K1500		Adjustable Cut	1 ea
1035687		5⁄16" Shred	1 ea
Replacement Blades			
TKE #	**Desc**	**Size**	**Qty**
K5793	Replacement Blade	10" x 6"	1 ea
1035684	Shredder Plate	Medium	1 ea
1035685	Shredder Plate	Coarse	1 ea

Mozzarella Easy Cheeser™

Nemco

» Rugged, all metal unit specially designed to slice mozzarella cheese
» Slicing arms spaced for 5/16" slices
» Stainless steel cutting wires
» Two-year parts and labor warranty

TKE #	Cap'y	Cut Size	L x W x H	Qty
1045603	5 lb Loaf	5⁄16" Slice	13" x 8" x 7"	1 ea

NOTE: Shipped FOB from OH (43526)

FREE FREIGHT

Continuous Feed Food Processor with Dicing Kit

Robot Coupe

» Includes safety pusher, three of the most popular processing plates, and a dicing kit
» Continuous feed unit is designed for slicing, dicing, shredding, grating and julienne cuts
» Cast aluminum plates with stainless steel cutting blades—includes one each: ⅛" slicing plate, ⅛" medium grating plate and ⅜" dicing kit
» Outperforms hand preparation at a 6 to 1 ratio—saves labor
» 1-year parts and labor warranty

TKE #	W x D x H	Volts	Wt	Qty
E2728	14½" x 13½" x 23½"	120 V	50 lbs	1 ea

NOTE: Shipped FREE from MS (39236)

Lettuce Crisper

Glastender

» Serve crisper, more appetizing salads
» Self-contained forced air refrigeration for uniform cooling of product
» Automatic condensate evaporator and defrost timer
» All stainless steel interior with roto-molded plastic foamed-in-place insulated door and lettuce chute
» Stainless steel exterior with galvanized steel back and bottom resists corrosion

TKE #	L x W x H	Volts	Qty
1011020	24" x 18" x 37"	120 V	1 ea

NOTE: Shipped FOB from MI (48604)

Electric Salad Dryer

Delfield

» Outer body constructed of durable 18-gauge stainless steel
» Sturdy 16-gauge stainless steel legs have 4" diameter locking casters for easy mobility
» 18-gauge stainless steel inner lid
» Durable polyethylene outer lid with 3/3" diameter holes for proper water disbursement
» Completely enclosed, water-tight motor with 6-ft. cord

TKE #	W x D x H	Cap'y	Volts	Qty
1019731	27" x 27" x 32½"	20 gal	115 V	1 ea
1019732	27" x 27" x 32½"	20 gal	220 V	1 ea

NOTE: Shipped FOB from MI (48858)

Salad Spinner

Dynamic

» Heavy duty electric gear and crank
» Minimizes prep time
» Saves up to 15% of a salad's most expensive waste, dressing, that slides off the vegetables into the bottom of the bowl

TKE #	Cap'y	Qty
H12	5 gal, 6-8 Heads of Lettuce	1 ea

NOTE: Shipped FOB from NY (12919)

13" High Production Heavy Duty Slicers

FREE FREIGHT

Hobart

» High production slicers with tilting/removable carriage
» Up to 1¼" slice thickness; accommodates food up to 12"W
» Sanitary aluminum base is smooth for quick cleaning; contoured Stay Sharp™ knife
» 11¾" solid stainless steel front knife guard, knife, and carriage with plastic-coated metal feed grip
» Patented contoured Stay Sharp™ knife
» 120 volts

TKE #	Desc	Blade	Qty
Manual			
1048726	Non Removable Blade	Burnished	1 ea
1047516	Removable Blade	Burnished	1 ea
1048728	Non Removable Blade	Anodized	1 ea
1047518	Removable Blade	Anodized	1 ea
Automatic			
1047517	Removable Blade	Burnished	1 ea
1048727	Non Removable Blade	Burnished	1 ea
1048729	Non Removable Blade	Anodized	1 ea
1047519	Removable Blade	Anodized	1 ea

NOTE: Shipped FREE from KY (41017)

Edge™ Slicer

FREE FREIGHT

Hobart

» Enhanced design focuses on safety, sanitation, and reliability with premium-priced slicer upgrades at mid-priced slicer value
» Easier and safer to clean—carriage-interlock system allows the carriage to be removed only while gauge plate protecting knife is closed
» Sharpen and hone in five seconds with top-mounted Borazon stone sharpener
» ⅓ hp knife motor delivers optimal performance; 12" hollow-ground knife constructed of carbon steel
» Smooth, one-piece anodized aluminum base promotes sanitary safety—leaves no place for food to hide
» Ergonomic design for operator efficiency and safety
» 120 volts

TKE #	Desc	W x H	Qty
1047499	12" Blade	23⅝" x 22⅘"	1 ea

NOTE: Shipped FREE from KY (41017)

Compact Gravity-Feed Slicers

FREE FREIGHT

Berkel

» Constructed of heavy-gauge aluminum
» Easy breakdown for cleaning
» 9", 10", and 12" diameter knives
» Built-in knife sharpener
» 115 volts

TKE #	Desc	Size	Qty
2E2594	⅓ hp, 10" blade	10"	1 ea
2E2595	½ hp, 12" blade	12"	1 ea
2E2590	½ hp, 14" blade	14"	1 ea
1009583	½ hp, 14" w/ Interlock	14"	1 ea

NOTE: Shipped FREE from KY (41017)

TKE BONUS!
Receive an additional 3½ Qt SS Bowl plus a 5⁄32" Julienne Plate

Food Processors Save on Labor and Food Costs

When speed and volume are important and hand food prep equipment just won't cut it, a food processor is the perfect tool.

» Consistent cuts all day every day. Consistent cut means consistent look and flavor.

» Save on food cost — bulk food products cost less and are of better quality.

» Save on food waste. Only produce the amount you need when you need it.

These savings together provide a fresher product with a longer life while saving money!

FREE FREIGHT

R301U Ultra Food Processor

Robot Coupe

» 1½ hp direct drive motor runs both the vegetable prep attachment and the 3½ qt vertical cutter mixer
» Save time and labor—prepare 600-800 servings in 2½ hours
» Includes two 3½ qt stainless steel cutter bowls with handles, one "S" blade, one 5⁄64" grating plate, one 5⁄32" slicing plate, and one 5⁄32" julienne
» 1-year parts and labor warranty

TKE #	Cap'y	W x D x H	Wt	Qty
E2727	3½ qt	8¼" x 13½" x 15¾"	42 lbs	1 ea

NOTE: Shipped FREE from MS (39236)

Tournant™ High-Performance Food Blender

Hamilton Beach

» 3 hp motor purees soups, emulsifies dressings, grinds flours, and chops salsas and compotes
» Patented design keeps ingredients circulating through the blades to ensure that contents are well-emulsified
» Adjustable speed dial has variable speed options; unique one-touch chopping function thoroughly chops solid ingredients
» Stackable 64 oz break-resistant container is marked with ounces on one side and metric measurements on the other

TKE #	Cap'y	Motor HP	Qty
1023966	64 oz	3 hp	1 ea

Power Mixers

Robot Coupe

» High powered portable mixers prepare soups, sauces, and purees in seconds
» Unique one-piece, stainless steel knife provides maximum optimum speed of 12,000 RPM
» Ergonomic handles for easy use, disassembles quickly
» Fitted with on-off control button, lock button for continuous operation and safety button for operator protection

TKE #	Size	Volts	Amps	Qty
2K50	14" Shaft	115 V	5 A	1 ea
2K51	18" Shaft	115 V	5.6 A	1 ea
2K52	21" Shaft	115 V	6.5 A	1 ea

NOTE: 2K50 and 2K52 are shipped FOB from MS (39236)

NEW 8 Qt for Increased Capacity, Nickel Pearl Exclusive from

8 Qt Commercial Small Batch Stand Mixer

KitchenAid

- » Powerful 1.3 Hp motor with 10-speed slide control ranges from very fast whip to a very slow stir
- » Reads and adjusts loads 15,000 times a second
- » Great for 5 to 8qt batch capacity
- » Professional bowl-lift design raises bowl into mixing position
- » Includes Powerknead™ spiral dough hook, flat beater, and stainless steel 11-wire whip
- » Metal knobs and guard, easy grip handle
- » 2-year Hassle-Free replacement warranty

TKE #	Desc	Cap'y	Qty
1047157	Mixer	8 qt	1 ea

Accessories

TKE #	Desc	Qty
1047159	Bowl, 8 qt	1 ea
1037646	SS Dough Hook	1 ea
1037647	SS Wire Whip	1 ea
1037648	Flat SS Beater	1 ea

NOTE: Accessories shipped FOB from OH (45331)

Stainless steel bowl guard

20 Qt Countertop Bench Mixer

FREE FREIGHT

Hobart

- » 15-minute timer automatically shuts off mixer after set time has elapsed
- » Gear-driven transmission keeps speeds constant
- » Three fixed speeds produce consistent mix quality, ½-hp motor
- » Includes stainless steel bowl, wire whip, and aluminum flat beater for 20 qt mixer
- » 1-year parts and labor warranty

Mixer			
TKE #	**W x D x H**	**Volts**	**Qty**
2E5902	19 1/16" x 20 3/8" x 30 3/8"	115 V	1 ea

Accessories

TKE #	Desc	Qty
2E5912	Wire Whip	1 ea
2E5915	Dough Hook	1 ea

NOTE: Shipped FREE from KY (41017). Accessories shipped FOB from regional warehouse.

12,500 RPM smooths out any sauce or soup

Supersonic Hand Held Mini Mixer

Robot Coupe

- » Handy mixer can be used anywhere in the kitchen, even in heated stockpots
- » Lightweight, yet powerful; designed specially for small quantities
- » Standard variable speed control, 2,000 to 25,000 RPM
- » Removable bell cutter head for easy cleaning

TKE #	Desc	Size	Qty
1012640	Mixer	8" Shaft	1 ea

NOTE: Shipped FOB from MS (39236)

Vita-Prep® 3 Food Blender

Vitamix

» Efficiently pulverizes the toughest whole-food ingredients with a powerful ≈3 peak output horsepower motor
» Premium engineering offers optimum reliability during peak hours of operation
» Variable speed control creates every blend according to your culinary precision
» Advanced cooling fan resists overheating
» Patented, high-impact container

TKE #	Cap'y	Qty
H1008	64 oz	1 ea

Heavy Duty Gallon Blender

Hamilton Beach - Proctor Silex

» Two speeds with pulse feature plus four stainless steel blades for precision blending, chopping, and puréeing
» One gallon container is stainless steel with dual metal clamps and handles for extra stability before and after blending
» Heavy duty rubber gasket around lid prevents leakage
» Sure-grip feet prevent skidding and won't mar countertop

TKE #	Cap'y	Qty
H97	1 gal	1 ea

NOTE: Shipped FOB from NC (28387)

Commercial Rice Cooker/Warmer

Hamilton Beach

» Insulated, double-wall stainless steel construction—holds heat to keep contents moist and warm for hours
» Heated/lined lid for even cooking
» Automatic keep warm mode when food is finished cooking
» Convenient trigger handle, moisture cup collects water
» Easy-to-clean non-stick pot

TKE #	Cap'y	W x D x H	Qty
1020764	60 cup	16⅞" x 16⅝" x 15"	1 ea

NOTE: Shipped FOB from NC (28387)

Butane Torch

Iwatani

» Ideal for glazing and caramelizing delicious desserts
» Built-in pistol type piezo-ignition
» Easy-to-use, Push 'N Twist gas cylinder attachment
» Electronic ignition with adjustable flame control—flame temperature is about 2,300° F
» Use with butane fuel can (X1000)

TKE #	Desc	Qty
K182	Torch	1 ea
X1000	Butane Cartridge	12/cs

A

Upper Crust bakes one 16" to 20" round pizza

NEW

Second thermostat adjusts for thin vs thick crust

B

Primo bakes one 16" to 24" rectangular pizza or several personal size pizzas

Countertop Pizza Ovens

Equipex

- Small footprint oven outpaces much larger ovens, ideal for tight spaces and counter tops
- Top and bottom heating elements and fire hearty brick create an authentically delicious tasting and great looking pizza
- High heat (up to 660° F) produced by the oven cooks pizza quickly without drying out the crust
- Also great for finishing or cheese melting on side dishes such as potato skins and garlic bread
- Second thermostat regulates heat under deck to perfectly bake thin or thick-crust pizza in 3-6 minutes
- 120 volts

	TKE #	Desc	Cap'y	W x H x D	Qty
A.	**1040544**	Upper Crust	1- 16" to 24" Pizza	35¼" x 23" x 10¾"	1 ea
B.	**1040545**	Primo Duo	2- 16" Pizzas	26½" x 23" x 19¾"	1 ea
	1040546	Primo	1- 16" Pizza	26½" x 23" x 10¾"	1 ea
	1040547	Primo	1- 16" Pizza	26½" x 23" x 10¾"	1 ea

NOTE: Shipped FOB from RI (02903)

NEW

Raised warming shelf

High production capacity, compact footprint

Conveyor Sandwich Toaster

Equipex

- Quartz infrared heat quickly heats sandwiches to perfection
- Reversible remote control panes for convenience
- Adjustable opening and conveyor speed plus half or full power operation for maximum control
- Raised warming tray keeps sandwiches warm without cooking
- Includes upper warming shelf and adjustable feet

TKE #	Desc	W x L	Volts	Qty
1047606	Sandwich Conveyer	18½" x 28½"	208 V/240 V	1 ea
1047607	Bread/Bagel Conveyer	21" x 17¾"	208 V/240 V	1 ea

NOTE: Shipped FOB from RI (02903)

Countertop Convection Ovens

Equipex

- Compact oven with unique airflow design bakes quickly and evenly to intensify and seal in flavor
- Oven creates true convection pattern thanks to rear fan and heater assembly
- Stainless steel construction inside and out
- 1001708 has two high-speed quartz heating elements overhead with separate broiling and convection modes

TKE #	Cap'y	W x H x D	Volts	Qty
Convection Ovens				
1001707	2 Wire Racks/1 Bake Tray	18½" x 10" x 17"	120 V	1 ea
1001709	3 Wire Racks/1 Bake Tray	22" x 13" x 18½"	120 V	1 ea
Convection Oven/Broiler				
1001708	3 Wire Racks/1 Bake Tray	22" x 13" x 18½"	120 V	1 ea

NOTE: Shipped FOB from RI (02903)

Safely Ventilate Small Appliances Outside the Range of a Kitchen Hood

Removes smoke, grease, and odors

Model 1014121 vent allows room to fully raise grills (shown with H532 panini grill)

Use with panini grills, compact ovens, toasters, waffle bakers, crepe makers, induction cookers, and other Type 2 electric cooking equipment.

Countertop Ventless Hoods

Intertek UL 197 · Intertek EPA 202 · Intertek NSF 2

Equipex

- Use for small appliances located outside the range of a kitchen ventilation hood
- Removes smoke, grease-laden air, moisture, and odors to improve air quality—cleansed air recirculates through the base
- 1014121 allows enough room to fully raise the top of toasters, panini grills, and equipment with surface heating
- 1014122 captures the release of hot air when opening the door at the front of a small oven or steamer
- 1014123 is ideal for small heat-producing appliances where height is an issue or rear venting is incorporated in the equipment
- For Panini Grills, choose between fine grain cast iron or vitroceramic cooking plates

Ventless Hood			
TKE #	**W x H x D**	**Wt**	**Qty**
1014121	26" x 29¾" x 31"	155 lbs	1 ea
1014122	26" x 29¾" x 29"	155 lbs	1 ea
1014123	26" x 29¾" x 30½"	155 lbs	1 ea
Panini Grills with Vitro Ceramic Cooking Surface			
TKE #	**Size**	**Volts**	**Qty**
1036104	21½" x 11"W	208 V	1 ea
1036105	21½" x 11"W	240 V	1 ea

NOTE: Shipped FOB from RI (02903)

Four Slice Pop-Up Toasters

ANSI/NSF 4

Hatco

- Perfect for self-service buffet areas and light volume applications—evenly toasts a variety of bread products including Texas toast, waffles, and English muffins
- Durable stainless steel construction and removable crumb tray is easy to clean
- Individual toasting controls
- 1038476 toasts up to 220 slices per hour and has four self-centering 1½" extra wide slots; H516 toasts up to 320 slices per hour and has four self-centering 1⅜" extra wide slots
- 6' cord with plug

TKE #	W x D x H	Volts	Qty
1038476	12½" x 13½" x 8¼"	120 V	1 ea
H516	13¾" x 14½" x 9½"	208 V	1 ea

NOTE: (H516) Shipped FOB from WI (54235)

Best in Class Features for Great Value

Conveyor Toaster

ANSI/NSF 4

Hatco

- Sturdy compact construction built for durability
- Separate top and bottom heater controls for single- and dual-sided toasting; 2" opening allows toasting for various products, including bread, buns, bagels, and more
- Easy-to-use controls for power and conveyor speed
- Removable crumb tray for easy cleaning
- Insulation and an interior fan provide cool surface temperatures

TKE #	W x D x H	Volts	Wt	Qty
H697	14½" x 18" x 22¾"	208 V	34 lbs	1 ea
1017301	14½" x 18" x 22¾"	240 V	52 lbs	1 ea
TKE #	**Desc**			**Qty**
1011067	Security Control Cover			1 ea

NOTE: Shipped FOB from WI (54235)

Heavy Duty Gas Range Mount Salamander Broilers

FREE FREIGHT

Vulcan Hart

- Stainless steel front, sides, and top
- Heavy duty chrome plated broiler grid measures 27½" W x 13" D
- Use standard radiant models for finishing
- Use infrared models for faster cooking and melting; fish, light meat entrees, hor d' ouerves
- Range mount models include reinforced shelf (for Endurance Ranges) or reinforced back riser (for Economy Ranges) for mounting over a restaurant range
- Specify range model number when ordering

Natural Gas - Range Mount				
TKE #	**Desc**	**W x D x H**	**Wt**	**Qty**
X6087	Salamander Broiler	36" x 19" x 17⅝"	180 lbs	1 ea
X6088	Salamander/Broiler	36" x 19" x 17⅝"	240 lbs	1 ea
X2020	36" IR Salamander F/36" Range	36" x 19" x 17⅝"	250 lbs	1 ea
X2022	36" IR Salamander F/60" Range	36" x 19" x 17⅝"	300 lbs	1 ea
LP Gas - Range Mount				
X6308	Salamander Broiler	36" x 19" x 17⅝"	180 lbs	1 ea
X6089	Salamander Broiler	36" x 19" x 17⅝"	300 lbs	1 ea
X2032	36" IR Salamander F/36" Range	36" x 19" x 17⅝"	250 lbs	1 ea
X2033	36" IR Salamander F/60" Range	36" x 19" x 17⅝"	300 lbs	1 ea

Natural Gas - Freestanding/Wall Mount				
TKE #	**Desc**	**W x D x H**	**Wt**	**Qty**
1015393	36" Radiant Salamander	36" x 19" x 17⅝"	180 lbs	1 ea
1015391	36" Infrared Salamander	36" x 19" x 17⅝"	180 lbs	1 ea
LP Gas - Freestanding/Wall Mount				
1015392	36" Radiant Salamander	36" x 19" x 17⅝"	180 lbs	1 ea
1015390	36" Infrared Salamander	36" x 19" x 17⅝"	180 lbs	1 ea
Wall Mount Brackets				
1015398		1¼" x 20" x 20"	—	1 ea
Gas Connectors (Fits All Above)				
K118, 1049123				

NOTE: See full offering of gas connectors on page 75

Shown with optional casters and high back riser

Heavy Duty Gas Ranges with Standard Oven

FREE FREIGHT

Vulcan Hart

- Heavy duty ranges that feature the ultimate in durability, innovative features, and true versatility—modular design allows for complete customization even as your needs change
- Stainless steel front, front top ledge, burner box, sides, base, exterior bottom, and stub back
- Heavy duty cast grates and aeration bowls
- Stainless steel cabinet base doors and adjustable universal slides with one stainless steel shelf for cabinet base models

Natural Gas				
TKE #	**Desc**	**Size**	**Wt**	**Gas Connectors**
1010992	2 - 18" Hot Tops	36"	615 lbs	**1049239, 1X115, 1X110**
1010994	4 Burners	36"	675 lbs	**1X121, 1X120**
1010996	6 Burners	36"	690 lbs	**1X122, 1X121, 1X120**
1010998	36" Thermostatic Griddle	36"	685 lbs	**1049239, 1X115, 1X110**
LP Gas				
1010993	2 - 18" Hot Tops	36"	615 lbs	**1049239, 1X115, 1X110**
1010995	4 Burners	36"	675 lbs	**1X121, 1X120**
1010997	6 Burners	36"	690 lbs	**1X122, 1X121, 1X120**
1010999	36" Thermostatic Griddle	36"	685 lbs	**1049239, 1X115, 1X110**

NOTE: Shipped FREE from KY (41017). See full offering of gas connectors on page 75.

Endurance™ Ranges

» Legendary toughness, precision, and dependability
» Loaded with innovative features

Patented high turn-down ratio burner system for wide range of flame height
A
Easy-lift, easy-clean 32,000 BTU burners
6" wide ledge for more work space
One pilot for two burners saves $300/year
Heavy-duty oven door uses spring loaded cartridge—keeps door sealed without gaskets
Heavy-duty grates are porcelain-coated cast iron
VULCAN
VULCAN

Endurance™ Ranges

NSF FREE FREIGHT

Vulcan Hart

» A value-enhanced medium duty range with heavy duty features
» Features a high turndown ratio burner for simmering
» Stainless steel front, sides, backriser, lift-off high shelf
» 32,000 Btu/hr open top burners with one pilot per every two burners to save energy; 35,000 Btu/hr oven with four rack positions
» Oven fits 18" x 26" pans left to right, front to back, and has an excellent air flow to assist in even browning (60" range: one oven left to right only)

	TKE #	Desc	Size	Gas Connectors
Natural Gas Ranges				
	X7000	6 Burners, 1 Oven	36"	**1X122, 1X121, 1X120**
	X7002	10 Burners, 2 Ovens	60"	**1049116, 1049118, 1049117**
A.	**1001827**	6 Burner, 2 Ovens, 24" Griddle	60"	**1X122, 1X121, 1X120**
	X7006	6 Burners, 2 Ovens, 24" Broiler	60"	**1X122, 1X121, 1X120**
LP Gas Ranges				
	X7001	6 Burners, 1 Oven	36"	**1X122, 1X121, 1X120**
	X7003	10 Burners, 2 Ovens	60"	**1049116, 1049118, 1049117**
A.	**1001828**	6 Burners, 2 Ovens, 24" Griddle	60"	**1X122, 1X121, 1X120**
	X7007	6 Burners, 2 Ovens, 24" Broiler	60"	**1X122, 1X121, 1X120**

NOTE: Shipped FREE from KY (41017). NOTE: See full offering of gas connectors on page 75.

Economy Gas Ranges

NSF FREE FREIGHT

Vulcan Hart

» Add efficiency and economy to your operation—choose from a variety of top arrangements
» Stainless steel front, sides, back riser, high shelf, and 6" adjustable legs
» Cast top 28,000 Btu burners, each with an individual pilot full width pull-out crumb tray under burners
» 35,000 Btu standard oven—adjustable thermostat from 150° to 500° F
» 12" x 12" cast grate tops

	TKE #	Desc	Size	Gas Connectors
Natural Gas Ranges				
	X6082	6 Burners, 1 Oven	36"	**1X122, 1X121, 1X120**
	X6084	10 Burners, 2 Ovens	60"	**1049116, 1049118, 1049119**
	X6305	6 Burners, 2 Ovens, 24" Griddle	60"	**1X122, 1X121, 1X120**
B.	**X6086**	6 Burner, 2 Ovens, 24" Griddle/Broiler	60"	**1X122, 1X121, 1X120**
LP Gas Ranges				
	X6303	6 Burners, 1 Oven	36"	**1X122, 1X121, 1X120**
	X6304	10 Burners, 2 Ovens	60"	**1049116, 1049118, 1049119**
	X6306	6 Burners, 2 Ovens, 24" Griddle	60"	**1X122, 1X121, 1X120**
B.	**X6307**	6 Burner, 2 Oven, 24" Griddle/Broiler	60"	**1X122, 1X121, 1X120**

NOTE: Shipped FREE from KY (41017). See full offering of gas connectors on page 75.

Heavy Duty Achiever Charbroilers

Vulcan Hart

FREE FREIGHT

» Powerful 18,000 BTU/hr burner in each 6" broiler section with infinite control manual gas valves
» "Supercharger" plates improve energy utilization and performance across the burner box
» Standing pilot ignition system is simple to light and provides immediate ignition and reliable performance
» 11½" working height of cooking grates improves work flow and allows unit to be installed on refrigerated bases and with the whole line of Achiever Hotplates and Griddles
» Best temperature profile of any char broiler in its class—more usable heat (550-700° F) into the grate area for maximum production capacity and productivity

Natural Gas			
TKE #	**W x D x H**	**Wt**	**Gas Connectors**
1014842	25½" x 33" x 15½"	290 lbs	**1X118, 1049123**
1014846	46¾" x 33" x 15½"	450 lbs	**1049121, 1049119**
1014848	60½" x 33" x 15½"	500 lbs	**1049121, 1049119**
1014850	72½" x 33" x 15½"	580 lbs	**1049121, 1049119**
1014844	36" x 33" x 15½"	370 lbs	**1X118, 1049123**
LP Gas			
1014843	25½" x 33" x 15½"	290 lbs	**1X118, 1049123**
1014845	36" x 33" x 15½"	370 lbs	**1X118, 1049123**
1014847	46¾" x 33" x 15½"	450 lbs	**1049121, 1049119**
1014849	60½" x 33" x 15½"	500 lbs	**1049121, 1049119**
1014851	72½" x 33" x 15½"	580 lbs	**1049121, 1049119**

NOTE: Shipped FREE from KY (41017). See full offering of gas connectors on page 75.

Even heat for high quality cooking

Snap action response without the cord and plug

FREE FREIGHT

Countertop Gas Griddles with Mechanical Snap Action Controls

Vulcan Hart

» Mechanical snap action model provides excellent temperature control along with flame safety feature with supervised pilot flame and burner
» Easy to light ignition ensures simplicity of operation and maintenance
» Stainless steel front, sides, back, and legs
» Polished steel griddle plate
» 1-year parts and labor warranty

Natural Gas			
TKE #	**W x D x H**	**Wt**	**Gas Connectors**
1014832	24" x 33" x 15½"	285 lbs	**1X118, 1049123**
1014834	36" x 33" x 15½"	400 lbs	**1X118, 1049123**
1014836	48" x 33" x 15½"	480 lbs	**1X118, 1049123**
1014838	60" x 33" x 15½"	650 lbs	**1X118, 1049123**
1014840	72" x 33" x 15½"	790 lbs	**1049121, 1049119**
LP Gas			
1014833	24" x 33" x 15½"	285 lbs	**1X118, 1049123**
1014835	36" x 33" x 15½"	400 lbs	**1X118, 1049123**
1014837	48" x 33" x 15½"	480 lbs	**1X118, 1049123**
1014839	60" x 33" x 15½"	650 lbs	**1X118, 1049123**
1014841	72" x 33" x 15½"	790 lbs	**1049121, 1049119**

NOTE: Shipped FREE from KY (41017). See full offering of gas connectors on page 75.

Quick Clean Griddle System

3M

» Dynamic three-step system: squirt, scour, squeegee, and rinse
» Powerful, safe liquid cleaner removes burnt-on food soil from hot griddle surfaces
» Allows you to cook on one side while cleaning the other side
» Polishing pad provides gentle scouring with less scratching and effort
» Squeegee easily moves liquid residue into the grease trap
» Kit (J54) includes ten packets of liquid, one pad holder, ten pads, and one squeegee

	TKE #	Desc	Qty
	J54	Griddle Cleaning System	1/cs
A.	**J50**	Griddle Cleaner	40/cs
	J51	Griddle Cleaner Packets	4/cs
B.	**J52**	Pad Holder	1 ea
C.	**J53**	Squeegee	1 ea

Refrigerated Equipment Stands

Traulsen

FREE FREIGHT

» Cyclonic airflow technology creates a "curtain" of cold that constantly circles through the chiller for rapid heat transfer from the product
» INTELA-TRAUL® microprocessors precisely control and maintain safe temperature
» Handles up to 1,000 lbs. per top load
» Drawers are designed with both self-closing and stay-open features including full-top access so everything in the top drawer is right at hand
» 115 volts

TKE #	Desc	Cap'y	W x D x H	Qty
E2606	1 Section	4 Pan, 6 Cu Ft, 400 lbs	48" x 26" x 34⅛"	1 ea
E2607	2 Section	8 Pan, 12 Cu Ft, 800 lbs	72" x 26" x 34⅛"	1 ea
E2608	3 Section	12 Pan, 19¾ Cu Ft, 1,200 lbs	96" x 26" x 34⅛"	1 ea

NOTE: Shipped FREE from TX (73106)

Griddle Scrapers

Prince Castle

» Increase food product yield by keeping grill clean and preventing food from sticking
» Prevents burnt food and buildup which damage grills
» Dishwasher safe stainless steel construction
» Blades are easy to remove without tools

TKE #	Desc	Width
1K40	Grill Scraper	6"
1K41	Replacement Blade	6"



Oven/Grill Scraper & Brush

Carlisle

» Dual stainless steel bristle design; one side extra-stiff the other semi-stiff
» Stainless steel scraper removes tough burned-on foods
» 30" handle to protects chefs from hot grills

	TKE #	Desc	Qty
Wire Brushes			
A.	**2J1317**	30" Broiler Master	1 ea
B.	**2J1184**	40" Grill Brush	1 ea
C.	**2J2762**	9" Butcher Block	1 ea
Wire Brushes with Scrapers			
D.	**2J2681**	14" Wood Handle	1 ea
E.	**2J2682**	20" Wood Handle/Heavy Duty	1 ea
F.	**2J1307**	42" Oven/Grill	1 ea

FREE FREIGHT

» 34" heavy duty, high volume char broiler with cabinet base
» Six removable radiants for uniform cooking temperatures and separate gas controls for each radiant
» 1¼" rear gas connection
» Large capacity grease drawer is easy to remove for cleaning
» Specify natural or LP gas when ordering
» 1-year parts and labor warranty

TKE #	W x D x H	BTUs	Qty
1038723	36" x 42" x 40½"	99,000 BTU	1 ea

NOTE: Shipped FREE from KY (41017)

Gas Connectors (For All Above)
1049239, 1X115, 1X110

NOTE: See full offering of gas connectors on page 75

Medium Duty Snap Action Griddles

Vulcan Hart

» 1" thick, top-seam welded griddle plate delivers increased production capacity, faster recovery, and superior temperature control
» Includes an embedded snap-action control thermostat
» Full supervised pilot and burner safety system

TKE #	W x D x H	BTU	Gas Connectors
1018253	24" x 27" x 16"	50,000 BTU	**1X118, 1049123**
1018254	36" x 27" x 16"	75,000 BTU	**1X118, 1049123**
1018261	48" x 27" x 16"	100,000 BTU	**1049123**

NOTE: Shipped FREE from KY (41017). See full offering of gas connectors on page 75.

Medium Duty Manual Griddles

Vulcan Hart

» Class-leading 1" thick, top-seal, welded griddle plate
» Made with durable stainless and aluminized steel

TKE #	W x D x H	BTU	Qty
1018252	24" x 27" x 13⅓"	50,000 BTU	1 ea
1018254	36" x 27" x 16"	75,000 BTU	1 ea

NOTE: Shipped FREE from KY (41017)

Gas Connectors (For All Above)

1X118, 1049123

NOTE: See full offering of gas connectors on page 75

Medium Duty Restaurant Series Gas Hotplates

Vulcan Hart

» One infinite heat control valve for each burner
» ¾" rear gas connection and convertible gas pressure regulator for LP service
» Standing pilot ignition system
» 25,000 BTU/hr open burners with lift-off heads, cast iron grates

TKE #	W x H x D	Qty
1018274	12" x 29⅓" x 13⅓"	1 ea
1018277	24" x 29⅓" x 13⅓"	1 ea
1018278	36" x 29⅓" x 13⅓"	1 ea

NOTE: Shipped FREE from KY (41017)

Gas Connectors (For All Above)

1X118, 1049123

NOTE: See full offering of gas connectors on page 75



Medium Duty Charbroilers

Vulcan Hart

» Low profile unit with full 22" deep cooking grate meets the production needs of the independent operator
» Heavy cast iron burners, radiants and grates provide durability and dependable performance
» Full-width crumb trays and standard under-burner heat deflectors improve cooking performance and help protect under-counter refrigeration
» Easily convertible from Natural Gas to LP in the field

TKE #	W x D x H	BTU	Qty
1018246	25¼" x 27" x 13⅓"	58,000 BTU	1 ea
1018247	36" x 27" x 13⅓"	87,000 BTU	1 ea

NOTE: Shipped FREE from KY (41017)

Gas Connectors (For All Above)

1X118, 1049123

NOTE: See full offering of gas connectors on page 75

Woodfire Broiler

Imperial Cooking Equipment

» Built-in gas log lighter burner; use with any type of wood or charcoal
» Burner may be used with start up wood during "peak" times, cast iron grates create broiler markings
» Front chute allows easy loading of wood or charcoal
» Open-grate button allows continuous updraft of air—optimizes full combustion and wood/charcoal costs
» Full-width removable drip pan for easy clean up
» 27"D x 22"H

TKE #	BTUs	Width	Wt	Qty
Natural Gas				
1022714	20,000 BTUs	30"	290 lbs	1 ea
1022693	26,000 BTUs	36"	345 lbs	1 ea
1022691	30,000 BTUs	48"	405 lbs	1 ea
1022683	40,000 BTUs	60"	455 lbs	1 ea
LP Gas				
1022713	20,000 BTUs	30"	290 lbs	1 ea
1022715	26,000 BTUs	36"	345 lbs	1 ea
1022692	30,000 BTUs	48"	405 lbs	1 ea
1022690	40,000 BTUs	60"	455 lbs	1 ea

NOTE: Shipped FOB from nearest distributor

Gas Connectors (Fits All Above)

1X118, 1049123

NOTE: See full offering of gas connectors on page 75

Gas Radiant Char Broilers

Imperial Cooking Equipment

» Stainless steel front and sides with a range match profile
» Individually controlled 15,000 Btu's/hr (4 KW) stainless steel burners located every 6"
» Removable reinforced cast iron radiants prevent clogging of burners
» Each 3" x 22" top grate blade has a cast-in grease trough that allows excess fat to flow to the front grease gutter minimizing flare-ups and providing appetizing char-broiler markings
» 31"D x 13"H, Includes 4" adjustable legs
» One year parts and labor warranty

TKE #	BTUs	Width	Wt	Gas Connectors
Natural Gas				
1019735	60,000 BTUs	24"	310 lbs	**1X110**
1019737	90,000 BTUs	36"	445 lbs	**1X110**
1019739	120,000 BTUs	48"	510 lbs	**1X110**
1019741	150,000 BTUs	60"	615 lbs	**1X121, 1X12**
LP Gas				
1019733	60,000 BTUs	24"	310 lbs	**1X110**
1019736	90,000 BTUs	36"	445 lbs	**1X110**
1019738	120,000 BTUs	48"	510 lbs	**1X110**
1019740	150,000 BTUs	60"	615 lbs	**1X121, 1X12**

NOTE: Shipped FOB from nearest distributor. See full offering of gas connectors on page 75.

Stainless Steel Equipment Stands

Duke

» Constructed of 14-gauge, type 300 stainless steel with adjustable stainless steel undershelf
» Removable, 10"D x 1⅛" thick hardwood carving board is mounted along back of stand
» Vinyl cushion between channels and underside to deaden sound
» Welded design for strength; no assembly required

TKE #	L x W x H	Wt	Qty
E2890	48" x 40½" x 33¼"	50 lbs	1 ea
E2891	60" x 40½" x 33¼"	60 lbs	1 ea
E2892	72" x 40½" x 33¼"	72 lbs	1 ea
E2893	84" x 40½" x 33¼"	84 lbs	1 ea
E2894	96" x 40½" x 33¼"	96 lbs	1 ea

NOTE: Shipped FOB from MO (65301)

Gas Restaurant Ranges

Imperial Cooking Equipment

- Stainless steel front, sides, backguard, shelf, 5" landing ledge, and kick plate
- PyroCentric™ burner heads with two rings of flame for even cooking no matter the pan size—cast iron burners are 28,000 BTU/hr
- Grates are 12" x 12" sections to easily lift off for cleaning
- Chef depth standard oven interior accommodates standard 18" x 26" sheet pans front to back and side to side; interior is 26½"W x 26"D x 14"H
- Oven has porcelainized side, rear, deck, and door lining; heavy duty thermostat with temperature range from 150º F to 500º F
- One year parts and labor warranty

	TKE #	Desc	Size	Wt	Gas Connectors
Natural Gas					
A.	**1017797**	4 Burners, 1 Oven	24"	465 lbs	**1X110**
	1017799	6 Burners, 1 Oven	36"	605 lbs	**1X121, 1X120**
	1019747	10 Burners, 2 Ovens	60"	980 lbs	**1X121, 1X120**
	1019752	6 Burners, 2 Ovens, 24" Griddle	60"	1,060 lbs	**1X121, 1X120**
	1019755	6 Burners, 2 Ovens, 24" Brl/Grdl	60"	1,095 lbs	**1X121, 1X120**
LP Gas					
	1017796	4 Burners, 1 Oven	24"	465 lbs	**1X110**
B.	**1017798**	6 Burners, 1 Oven	36"	605 lbs	**1X121, 1X120**
	1019750	6 Burners, 2 Ovens, 24" Griddle	60"	1,060 lbs	**1X121, 1X120**
	1019754	6 Burners, 2 Ovens, 24" Brl/Grdl	60"	1,095 lbs	**1X121, 1X120**

NOTE: Shipped FOB from nearest distributor. See full offering of gas connectors on page 75.

Gas Tube Style Fryers

Imperial Cooking Equipment

- High efficiency, cast iron tube-fired burners provide a large heat transfer area for a fast recovery
- Stainless steel frypots, front, sides, door, stub back, and basket hanger
- Snap action thermostat has a 200º F to 400º F temperature range
- Two large nickel-plated wire mesh fry baskets with ergonomic, polyurethane coated handles

TKE #	Desc	Cap'y	Size	Wt	Gas Connectors
Natural Gas					
1019745	Countertop	25 lbs	15½"	117 lbs	**1X118, 1049123**
1018087	Tube Style	40 lbs	15½"	221 lbs	**1049239, 1X115, 1X110**
1017789	Tube Style	50 lbs	15½"	253 lbs	**1049239, 1X115, 1X110**
1017793	Tube Style	75 lbs	19½"	270 lbs	**1X121, 1X110**
LP Gas					
1019991	Countertop	25 lbs	15½"	117 lbs	**1X118, 1049123**
1017785	Tube Style	40 lbs	15½"	221 lbs	**1049239, 1X115, 1X110**
1017788	Tube Style	50 lbs	15½"	253 lbs	**1049239, 1X115, 1X110**
1017792	Tube Style	75 lbs	19½"	270 lbs	**1X121, 1X110**

NOTE: Shipped FOB from nearest distributor. See full offering of gas connectors on page 75.

Shown with optional casters

Turbo Flow Gas Convection Ovens

Imperial Cooking Equipment

- Turbo flow provides even heat throughout the oven with a rugged ½ hp, two speed motor for high volume or delicate baking
- Stainless steel exterior; doors, front, sides, legs, and top
- 70,000 BTUs/hr choose natural or LP gas
- One year parts and labor warranty

TKE #	Desc	W x D x H	Wt	Qty
Natural Gas				
1017783	Single Deck	38" x 40¼" x 60"	521 lbs	1 ea
1019744	Double Deck	38" x 40¼" x 74"	1,005 lbs	1 ea
LP Gas				
1017782	Single Deck	38" x 40¼" x 60"	521 lbs	1 ea
1019743	Double Deck	38" x 40¼" x 74"	1,005 lbs	1 ea

NOTE: Shipped FOB from nearest distributor

Gas Connectors (Fits All Above)

1049239, 1X115, 1X110

NOTE: See full offering of gas connectors on page 75

Heat energy passes through the oil tank five times for maximum use of energy dollars

Powerfry™ Energy Efficient Fryers

Vulcan Hart

» Five Pass™ heat transfer system for maximum efficiency and shorter cooking time
» SoftStart™ ignition system heats cold oil gently, extending oil life
» Electronic ignition with standard 1-power button starts the fryer instantly
» Stainless steel cabinet and fry tank
» 10-year limited tank warranty

TKE #	Cap'y	W x D x H	BTU	Wt	Qty
Natural Gas					
1038614	45 lbs	15½" x 30¼" x 36¼"	70,000 BTUs	201 lbs	1 ea
1038616	65 lbs	21" x 30¼" x 36¼"	80,000 BTUs	242 lbs	1 ea
1038618	85 lbs	21" x 34½" x 36¼"	90,000 BTUs	270 lbs	1 ea
LP Gas					
1038613	45 lbs	15½" x 30¼" x 36¼"	70,000 BTUs	201 lbs	1 ea
1038615	65 lbs	21" x 30¼" x 36¼"	80,000 BTUs	242 lbs	1 ea
1038617	85 lbs	21" x 35⅜" x 36¼"	90,000 BTUs	270 lbs	1 ea

NOTE: Shipped FOB from KY (41017)

Gas Connectors (Fits All Above)

1049239, 1X115, 1X110

NOTE: See full offering of gas connectors on page 75

Kleenscreen Gas Fryer Battery & Filtration System

Vulcan Hart

» Easy to use in just a few steps—drain, filter and return oil to the fryer tank with a "hands-free" self-seating oil return line connection
» Heavy duty stainless steel construction; contains 2-45 lb fryer cabinets
» Drawn, one-piece pan construction for easy cleaning and added durability—no messy filter paper to handle or dispose
» Oil discharge hose for easy oil disposal—can also be used as a flushing hose
» Specify natural or LP gas when ordering
» 1-year parts and labor warranty

TKE #	Cap'y	W x D x H	Wt	Qty
1X249	2-45 lb Fryers	31" x 30½" x 47½"	825 lbs	1 ea

NOTE: Shipped FOB from KY (41017)

Gas Connectors (Fits All Above)

1X122, 1X121, 1X120

NOTE: See full offering of gas connectors on page 75

Fryer Baskets

» Evenly distributed wire mesh ensures even shortening circulation for better tasting fried food
» Long-lasting, heavy-gauge wire with nickel-plated finish for protection against corrosion
» Long, reinforced plastisol dipped handle

TKE #	W x D x H	Qty
X4270	13¼" x 6½" x 6"	1 ea
X4271	11" x 5½" x 4½"	1 ea
X4272	12⅛" x 6⁵⁄₁₆" x 5⁵⁄₁₆"	1 ea
X4273	13¼" x 5¾" x 5¾"	1 ea
X4514	13" x 12¼" x 5¼"	1 ea

Fryer & Filtration System Combo

FREE FREIGHT

Frymaster

» Filtration systems can cut cooking oil costs in half and improve the taste of food; X1333 is FilterMagic, others are FilterPro
» Filtration completes in less than five minutes
» Designed for high-volume frying, each fryer has a capacity of up to 45 lbs
» Stainless steel tank, front, and door are easy to clean
» Lifetime limited warranty on stainless fry tank; 1-year parts and labor warranty

TKE #	Desc	W x D x H	Qty
X1329	1-45 lb Filter/Spreader Left	31¼" x 34½" x 48¾"	1 ea
X1330	1-45 lb Filter/Spreader Right	31¼" x 34½" x 48¾"	1 ea
X1332	2-45 lb Filter/Spreader Center	46½" x 34½" x 48¾"	1 ea
X1333	1-45 lb Filter/Spreader Center	46½" x 34½" x 48¾"	1 ea

NOTE: Shipped FREE from regional warehouse

Gas Connectors (Fits All Above)

1X121, 1X120

NOTE: See full offering of gas connectors on page 75



A

B

Portable Oil Filters

Frymaster/Dean

» Filtration preserves the life of oil and maintains consistent fried food quality while saving money
» Pump oil directly into disposal unit for secure transport without spills; oil should be cooled to 120° F for safe, trouble-free disposal
» X4011 and 1038861 can not be used with hot oil
» 1039235 and 1039236 have reversible pumps

Portable Oil Disposal Units

	TKE #	Cap'y	Qty
A.	**X4011**	50 lbs	1 ea
	1038861	100 lbs	1 ea

Portable Oil Filters

	TKE #	Desc	Cap'y	Qty
	X4010	Frymaster fryers only	50 lbs	1 ea
	1039236	Fits most fryers	50 lbs	1 ea
	X1323	Frymaster fryers only	80 lbs	1 ea
B.	**1004977**	Dean fryers only	80 lbs	1 ea
	1038860	Dean/Frymaster fryers only	80 lbs	1 ea
	1038859	Dean fryers only	110 lbs	1 ea
	1039235	Fits most fryers	110 lbs	1 ea

NOTE: Shipped FOB from LA (71135)

Mr. D™ Oven, Grill & Fryer Cleaner

» Quickly and easily removes burned-on food, and grease from ovens, grills and fryers
» Effective on warm or cold surfaces
» 1J980 includes 24" hose and sprayer
» 1J978 includes trigger sprayer

TKE #	Desc	Style	Qty
1J653	Fryer Cleaner	Packets	18-8 oz/cs
1J227	Oven Cleaner	Aerosol	6-18 oz/cs
1J980	Oven & Grill Cleaner RTU	Liquid	2-1 gal/cs
1J978	Cleaner/Degreaser	Cook Line Cleaner	6-32 oz/cs

Shown with optional casters

Efficient transfer of energy into oil

High performance Thermo-Tube

SM Series Tube Gas Fryers

FREE FREIGHT

Frymaster/Dean

- Designed for versatile frying production and solid performance
- Exclusive Thermo-Tube design efficiently transfers fryer's energy input into the oil
- Wide cold zone and forward sloping bottom help to collect and remove sediment from the fry tank to safeguard oil quality and support routine cleaning
- Durable temperature probe assures accurate temperatures for efficient heat-up, cooking, and recovery
- Stainless steel with adjustable steel legs

TKE #	Cap'y	W x D x H	Wt	Qty
Natural Gas				
1X259	40 lbs	15½" x 29¼" x 45"	180 lbs	1 ea
1005070	50 lbs	15½" x 29¼" x 45"	180 lbs	1 ea
1005074	75 lbs	20" x 37" x 45"	255 lbs	1 ea
1004984	100 lbs	22" x 37" x 45"	257 lbs	1 ea
LP Gas				
1004985	40 lbs	15½" x 29¼" x 45"	180 lbs	1 ea
1004987	50 lbs	15½" x 29¼" x 45"	180 lbs	1 ea
1005073	75 lbs	20" x 37" x 45"	255 lbs	1 ea
1005075	100 lbs	22" x 37" x 45"	257 lbs	1 ea

NOTE: Shipped FREE from regional warehouse

Gas Connectors (Fits All Above)

1049239, 1X115, 1X110

NOTE: See full offering of gas connectors on page 75



- **Cook cycle is 33% faster** allowing more cooks per hour
- **Takes 15% less oil to fill** than other manufacturer's minimum fill line
- **Easier on the oil**: larger heat transfer area reduces the oil's heat load

Built in filter extends the life of oil — saves money and oil with great results

The Best Entry Level Fryer/Filter Combo on the Market

FREE FREIGHT

Two 50-lb Gas Fryers with Built-In Filtration

Frymaster/Dean

- Designed for versatile frying production and solid performance with the added convenience of a built in filtration system
- Filtering process is fast and easy and one fryer can be filtered while the other is in use
- Standard, powerful 4 GPM pump to maximize filtering efficiency and minimizing clogging
- Includes piezo ignition for easy light and relight of pilot
- Durable temperature probe assures accurate temperatures for efficient heat-up, cooking, and recovery

TKE #	Cap'y	Gas	W x D x H	Wt	Qty
1036603	2-50 lbs	Natural	43" x 53" x 53"	641 lbs	1 ea
1038846	2-50 lbs	LP	43" x 53" x 53"	641 lbs	1 ea

NOTE: Shipped FREE from regional warehouse

Gas Connectors (Fits All Above)

1X121, 1X120

NOTE: See full offering of gas connectors on page 75

Countertop Convection Steamers

FREE FREIGHT

Vulcan Hart

» Steam is supercharged for hotter temperature which yields higher production
» Staged filling feature allows steamer to maintain more consistent temperature
» Choose between basic and professional controls
» Smart Drain and Powerflush system
» Stand sold separately
» 1-year limited parts and labor warranty

TKE #	Desc	Size	Volts	Qty
3 Pan				
2X4114	Basic Controls	24" x 33" x 19½"	208/240 V	1 ea
2X4117	Professional Controls	24" x 33" x 19½"	208/240 V	1 ea
5 Pan				
2X4118	Basic Controls	24" x 33" x 26"	208/240 V	1 ea
2X4119	Professional Controls	24" x 33" x 26"	208/240 V	1 ea

NOTE: Shipped FREE from KY (41017)

Shown with optional stand

More Production and Performance!

Super heated 235° F steam cooks 10-30% faster than standard 212° F steam

PowerSteam™ Floor Model Convection Steamers

FREE FREIGHT

Vulcan Hart

» Steam is supercharged for hotter temperature which yields higher production—newest technology on the market
» Staged filling feature allows steamer to maintain more consistent temperature, convenient deliming port
» Stainless steel exterior and interior compartments
» Gas model is rated 90,000 Btu, electric model available in 208/240V, 17.5kw, 3ph
» Specify LP or natural gas, or voltage and phase for electric, when ordering
» 1-year limited parts and labor warranty

TKE #	Desc	Size	Volts	Gas Connectors
Gas				
2X4115	6 Pan	24" x 35⅝" x 73⅜"	120 V	**1049239, 1X115, 1X110**
2X4113	10 Pan	24" x 35" x 76"	120 V	**1049239, 1X115, 1X110**
Electric				
X2025	6 Pan	24" x 35" x 63"	208 V	
X2026	10 Pan	24" x 35" x 76"	208 V	

NOTE: Shipped FREE from KY (41017). See full offering of gas connectors on page 75

Combitherm® CombiOvens™ with Advanced Graphic Controls

Use the Combitherm® as a smoker with 1029010 smoker attachment

EcoSmart™ technology reduces energy costs

Quick Connect Single Point Probe

Automated Scrubbing Jets

Easy to Read Advanced Graphics

Combitherm® CombiOvens™ with Advanced Graphic Controls

Alto Shaam

- This versatile all-in-one oven cooks with variable steam, convection heat, or a combination of both to roast, steam, bake, or oven-fry
- Constructed of 18 gauge stainless steel and includes an attached spray hose with backflow prevention, quick-connect single-point internal product temperature probe in the oven interior, cool-down function, and automatic cleaning function
- EcoSmart™ technology reduces energy cost by using less electricity and water during both normal operation and the cleaning function
- CombiClean™ feature uses scrubbing jets of water for fully automated cleaning
- Boiler-free flash-steam generation increases reliability by eliminating boiler maintenance and boiler heating element burnout; steam levels are maintained without a water reservoir

Gas				
TKE #	**Desc**	**Cap'y**	**Gas**	**Gas Connectors**
1028369	Boiler Free	6 ea 18" x 13" or 12" x 20" Pans	Natural	**1049262, 1049264, 1X112**
1028421	Boiler Free	7 ea 18" x 13" or 14 ea 12" x 20"	Natural	**1049239, 1X115, 1X110**
1028412	Boiler Free	20 ea 18" x 13" or 20 ea 12" x 20"	Natural	**1049120, 1049122, 1049121**
1029006	Boiler Free	6 ea 12 x 20" Pans	LP	**1049262, 1049264, 1X112**
1029008	Boiler Free	7 ea 18" x 26" Pans	LP	**1049239, 1X115, 1X110**
1029004	Boiler Free	20 ea 18" x 26" Pans	LP	**1049120, 1049122, 1049121**

Electric			
TKE #	**Desc**	**Cap'y**	**Volts**
1028370	Boiler Free Narrow	6 ea 18" x 13" or 12" x 20" Pans	208 V
1028371	Boiler Free Narrow	6 ea 18" x 13" or 12" x 20" Pans	240 V
1028374	Boiler Free	7 ea 18" x 13" or 14 ea 12" x 20"	208 V
1028362	Boiler Free	7 ea 18" x 13" or 14 ea 12" x 20"	240 V
1028363	With Boiler	20 ea 18" x 13" or 20 ea 12" x 20"	208 V
1028364	With Boiler	20 ea 18" x 13" or 20 ea 12" x 20"	240 V
1029010	Smoker Accessory	—	—

NOTE: See Complete Gas Connector Chart on Page 75.

All the Benefits of Combi Cooking–
in a Smaller Footprint

Convotherm® Countertop Mini Combi

Cleveland

FREE FREIGHT

- » Advanced Closed System automatically controls the humidity in the oven based on the food type—when the Crisp & Tasty feature is activated, food becomes a crispy golden brown, while the inside stays moist and tender
- » Press & Go one-step, recipe start buttons
- » Boilerless injection system for steam
- » Choose from standard controls or EasyTouch® controls
- » Vented, double glass door with integrated door stop and self-draining condensate drip pan
- » Optional EasyTouch® control panel (1029117) installed by the factory

	TKE #	Cap'y	W x D x H	Volts	Qty
A.	**1X2019**	Three 13" x 18" Perforated Half Pans	20⅛" x 29⅛" x 31⅜"	208 V	1 ea
	1029117	EasyTouch® Control Panel Factory Installed		—	1 ea

NOTE: Shipped FREE from OH (44110)

SteamChef™ Boiler-Free Convection Steamers

Cleveland

FREE FREIGHT

- » Aerodynamic compartment design improves temperature distribution and velocity for better heat transfer and cooking times
- » KleanShield™ drain system eliminates foaming and contamination of the water reservoir
- » Automatic water fill and control ensures constant cooking without interruption
- » Simple, automatic preheat allows cooking within 10 minutes
- » Heavy duty 14-gauge stainless steel cooking compartment and door and latch

Gas

	TKE #	Cap'y	Size	Wt	Gas Connectors
	2X4147	3 ea 2½" Pans	25¾" x 28⅛" x 21¾"	255 lbs	**1X118, 1049123**
	2X4148	6 ea 2½" Pans	35" x 28⅛" x 21¾"	355 lbs	**1X118, 1049123**

Electric

	TKE #	Cap'y	W x D x H	Volts	Wt
B.	**2E3503**	3 ea 2½" Pans	21½" x 28" x 22½"	—	235 lbs
C.	**2X4146**	6 ea 2½" Pans	21¾" x 32" x 30¾"	208 V	335 lbs

NOTE: Shipped FREE from OH (44110). See Complete Gas Connector Chart on Page 75.

A

Holds 3 half size sheet pans or 3 full size 2½" deep steam pans

ENERGY STAR

B

Holds deep full size pans

Boiler Free Steamers
Save Water
Save Energy
Save Money

C

Ho

Convotherm® Combi Ovens

FREE FREIGHT

Cleveland Range

- Bake, grill, roast, deep-fry, and steam all in one
- Eight "Press and Go" one step recipe start buttons
- Features the "Advanced Closed System" that automatically controls moisture and heat based on the physical properties of food being prepared
- Disappearing door pushes all the way back, making a smaller footprint in the kitchen
- 1-year parts and labor warranty
- Specify Natural or LP Gas, 208 or 240 volts

Order optional EasyTouch® control panel 1028897, which is installed at the factory

Electric				
TKE #	**Desc**	**Holds**	**Size**	
1X2011	Full Size Combi Oven Elec	7 ea 18" x 36" or 6 ea 12" x 20"	41½"	
1X2007	Countertop Combi Oven Elec	11 ea 18" x 13" or 10 ea 12" x 20"	41½"	
Specify Natural or LP Gas				
TKE #	**Desc**	**Size**		**Gas Connectors**
1X2013	Full Size Combi Oven Gas	7 ea 18" x 36" or 6 ea 12" x 20"	41½"	**1049239, 1X115, 1X110**
1X2009	Countertop Combi Oven Gas	11 ea 18" x 13" or 10 ea 12" x 20"	41½"	**1049239, 1X115, 1X110**
1015728	Full Size Combi Oven Gas	11 ea 18" x 36" or 20 ea 12" x 20"	52"	**1049239, 1X115, 1X110**
1028897	EasyTouch® Control Factory Installed		—	—

NOTE: Shipped FREE from OH (44110). See Complete Gas Connector Chart on Page 75.

Shown with 1000395 Tangent Draw Off

Manual Tilt Skillets

FREE FREIGHT

Cleveland Range

- Heating elements cast into aluminum body cover entire pan bottom for even heat distribution
- Stainless steel construction for durability and easy cleaning
- Balanced design for easy tilting
- Floor models have an open base and include power tilt capability
- Adjustable thermostat controls temperature from 175° to 425° F

Electric					
	TKE #	**Desc**	**Cap'y**	**W x D x H**	
A.	**2E3411**	Countertop Tilting Skillet	15 gal	33" x 37½" x 28"	
	1X2038	Tilt Skillet w/ Power Tilt	30 gal	36" x 37" x 38"	
	1X1591	Tilt Skillet w/ Power Tilt	40 gal	48" x 37" x 40"	
Specify Natural or LP Gas					
	TKE #	**Desc**	**Cap'y**	**W x D x H**	**Gas Connectors**
	1X2041	LP Gas	30 gal	38" x 37" x 38"	**1049239, 1X115, 1X110**
B.	**1X1592**	Natural Gas	40 gal	48" x 37" x 40"	**1049239, 1X115, 1X110**
	1000395	Braising Pan - Draining Water	—	2" Draw Off Valve	**1049239, 1X115, 1X110**

NOTE: Shipped FREE from OH (44110). See Complete Gas Connector Chart on Page 75.

Advanced Controls and Exclusive Air Distribution System for Precision Baking

Side mounted heat exchangers for even cooking

Deluxe solid state controls

Exclusive air distribution

SG Series Gas Convection Oven

Vulcan Hart

- 60,000 Btu per deck for more precise cooking and delicate bakery items
- ⅓ hp, 2 speed oven blower
- Stainless steel front, sides, top rear enclosure panel and legs, porcelain enamel on steel oven
- 11-position nickel-plated rack guides and five oven racks
- Interior lights, electronic spark igniters
- ¾" rear gas connection with gas pressure regulator and manual shut-off valve

TKE #	W x D x H	Gas	Wt	Gas Connectors
Single Deck				
X6143	38" x 38" x 54½"	Natural	590 lbs	**1049262, 1049264, 1X112**
X6155	38" x 38" x 54½"	LP	590 lbs	**1049262, 1049264, 1X112**
Double Deck				
X6156	38" x 38" x 67½"	Natural	1,180 lbs	**1049239, 1X115, 1X110**
X6144	38" x 38" x 67½"	LP	1,180 lbs	**1049239, 1X115, 1X110**

NOTE: Shipped FREE from KY (41017). See Complete Gas Connector Chart on Page 75.

The Workhorse of the Industry

Shown with optional casters

All Purpose Gas Convection Ovens

Vulcan Hart

- Stainless steel construction for easy cleaning
- Solid state temperature control adjusts from 150° F to 500° F
- Features an oven cool switch for rapid cool-down and a 60-minute timer with audible alarm
- Includes five nickel-plated oven racks with 11 rack positions
- Specify natural or LP gas when ordering
- 1-year limited parts and labor warranty

TKE #	W x D x H	Gas	Wt	Gas Connectors
Single Deck				
X6127	40" x 41½" x 56¾"	Natural	590 lbs	**1049264, 1X112**
X6205	40" x 41½" x 56¾"	LP	625 lbs	**1049264, 1X112**
Double Deck				
X6125	40" x 41½" x 70"	Natural	1,180 lbs	**1049239, 1X115, 1X110**
X6309	40" x 41½" x 70"	LP	1,250 lbs	**1049264, 1X112**

NOTE: Shipped FREE from KY (41017). See Complete Gas Connector Chart on Page 75.

Half Size Convection Ovens

Vulcan Hart

- All stainless steel construction
- 4" adjustable chrome-plated legs
- Rack shown with optional casters, both sold separately
- Specify natural or LP gas when ordering

TKE #	Desc	W x D x H	Wt	Gas Connectors
Gas				
X6137	Half Size Convection Oven	30" x 27⁹⁄₁₆" x 30½"	266 lbs	**1049262, 1049264, 1X112**
Electric				
X6138	Half Size Convection Oven	30" x 27⁹⁄₁₆" x 26½"	250 lbs	
Stand				
X616	With Adjustable Pan Slides			

NOTE: Shipped FREE from KY (41017). See Complete Gas Connector Chart on Page 75.

Shown with optional stand and casters

Holds 1/2 size sheet pans

Pre Assembled Modular Design No Need to Knock Down Walls or Use a Crane to Install



Il Forno Gas Deck Ovens

Bakers Pride

- Single deck gas oven combines the ambiance of traditional Old World brick oven with the convenience, control, and precision of gas
- Steel-reinforced, arched open hearth flame with a visible 20,000 Btu open flame burner for ambiance
- 120,000 Btu dual burner provides thermostatically controlled temperatures with independent, top and bottom heat control dampers, and micro slides
- Brick lined interior for additional top heat and quicker recovery
- Removable 1½" thick hearth baking decks
- Stainless steel exterior; interior heavy duty iron and aluminized steel

TKE #	W x D x H	Wt	Qty
1002252	65¼" x 43" x 69"	1,400 lbs	1 ea
1002253	78" x 43" x 69"	1,781 lbs	1 ea
1002254	84" x 51" x 69"	2,081 lbs	1 ea

Gas Connectors (Fits All Above)
1049239, 1X115, 1X110
NOTE: Shipped FOB from NY (10801). See Complete Gas Connector Chart on Page 75.

Countertop Hearth Ovens

Bakers Pride

- Electric ovens feature two independently controlled baking chambers with Cordierite hearth decks
- All stainless steel exterior with fully insulated, welded aluminized steel interior
- Two 15-minute electric timers with continuous rings, audible alarms, and manual shut-offs (one for each chamber)
- Thermostat temperature from 300° to 650° F (one for each chamber)

TKE #	W x H	Volts	Wt	Qty
1015671	28" x 28"	240 V	260 lbs	1 ea
1015672	28" x 28"	208 V	260 lbs	1 ea

NOTE: Shipped FOB from NY (10801)

Countertop Pizza & Finishing Oven

Bakers Pride

- All stainless steel exterior with fully insulated, unitized, aluminized steel interior
- Slide out nickel-chrome plated wire baking rack with heat resistant handle
- Independently controlled top and bottom heat for perfectly balanced baking results—temperature range 284°-680° F
- Electric 15 minute timer with continuous ring alarm and manual shut off

TKE #	Rack Size	Watts	Wt	Qty
1015474	13¼"W x 13⅞"D	1500	45 lbs	1 ea
1015475	17⅝"W x 17⅝"D	1800	65 lbs	1 ea

NOTE: Shipped FOB from NY (10801)

Pre-Set Automatic Controls for Unattended Cooking and Holding

Cook-N-Hold Ovens

Cres Cor

» Designed for the most flavorful results by slow cooking
» Stainless steel throughout for easy cleanup; coved corners prevent build-up
» Efficient 3000W power unit allows for reheating or full cooking of over 120 lbs of food within five square feet of floor space
» Two separate compartments and controls allow for flexible cooking; pre-setting automatic controls allow for unattended cooking and holding cycles
» Insulated doors and silicone door gaskets prevent heat loss
» Heavy duty 5" swivel casters, two with brakes, provide controlled mobility; operates at 208 or 240V

TKE #	Desc	W x H x D	Wt	Qty
X2212	Half Size Stainless Steel	22⅝" x 41¼" x 32¾"	253 lbs	1 ea
X2211	Full Size Stainless Steel	22⅝" x 76¾" x 32¾"	460 lbs	1 ea
X2210	Full Size Aluminum	22⅝" x 76¾" x 32¾"	420 lbs	1 ea
1003263	Cook n' Hold, Under Counter	25⅝" x 32" x 32¾"	205 lbs	1 ea

NOTE: Shipped FOB from OH (44060)

Separate compartments allow you to cook in one while holding in the other

Includes cord and plug

Aqua-Temp™ Hot Holding Cabinet

Cres Cor

» Aqua-Temp™ system lets you regulate cabinet humidity for superior holding for barbecue, Mexican, and rotisserie menu items
» Universal angles allow for mixing and matching all sizes of pans
» Large four-gallon water tank for four to six hours of use
» Includes casters, two with brakes

TKE #	W x D x H	Wt	Qty
E4804	28½" x 35⅝" x 69¾"	410 lbs	1 ea

NOTE: Shipped FOB form OH (44060)

Queen Mary Rack

Cres Cor

» Ideal for transporting plated banquet meals and returning soiled dishware to warewashing area
» Six shelves on 8" centers
» Constructed of non-corrosive high-tensile aluminum for strength
» Shelves have raised marine edges, prevents tray slide and retains spillage
» Heavy duty 8" polyurethane casters, two swivel with brakes

TKE #	W x D x H	Wt	Qty
E3014	62¼" x 29" x 62¹¹⁄₁₆"	180 lbs	1 ea

NOTE: Shipped FOB from OH (44060)

A

B

Affordable Insulated Cabinets

Insulated Combination Heated Cabinets with Moisture Module

» Patented Insulation Armour™ protects against heat loss, yet stays cool-to-touch on the outside
» Protects employees from hot surfaces
» Built-in hand holds for easy transport
» All models include 18 sets of universal slides
» Can be used as: hot holding, proofing, high moisture holding
» Overall size: 21"W x 26"D x 71"H

	TKE #	Desc	Color	Volts	Qty
A.	**1019539**	Full length clear door	Red	120 V	1 ea
	1019540	Full length clear door	Grey	120 V	1 ea
	1019537	Two half size solid doors	Red	120 V	1 ea
B.	**1019538**	Two half size solid doors	Grey	120 V	1 ea

NOTE: Shipped FREE from TN (37127)

» Moisture module provides higher humidity at a higher temperature and delivers 5 times the moisture generation power of a standard “dry” cabinet
» Insulation Armor can help reduce energy by up to 50%
» Combining the moisture module with insulation armor keeps food hot without drying it out at a more efficient energy cost



Controlled Humidity for Extended Holding Times

Heated Holding and Proofing Cabinet

Intermetro

» Unique protection against heat loss; can go from heated holding mode to proofing mode
» Clear door prevents heat loss by allowing easy interior view; no need to open the door
» Fixed wire shelves hold 18 pans sized 18" x 26" or 34 pans sized 12" x 20" x 2½"
» Easy to read digital thermometer, recessed control dials, a master on/off switch, and power indicator lights

TKE #	Holds	W x D x H	Temp Range	Wt	Qty
E4863	(18) 18" x 26", (34) 12" x 20"	25¼" x 69¾" x 30¼"	80˚ to 190˚ F	201 lbs	1 ea

NOTE: Shipped FOB from TN (37127)

See page 77 for Additional Transport

Heated Holding Cabinets

Intermetro

» Protects against heat loss while maintaining cool exterior
» Insulation Armour™ is cool-to-touch with built-in hand holds and full body protection
» Removable water pan for passive humidity generation
» Sits on high-quality casters
» Universal angle wire slides

TKE #	Holds	W x D x H	Temp Range	Qty
E4864	(17) 18" x 26", (32) 12" x 20"	27⅔" x 71" x 31½"	80° to 200° F	1 ea
E4860	(18) 18" x 26", (34) 12" x 20"	27⅔" x 71" x 31½"	80° to 200° F	1 ea

NOTE: Shipped FREE from TN (37127)

See page 23 for Oven Mitts

Drawer Warmers

Hatco

» Each drawer has separate on/off switch, built-in pilot light, and temperature controls to keep different foods at the optimum temperature
» Adjustable vents allow humidity control for each drawer
» Each sliding drawer removes easily for cleaning and includes 6" deep pan
» Stainless steel exterior; unit comes standard with 4" legs, 6' cord and plug
» Show with optional casters

TKE #	Desc	W x D x H	Wt	Qty
Single Drawer Warmers				
E3300	Single Drawer Warmer	29½" x 22⅝" x 11"	97 lbs	1 ea
E3303	Single Narrow Drawer Warmer	20⅞" x 27" x 11"	97 lbs	1 ea
Two Drawer Warmers				
E3301	Two Drawer Warmer	29½" x 22⅝" x 21⅛"	168 lbs	1 ea
E3304	Two Narrow Drawer Warmer	20⅞" x 27" x 22⅛"	168 lbs	1 ea
Three Drawer Warmers				
E3302	Three Drawer Warmer	29½" x 22⅝" x 31¼"	232 lbs	1 ea
E3305	Three Narrow Drawer Warmer	20⅞" x 27" x 31¼"	232 lbs	1 ea

NOTE: Shipped FOB from WI (53081)

Strip Warmers

» Overhead heat for pass-through areas keeps food at the proper serving temperature
» Rugged metal-sheathed heating element provides an even heat source; black powder coated housing
» Quick, easy installation
» Includes hanging tabs, S-hooks and chains, and attached 6' cord and plug

TKE #	W x D x H	Watts	Qty
1030990	36" x 5" x 2⅛"	800 W	1 ea
1030991	48" x 5" x 2⅛"	1100 W	1 ea

Heavy Volume Microwave Ovens

Amana Commercial

- 11 power levels, 4 cooking stages, and a defrost mode
- Reduces prep time, labor, and food waste while providing consistent results
- Double rotating microwave antennas, both top and bottom, for maximum dispersion and even heating
- Removable, cleanable air filter and clean filter reminder protects oven components
- Full 3-year warranty

TKE #	Watts	Volts	Qty
1011747 *	1200 W	120 V	1 ea
1X1411	1800 W	208 V	1 ea
1X1600	1200 W	208 V	1 ea

NOTE: Shipped FOB from nearest distributor. * In stock.

Increase Production and Output with Heavy Volume Microwaves

Higher microwave wattage means **increased production** and **more output** in your kitchen

Use high volume ovens to retherm portions or to boost the temperature of the food on a plate

Holds up to one ½ size by 6" deep food pan or 12" plate

If you are opening the oven door more than 100 times a day, you need heavy volume capability

Don't Forget Mir-O-Spray

Door Openings Per Day	
Under 100	Medium Volume
Over 100	High Volume

Medium Volume Microwave Ovens

Amana Commercial

- Stainless steel construction inside and out with a Grab-N-Go handle
- 1.2 cubic ft. oven capacity is larger than comparable ovens—accommodates a 14" platter
- Front air filter, non-removable
- 1024326 is a 10 touch pad control panel with 100 programmable menu items, 4 stages of cooking with 5 power levels
- Overall size: 22" x 19" x 13¾"
- 120 volts, 13 amps

TKE #	Style	Watts	Qty
1044198	Med Duty Dial	1000 W	1 ea
1024326	10 Touch Pad Control Panel	1000 W	1 ea

NOTE: Shipped FOB from nearest distributor

Did You Know?

ANSI standards state a commercial grade moveable gas connector is required for all gas equipment that is either on casters or moved regularly.

Health and Fire Safety inspectors are looking closely at how equipment is connected to the gas supply.

Be Safe! Be Smart! Be Sure!

Order Dormont connectors to use on existing equipment when you buy new gas cooking equipment.

Why Dormont?

The Hose….blue PVC coated, braided, 304 stainless steel commercial gas connector designed to withstand the rigors of a commercial kitchen environment.

One Handed Quick Disconnects (where included) for fast and easy removal.

Swivels (where included) reduce stress on the hose and allow equipment to be pushed closer to the wall.

What is in the box?

Countertop model (1049123) includes:
One ½" x 36" hose
Two ½" elbows
One full port ball valve

Hose only (1049119) includes:
¾" x 36" hose

Complete kits include:
Hose
SnapFast® quick disconnects
Restraining device with hardware
Full port gas ball valve
Two 90˚ street elbows

TKE #	Hose I.D.	Hose Length	BTU Rating	Kit	Install Method	Quick Disconnect	# of Swivels
1X118	½"	36"	77,000	Complete	Mobile	Yes	0
1049123 *	½"	36"	125000	Countertop	Stationary	No	0
1049262	½"	48"	60,000	Complete	Mobile	Yes	2
1049264	½"	48"	63,000	Complete	Mobile	Yes	1
1X112	½"	48"	68,000	Complete	Mobile	Yes	0
1049120	¾"	36"	193,000	Complete	Mobile	Yes	1
1049122	¾"	36"	203,000	Complete	Mobile	Yes	1
1049121	¾"	36"	218,000	Complete	Mobile	Yes	0
1049119	¾"	36"	256,000	Hose Only	Stationary	No	0
1049239 *	¾"	48"	160,000	Complete	Mobile	Yes	2
1X115 *	¾"	48"	167,000	Complete	Mobile	Yes	1
1X110 *	¾"	48"	180,000	Complete	Mobile	Yes	0
1X120	1"	48"	334,000	Complete	Mobile	Yes	1
1X121	1"	48"	310,000	Complete	Mobile	Yes	0
1049116	1¼"	48"	482,000	Complete	Mobile	Yes	2
1049118	1¼"	48"	482,000	Complete	Mobile	Yes	1
1049117	1¼"	48"	541,000	Complete	Mobile	Yes	0

NOTE: *In Stock. All others are FOB PA (15632)

Solid Door Reach-In Refrigerators & Freezers

FREE FREIGHT

True

» Oversized environmentally friendly refrigeration system
» 300 series stainless steel door and front, anodized aluminum sides; easy-to-clean white aluminum interior and stainless steel floor
» Foamed-in-place polyurethane insulation
» Standard recessed door handles with door locks and 4" swivel casters
» Adjustable vinyl coated wire shelves
» 1-year parts and labor, 5-year compressor warranty

TKE #	Desc	W x D x H	Volts	Wt	Qty
Refrigerators					
E2555	1 Section	27" x 29½" x 78¼"	115 V	254 lbs	1 ea
E2556	2 Section	54" x 29½" x 78¼"	115 V	410 lbs	1 ea
E2557	3 Section	78" x 29½" x 79¼"	115 V	576 lbs	1 ea
Freezers					
E2558	1 Section	27" x 29½" x 78¼"	115 V	290 lbs	1 ea
E2559	2 Section	54" x 29½" x 78¼"	115 V	464 lbs	1 ea
E2560	3 Section	78" x 29½" x 79¼"	115 V	600 lbs	1 ea

NOTE: Shipped FREE from MO (63366)

FREE FREIGHT

Refrigerated Pizza Prep Tables

True

» Environmentally friendly systems feature superior insulation for minimal energy use; holding temperatures 33° F to 41° F temperature maintains uniform airflow for stay fresh meats, cheeses, and sauces
» The only pizza prep tables featuring a stainless steel foam insulated cover to keeps pans cooler, lock in freshness, and minimize condensation
» Features extra-deep 19½" full-length removable cutting board, all stainless steel front, top and sides
» 1/3-size clear polycarbonate countertop insert pans included
» Durable 5" diameter swivel casters
» 5-year warranty on compressor; 1-year warranty on parts and labor

TKE #	Desc	Cap'y	W x H	Wt	Qty
E2455	1 Door	6 Pan	44½" x 42"	305 lbs	1 ea
E2456	2 Door	8 Pan	60¼" x 42"	375 lbs	1 ea
E2505	2 Door	9 Pans	35¼" x 42"	390 lbs	1 ea
E2506	3 Door	12 Pans	93" x 35¼"	470 lbs	1 ea
E2507	4 Door	14 Pans	119" x 42"	685 lbs	1 ea

NOTE: Shipped FREE from MO (63366)

Deep depth for increased storage space

FREE FREIGHT

Deep Depth Under Counter Refrigerators & Freezers

True

» Deeper cabinets increase storage space and accommodate full size sheet pans
» Easier cleaning of condensing units and greater storage inside unit, including full size sheet pans
» Stainless steel front, top, and cabinet ends; matching aluminum finished back

TKE #	Desc	W x D x H	Temp Range	Wt	Qty
Refrigerators					
E2585	1 Door	44½" x 32¼" x 29¾"	33˚ to 38˚ F	355 lbs	1 ea
E2586	2 Door	60¼" x 32¼" x 29¾"	33˚ to 38˚ F	355 lbs	1 ea
E2587	2 Door	67¼" x 32¼" x 29¾"	33˚ to 38˚ F	375 lbs	1 ea
Freezers					
E2588	1 Door	44½" x 32¼" x 29¾"	-10˚ to 15˚ F	300 lbs	1 ea
E2589	2 Door	60¼" x 32¼" x 29¾"	-10˚ to 15˚ F	385 lbs	1 ea
E2590	2 Door	67¼" x 32¼" x 29¾"	-10˚ to 15˚ F	400 lbs	1 ea

NOTE: Shipped FREE from MO (63366)

Heavy Duty Bun Pan Racks

Alexander

» 1½ square inch aluminum uprights and crossmember
» All welded construction
» 5" swivel non-marking casters
» E4818 holds 22" x 26" oval trays

	TKE #	Holds	W x D x H	Qty
Racks				
A.	**E4817**	20 Pans	21" x 26" x 72"	1 ea
	E4818	Ten 22" x 29" Oval Trays	26" x 26" x 71"	1 ea
Rack Covers				
	TKE #	**Desc**	**W x H**	**Qty**
B.	**E3004**	Heavy Duty White Vinyl	23" x 64"	1 ea
	J1761	Economy Clear Vinyl	23" x 62"	1 ea

NOTE: Shipped FOB fully assembled from FL (33010)

Shown with E3004

Heavy Duty Pan Rack Cover

» Use dry or in cooler/freezers
» 3-ply 14 oz nylon reinforced material
» Full view front panel
» Full-length steel zippers are coated to prevent snags on vinyl and for corrosion

	TKE #	Desc	W x H	Qty
B.	**E3004**	Heavy Duty White Vinyl	23" x 64"	1 ea

Bun Pan Racks

» Holds full size bun pans, 18" x 26"
» Tough riveted aluminum construction
» Extra strength, lightweight
» Shipped knocked down, easy assembly

	TKE #	Cap'y	W x D x H	Qty
Racks				
	E3008	7 Pan	20" x 27" x 35"	1 ea
	E3007	11 Pan	20" x 27" x 68"	1 ea
	E3006	18 Pan	20" x 27" x 68"	1 ea
Vinyl Rack Covers				
	TKE #	**Desc**	**W x D x H**	**Qty**
C.	**E3011**	Economy Clear Vinyl	23" x 28" x 62"	1 ea
	J1761	Disposable	34" x 26" x 78"	50/cs

Shown with E3011

Aluminum Sheet/Bun Pans

» Concave bottoms flatten during heating for even heat distribution resulting in uniform texture and height for baked products
» Rust-resistant galvanized bead wire preserves pan shape and protects against rusting and flaking

TKE #	Size	Thickness	L x W	Qty
K2574	Quarter Size	16 Gauge	13" x 9½"	1 ea
K2569	Half Size	18 Gauge	17¾" x 12⅞"	1 ea
K2669	Half Size	18 Gauge	17¾" x 12⅞"	1 ea
K2581	Full Size	16 Gauge	25¾" x 17¾"	1 ea
K2582	Full Size	18 Gauge	25¾" x 17¾"	1 ea
K2578	Full Size	18 Gauge	25¾" x 17¾"	1 ea

Save Money on Food Cost and Energy

True Freezers

» True freezers hold frozen product at -10° F standard; this colder standard temperature means longer storage of your frozen product and increases food quality after defrosting

» Storing frozen products at temperatures above 0° F greatly reduces the storage life of frozen product; for every 5° F above 0° F in storage, frozen product shelf life decreases by 50%

True Refrigerators

» Food held at 41° F has a typical shelf life of 7 days and for every 1° F above 41° F, you lose up to a full day of shelf life; True refrigerators hold standard temperatures of 33° F to 38° F, creating better food quality and increased food safety

» True's larger coils, along with its exclusive ½" copper tubing, translates to faster temperature recovery in extreme kitchen environments where the high volume door openings are common

Squeezed for space? This space saving station has 2 doors with only a 47" wide footprint.

47" Wide Space-Saving Reach-In Refrigerator & Freezer

FREE FREIGHT

True

» Space saving design features stainless steel solid doors and front with NSF approved white aluminum interior liner

» Fully insulated cabinet structure with oversized, factory balanced refrigeration system holds contents at the ideal temperature for the best in food preservation

» Positive seal self-closing doors

» Six adjustable, heavy duty PVC coated shelves

» Bottom mounted units feature no stoop lower shelf, storage on top of cabinet, easy access to condenser coil for cleaning

» 1-year parts and labor, 5-year compressor warranty

TKE #	Desc	Size	Volts	Qty
1031451	Refrigerator	47"W x 83⅜"H x 29⅞"D	115 V	1 ea
1031452	Freezer	47"W x 83⅜"H x 29⅞"D	115 V	1 ea

NOTE: Shipped FREE from MO (63366)

Sandwich/Salad Refrigerators

FREE FREIGHT

True

» Foamed-in-place insulation has high R-factor and is ultra-dense for more refrigerated cubic feet in less floor space

» Extra-wide full length removable cutting board

» Adjustable vinyl-coated wire shelves

» 1-year parts and labor, 5-year compressor warranty

TKE #	Desc	Cap'y	Width	Volts	Wt	Qty
3E1396	1 Door	8 pan	27½"	115 V	176 lbs	1 ea
3E1397	2 Door	12 pan	48¼"	115 V	264 lbs	1 ea
3E1398	2 Door	16 pan	60¼"	115 V	312 lbs	1 ea
3E1399	3 Door	18 pan	72¼"	115 V	386 lbs	1 ea

NOTE: Shipped FREE from MO (63366)

Don't Forget Stainless Steel Cleaner!

1J662

Sandwich/Salad Top Refrigerators

FREE FREIGHT

Delfield

» Convenient, fast food preparation—all frequently used ingredients are right in front of you
» Roll top keeps chilled ingredients, mounted plastic cutting board provides prep area, and refrigerator below holds more ingredients
» 22-gauge stainless steel doors are lined with thermoformed ABS plastic and fully insulated with high-density polyurethane
» Available in a variety of configurations; all are mounted with 2" plate casters with front two locking
» Salad tops have 10"W cutting board; mega tops have 8"W cutting board
» 1-year parts and labor, 5-year compressor warranty; 115V

Salad Top					
TKE #	**Desc**	**W x D x H**	**Cap'y**	**Wt**	**Qty**
E2841	1 Section	27" x 31½" x 36"	6 Pan	240 lbs	1 ea
E2842	2 Section	48" x 31½" x 36"	12 Pan	320 lbs	1 ea
E2843	2 Section	60" x 31½" x 36"	8 Pan	345 lbs	1 ea
E2844	2 Section	60" x 31½" x 36"	12 Pan	345 lbs	1 ea
Mega Top					
E2845	1 Section	27" x 31½" x 36"	9 Pan	290 lbs	1 ea
E2846	1 Section	32" x 31⅛" x 36"	12 Pan	315 lbs	1 ea
E2847	2 Section	48" x 31⅛" x 36"	18 Pan	360 lbs	1 ea
E2848	2 Section	60" x 31½" x 36"	12 Pan	430 lbs	1 ea
E2849	2 Section	60" x 31½" x 36"	18 Pan	430 lbs	1 ea

NOTE: Shipped FREE from TN (38019)

The Features You Need

» Sized to fit easily through door openings
» Deep interior can handle 18" x 26" pans
» Oversized magnetic gaskets
» Factory mounted casters
» Tough ABS door liner – won't dent, ding, or crack
» Hi-Performance Refrigeration System

High Performance in a Compact Design

» Air Screen ensures safe, consistent temperatures
» 100% front venting and flat cord allows unit to be pushed against a wall or within a cabinet

6000 XL Series Reach-In Refrigerators & Freezers

FREE FREIGHT

Delfield

» Stainless steel exterior front and shroud will keep your kitchen looking great for years
» Three epoxy-coated shelves per section are durable and hold up to 250 lbs each
» Delrite™ one-piece liner repels dents, dings, and cracks
» Features an easy-to-read dial thermometer
» Includes 5" polyurethane casters and 10' power cord

Refrigerators					
TKE #	**Desc**	**W x D x H**	**Volts**	**Wt**	**Qty**
E2790	One Section	25½" x 32⅓" x 79½"	115 V	274 lbs	1 ea
E2791	Two Section	51" x 32⅓" x 79½"	115 V	454 lbs	1 ea
E2792	Three Section	76½" x 32⅓" x 79½"	115 V	622 lbs	1 ea
Freezers					
E2793	One Section	25½" x 32⅓" x 79½"	115 V	274 lbs	1 ea
E2794	Two Section	51" x 32⅓" 79½"	115 V	454 lbs	1 ea
E2795	Three Section	76½" x 32⅓" x 79½"	115 V	622 lbs	1 ea

NOTE: Shipped FREE from TN (38019)

G Express Reach-In Refrigerators & Freezers

Traulsen

FREE FREIGHT

- Incorporate the highest level of efficiency and design—cooling system is on top of the unit
- Exclusive air flow system moves cool air down and across the full width of the internal cabinet while maintaining optimal interior temperature—warm air is removed through a specially designed ceiling duct
- Durable stainless steel front and doors with locks; anodized aluminum interior and external sides
- Includes three epoxy-coated adjustable shelves per section
- Standard with 6" casters
- 1-year parts and labor, 5-year compressor warranty

TKE #	Desc	W x D x H	Volts	Wt	Qty
Refrigerators					
E2600	1 Section	29⅞" x 35" x 83¼"	115 V	395 lbs	1 ea
E2601	2 Section	52⅛" x 35" x 83¼"	115 V	590 lbs	1 ea
E2602	3 Section	76⁵⁄₁₆" x 35" x 83¼"	208 V	790 lbs	1 ea
Freezers					
E2603	1 Section	29⅞" x 35" x 83¼"	115 V	410 lbs	1 ea
E2604	2 Section	52⅛" x 35" x 83¼"	115 V	700 lbs	1 ea
E2605	3 Section	76⁵⁄₁₆" x 35" x 83¼"	208 V	870 lbs	1 ea

NOTE: Shipped FREE from TX (73106)

Includes three SmartProbes™

Blast Chillers

Traulsen

FREE FREIGHT

- Blast chill refrigeration system quickly cools hot cooked foods through the temperature danger zone to assure food safety
- Features an on-board printer, PC downloading capabilities, up to 72-hour memory, magnetic door gaskets
- Available in a variety of styles and sizes
- 1-year parts and labor warranty and 5-year compressor warranty

TKE #	Desc	Cap'y	Ht	Wt	Qty
E2620	5 Pans	50 lbs	33¹¹⁄₁₆"	440 lbs	1 ea
E2621	10 Pans	100 lbs	80⅛"	560 lbs	1 ea
E2622	26 Pans	200 lbs	89½"	1,104 lbs	1 ea

NOTE: Shipped FREE from TX (76106)

Cutting boards and casters are optional

FREE FREIGHT

TS Series Full Size Refrigerated Prep Tables

Traulsen

- TempAssure® air-channel system surrounds food with a cool blanket of air at the proper temperature without drying it out for up to 15 hours of consistent cool temperatures while in use
- Durable stainless steel construction throughout with front-breathing design for zero-clearance installation
- Holds both high-fat and high-water-content foods equally well
- Accommodates standard full, half, or third size pans without adapter bars

TKE #	Desc	Cap'y	Ht	Qty
1028285	One Section - Reach In	(6) ⅓ Pan	48⅜"	1 ea
1028288	Two Section - Reach In	(9) ⅓ Pan	48⅜"	1 ea
1028289	Two Section - Reach In	(10) ⅓ Pans	48⅜"	1 ea
1028290	Three Section - Reach In	(12) ⅓ Pans	48⅜"	1 ea

NOTE: Shipped FREE from TX (73106)

Standard Grease Guard™ Baffle Filters

Franklin Machine Products

» Designed for safe, dependable, flame-barrier protection
» Unique "roll lock" resists flexing and twisting
» Features drop handles for easy maneuverability

Aluminum			
TKE #	**Desc**	**Wt**	**Qty**
X710	Standard Alum 16"	2 lbs	1 ea
X712	Standard Alum 16" x 20"	2 lbs	1 ea
X714	Standard Alum 20"	3 lbs	1 ea
Stainless Steel			
X711	Standard SS 16"	3 lbs	1 ea
X713	Standard SS 20" x 16"	5 lbs	1 ea
X715	Standard SS 20"	6 lbs	1 ea

NOTE: Shipped FOB from NJ (08048)

Baffle Boss™ Hood Filter Lifting Tool

Franklin Machine Products

» Quickly and safely remove hood filters
» Lifting prongs adjust from 9¾" to 15" across to accommodate most filter brands and sizes; pole is 5' long
» Lightweight for easy handling; folds flat for easy storage

TKE #	Desc	Wt	Qty
X721	Hood filter lifting tool	8 lbs	1 ea
X722	Prongs w/ Flame Gard Filters	1 lb	1 ea
X723	Prongs w/ Kason Filters	1 lb	1 ea
X724	Wall Bracket Kit	1 lb	1 ea

NOTE: Shipped FOB from NJ (08048)

Pre-Rinse Baskets

Franklin Machine Products

» Fit into standard 20" x 20" pre-rinse sink
» Type 304 stainless steel

TKE #	L x W x D	Qty
1015015	20" x 20" x 2¼"	1 ea
1015016	20" x 20" x 4"	1 ea

NOTE: Shipped FOB from NJ (08048)

Portable Griddle Tops for Gas Ranges

Franklin Machine Products

» Convenient griddle is for use on commercial range gas burners, open fires, or outdoor grills
» Heavy gauge 3⁄16" steel
» Heat resistant handles

TKE #	Desc	Length	Qty
X6321	Covers 4 Burners	22 9⁄16"	1 ea
X6322	Covers 2 Burners	10 9⁄16"	1 ea

NOTE: Shipped FOB from NJ (08048)

Replacement Hood Light Accessories

Franklin Machine Products

» For use with 100W bulbs (not included)

TKE #	Desc	Qty
A. **X725**	Replacement globe for 100 watt	1 ea
B. **X726**	Wire guard replacement	1 ea

NOTE: Shipped FOB from NJ (08048)

Hand Sinks

Advance Tabco

» Heavy gauge stainless steel welded construction
» One piece deep drawn sink bowl design
» All fittings are brass / chrome plated
» Key hole wall mounting bracket is stainless steel and offset design

	TKE #	Desc	Size	Qty
	1045050	Splash Mounted Gooseneck Faucet	9"L x 9"W x 5"H	1 ea
	1045051	Double Hole on Splash-Faucet not included	14"L x 10"W x 5"H	1 ea
	1045054	Economy Splash Mounted Gooseneck Faucet	14"L x 10"W x 5"H	1 ea
A.	**E1078**	Splash Mounted Gooseneck Faucet	15¼"L x 17¼"W x 16"H	1 ea
B.	**10 45052**	Splash Mounted Gooseneck Faucet/ Soap/Towel Dispenser		1 ea
	1003335	Skirt for Sink		1 ea

NOTE: Shipped FOB from SC (29042)

Economy Work Tables

Advance Tabco

» Stainless steel top with galvanized frame and legs; welded construction
» Top has 1⅝" square bend on sides and 1⅝" sanitary rolled rim on front and rear and square sides
» Adjustable galvanized undershelf with leg collar
» 1" adjustable plastic bullet feet
» Additional sizes available

TKE #	W x D	Qty
1045298	24" x 36"	1 ea
1045314	24" x 36"	1 ea
1045303	24" x 48"	1 ea
1045315	24" x 48"	1 ea
1045316	24" x 60"	1 ea
1045304	24" x 60"	1 ea
1045305	24" x 72"	1 ea
1045317	24" x 72"	1 ea

NOTE: Shipped FOB from TX (75142)

Don't Forget
Frisk Dish Detergent

1J199

Pre-Rinse Spring Action Easy Install Faucet Units

T & S Brass and Bronze Works

» Base faucet with "pop and rock" riser installation feature
» Stainless steel 44" flex hose with overhead spring and spray valve
» Easy-on spray valve with 1.42 GPM
» EPAct 2005 Complaint

	TKE #	Desc	Size	Qty
C.	**1031133**	8" Wall Mount w/ Bracket	24" Riser, 45"H x 18" Flex	1 ea
	1031135	8" Wall Mount No Bracket	24" Riser, 44"H x 17" Flex	1 ea
D.	**1031137**	8" Wall Mount	24" Riser with 12" Faucet	1 ea
	1031138	8" Wall Mount, Base	18" Riser, 35"H x 15" Flex	1 ea

NOTE: Shipped FOB from SC (29690)

Faucets

Fisher

» Designed for durability with rugged cast brass bodies
» Easy-turn stem exceeds ADA regulations
» Stainless steel seats guaranteed for life
» Two-part swivel stems for lower maintenance

TKE #	Desc	Size	Qty
E140	Deck Mount	4" w/ 12" Spout	1 ea
E139	Deck Mount	8" w/ 12" Spout	1 ea
E137	Wall Mount	8" w/ 12" Spout	1 ea
E138	Back Splash	4" w/ 12" Spout	1 ea
E142	12" Swing Spout	7⅜" w/ 12" Spout	1 ea

NOTE: Shipped FOB from CA (93275)

Compartment Sinks

Advance Tabco

» Stainless steel construction with welded seams; stainless steel legs and bullet feet
» Backsplash has tile edge for easy installation
» Sink bowls have ¾" coved corners
» Faucet holes on 8" centers

TKE#	Desc	Size	Qty
One Compartment			
1045060	Left Drainboard	18" x 18" x 14"	1 ea
1045061	Right Drainboard	18" x 18" x 14"	1 ea
1045062	No Drainboard	18" x 18" x 14"	1 ea
Two Compartment			
1045063	Left Drainboard	18" x 18" x 14"	1 ea
Three Compartment			
1045064	Right Drainboard	18" x 18" x 14"	1 ea
1045065	Left and Right Drainboard	18" x 18" x 14"	1 ea
1045066	Left Drainboard	18" x 18" x 14"	1 ea
1045067	Left and Right Drainboard	18" x 18" x 14"	1 ea
1045068	Left and Right Drainboard	24" x 18" x 14"	1 ea
1045069	Left and Right Drainboard	20" x 30" x 14"	1 ea

NOTE: Shipped FOB from GA (30233)

The Industry's First Ventless Door Type Machine with Energy Recovery!

AM Select Ventless Dish Machines

Hobart

» Unique energy recovery condensing cycle eliminates the need of a vent hood
» NSF Certified for cleaning pots and pans, dishes, and glasses
» Easy-to-use controls to select cycle times of 1, 2, 4, and 6 minutes —uses only .74 gallons of water per rack
» Stainless steel construction

TKE #	Cap'y	Voltage	Phase	W x D x H	Qty
1015666	40 Racks/ HR	208 V	1 ph	29¼" x 35" x 69"	1 ea
1015661	40 Racks/ HR	208 V	3 ph	29¼" x 35" x 69"	1 ea

NOTE: Shipped FREE from OH (45374)

FREE FREIGHT

More Energy Efficient!

Prodigy™ Cubed Ice Machines

FREE FREIGHT

Scotsman

» Designed to save on operating and maintenance costs; uses less energy with unique accelerated harvest assist feature that pushes ice off evaporator plate
» Self-monitoring technology features AutoAlert™ external indicator lights that continually communicate the machine's current operating status
» Extended clean time features patented WaterSense purge control to reduce scale by monitoring water with every freeze cycle
» Built-in antimicrobial protection into key machine components
» Operates quietly with unique fan blade design and quieter compressor
» 3-year parts and labor warranty; 5-year warranty on compressor

TKE #	Production	Bin Cap'y	Width	Wt	Qty
3E251	570 lbs/24 hrs	Up to 275 lbs	22"	296 lbs	1 ea
3E250	560 lbs/24 hrs	Up to 410 lbs	30"	315 lbs	1 ea
3E252	1610 lbs/24 hrs	Up to 740 lbs	48"	545 lbs	1 ea

NOTE: Shipped FREE from local distributor

Nugget Ice Machines

FREE FREIGHT

Scotsman

» Produces 700-1,080 lbs of nugget-shaped ice per day
» Produces soft, chewable ice nuggets that displace more liquid than cubes, lowering syrup costs per cup
» AutoAlert™ indicator lights constantly communicate operating status and signal staff when it's time to descale, sanitize, etc.
» Easily-removable panels allow quick access to internal components for easy preventative maintenance
» Optional advance feature Smart-Board™ provides NAFEM data protocol and additional operational data that can be displayed and transmitted for fast diagnosis of operating issues
» Optional Vari-Smart™ ultrasonic ice level control sensor allows programming of ice levels for up to seven days

TKE #	Production	Cap'y	Wt	Qty
3E340	700 lbs/24 hrs	410 lb bin	345 lbs	1 ea
3E341	1080 lbs/24 hrs	580 lb bin	455 lbs	1 ea

NOTE: Shipped FREE from local distributor

Saf-T-Ice Tote™ and Saf-T-Scoop® Guardian System

San Jamar

» Durable, transparent polycarbonate with bail handle for easy carrying and emptying
» A great way to keep ice from food borne illness
» Tri-Grip™ grab points on bottom provide easy, secure handling
» Shorty Tote fits in dishwasher
» Saf-T-Scoop® prevents cross-contamination for safe scooping

Saf-T-Ice Totes™			
TKE #	**Desc**	**Cap'y**	**Qty**
K112	Original	6 gal	1 ea
K123	Shorty	5 gal	1 ea
Saf-T-Scoops™			
K116	Saf-T-Scoop Guardian System	10 oz	1 ea
K117	Saf-T-Scoop Replacement	10 oz	1 ea
K316	Saf-T-Scoop Guardian System	86 oz	1 ea
K317 *	Saf-T-Scoop Replacement	86 oz	1 ea

*NOTE: Shipped FOB from WI (53121)

Direct Draw Beer Dispensers

FREE FREIGHT

True

» Direct draw dispenser uses forced-air refrigeration and is designed to fit all beer keg configurations

» Contains foamed-in-place, high density, polyurethane insulation, and positive seal doors

» ⅓ hp compressor, 10 mil laminated black vinyl exterior

» 1-year parts and labor, 5-year compressor warranty

TKE #	Desc	W x D x H	Wt	Qty
E2561	2 Door - 2 Half Barrels	59" x 28⅜" x 37"	298 lbs	1 ea
E2562	2 Door - 3 Half Barrels	69" x 28⅜" x 37"	338 lbs	1 ea

NOTE: Shipped FREE from MO (63366)

Glass Bottle Crusher

Glastender

» The Glastender bottle disintegration system reduces the volume of bottles by up to 85%, and lowering disposal fees

» No louder than a standard bar mixer, the crushing sound lasts only a few seconds

» Disintegrates beer, wine and liquor glass bottles up to 4" in diameter

TKE #	W x D x H	Volts	Qty
1039119	22" x 20" x 38"	120 V	1 ea

NOTE: Shipped FOB from MI (48604)

NEW! LED Lighting on Glass Door Models

*** Brighter light makes beverages pop**
*** More even lighting throughout the box**
*** Longer lasting, less energy**

NEW

Back Bar Coolers with LED Interior Lighting

FREE FREIGHT

True

» Oversized, environmentally friendly forced-air refrigeration system

» Wear-resistant, laminated black vinyl exterior with stainless steel countertop

» Quick pull down of hot products to cold temperatures

» Triple pane thermal glass for double insulation and energy savings

» Features fluorescent interior lighting, door locks, and black vinyl coated wire shelving—two per door

» 115V; 1-year parts and labor, 5-year compressor warranty

NEW Glass Doors - LED				
TKE #	**Desc**	**Size**	**Wt**	**Qty**
1047878	2 Door	59" x 28⅜" x 37"	330 lbs	1 ea
1047879	2 Door	69" x 28⅜" x 37"	418 lbs	1 ea
1047880	3 Door	90" x 28⅜" x 37"	451 lbs	1 ea
Solid Door				
E2547	2 Door	59" x 27" x 37"	320 lbs	1 ea
E2550	2 Door	69" x 27" x 37"	408 lbs	1 ea
E2551	3 Door	90⅜" x 27" x 37"	441 lbs	1 ea
E2552	2 Swing Doors	49" x 24" x 35⅜"	248 lbs	1 ea

NOTE: Shipped FREE from MO (63366)

Low Temp Rotary Glasswasher

Glastender

» Fill and dump cycle that uses up to 59% less water and 87% less energy than traditional rotaries

» The sliding cover and cold water rinse prevent steam from escaping during and after the cycle

» Computer controlled fill cycle allows for 75° F rinse, providing clean glasses that are cool to the touch

TKE #	W x D x H	Volts	Qty
1030689	24" x 24" x 30"	120 V	1 ea

NOTE: Shipped FOB from MI (48604)

Serve Both Wine and Beer from the Same Cooler

Dual Zone Back Bar Coolers

Glastender

- Two separate temperature zone compartments allow you to merchandise, store and serve beer and wine in the same unit
- Keeps beer, red wine or white wine at the correct serving temperatures
- Stainless steel exterior and interior with glass doors and black end panels for maximum merchandising
- LED interior lighting
- Fully front breathing
- Other sizes and finish options available

For Both Beer and Red Wine			
TKE #	**Cap'y**	**W x D x H**	**Qty**
1039116	7cs longneck beer/66 wine bottles	60" x 25¼" x 36"	1 ea
For Both Beer and White Wine			
1039117	7cs longneck beer/66 wine bottles	60" x 25¼" x 36"	1 ea
For Both Red Wine and White Wine			
1039118	66 wine bottles 750ml per door	60" x 25¼" x 36"	1 ea

NOTE: Shipped FOB from MI (48604)

Don't Forget Beer Glass Cleaner

Clean Beer Lines Keep Beer Tasting Great

Beer-spoiling bacteria will ruin a beer's flavor and aroma

- Although not harmful, microorganisms will cause buttery off-flavors called diacetyl, or sour and vinegary off-flavors called acetic acid
- Companies that offer free beer-line cleaning often don't have the equipment and expertise to correctly do the job. If your beer lines are being cleaned for free, you are probably getting your money's worth. The result: Unhappy customers and lost revenue.

The Brewers Association recommends the following:

- Beer lines should be cleaned and serviced at least every two weeks
- Use industry-recommended beer line cleaners
- Use an electric pump to circulate the cleaner through the lines for at least 15 minutes

Beer Line Cleaning Pumps

Maxi Vac

- Specifically designed to clean draught beer dispensing systems—helps prevent build-up of bacteria, mold, and beer stone in beer lines
- Use 3J108 for direct draw and short run systems
- Use 3J106 for larger systems with longer runs, ideal for stadiums and auditoriums
- May also be used for soft drink dispensing systems

	TKE #	Desc	Flow Rate	Wt	Qty
A.	**3J106**	Heavy Duty	1.7 gpm	30 lbs	1 ea
B.	**3J108**	Medium Duty	1.5 gpm	16 lbs	1 ea

NOTE: Shipped FOB IL (60101)

LuminIce™ runs quietly 24 hours a day keeping your ice machine cleaner, reducing cleaning cycles, which ultimately saves labor, time, cost, and machine downtime.

Indigo™ Series Ice Makers

Manitowoc

- State-of-the-art diagnostics provide constant and reliable monitoring to customize ice production, use, and maintenance
- Customizable ice production levels ensure ice is there when needed and production is shut off when it's not needed
- Easy-to-read display panel provides up-to-date information and alerts when issues arise
- Monitor and control energy efficiency with key technologies
- Streamlined cleaning process with the simple push of a button and automatically returns to ice production mode when finished; Alpha San® antimicrobial protection is molded into select key plastic components
- Collection of real-time data enables quick and accurate diagnosis of any problem

TKE #	Desc	H x W x D	Holds
3E344	451 lbs ½ Dice Air w/Bin	71½" x 30" x 34"	430 lbs
3E314	940 lbs ½ Dice w/Bin	76½" x 30" x34"	430 lbs
3E311	1,010 lbs ½ Dice Air w/Bin	76½" x 30" x34"	710 lbs

NOTE: Shipped FOB from nearest distributor

The Choice is Clear

Full Size Cube Under Counter Back Bar Ice Machine

Manitowoc

- Easy access angled door provides a larger opening making ice more visible and easier to scoop
- Removable, forward-sliding storage bin allows for easier, quicker access to refrigeration components without having to move the entire machine
- Pop-out air filter protects against lint, grease, and dust. Cleans easily and is dishwasher-safe. Easy to remove with no tools required.

TKE #	Style	24 Hour Production Cap'y	Bin Cap'y
1049232	Regular Cube Size, Air Cooled	240 lbs	90 lb
1049231	Regular Cube Size, Air Cooled	190 lbs	90 lb
1049233	Regular Cube Size, Air Cooled	130 lbs	90 lb

NOTE: Shipped FOB from nearest distributor

NEW
Full size cube is the best choice for mixed drinks
Clean, clear cubes melt slowly for a lower dilution rate
Full size cube looks great in a glass

TRISTATE
KITCHEN EQUIPMENTS

Choose Model Options

» Steam
» Convection
» Smoke
» Toast
» Finish

Smoker option for menu enhancement

ecosmart® Ecologically Smart. Economically Smart.

Combitherm® CT Express™ Mini Combi

Alto Shaam

» Bakes, roasts, steams, poaches, grills, toasts, proofs, and braises—up to 70% faster than conventional cooking methods
» A great alternative to a combination microwave/convection oven for improved food preparation and increased productivity
» Choose from variable steam, convection heat, or a combination of both
» Choose from ExpressTouch programmable or simple controls
» Ecosmart® design for reduced energy usage
» Stainless steel construction; holds up to eight half-size or four full-size pans

TKE #	Controls	Qty
1048934	Simple	1 ea
1048935	Express Touch	1 ea
1048933	Express Touch	1 ea
1047646	Express Touch	1 ea

Model Includes	Handsprayer Kit	Self Clean	Food Probe	Smoker	Toaster Element	Catalytic Converter	Custom Color
1048934	X		X				
1048935	X	X	X	X			
1048933	X	X	X				X
1047646	X	X	X		X	X	